

Item No.	Description	Application & Use with (Model)	List Price
----------	-------------	--------------------------------	------------

Electrode Holder

007N	Plastic Holder, Spring Balanced Swing Arm	Holds Electrode & Probes	\$54.00
007	Metal Holder, Spring Balanced Swing Arm	Holds Electrode & Probes	\$59.00
008	Simple Holder, Base, Clamp & Rod type	Holds Electrode & Probes	\$29.00

Waterproof Aluminum NEMA-4X Enclosures

011-100-00	Watertight Enclosure	100mm deep for panel mounting	\$99.00
011-150-00	Watertight Enclosure	150mm deep for panel mounting	\$114.00
011-200-00	Watertight Enclosure	200mm deep for panel mounting	\$129.00
012-100-00	Watertight Enclosure	100mm deep for wall mounting	\$114.00
012-150-00	Watertight Enclosure	150mm deep for wall mounting	\$129.00
012-200-00	Watertight Enclosure	200mm deep for wall mounting	\$144.00
013-100-00	Watertight Enclosure	100mm deep portable w/handle & feet	\$129.00
013-150-00	Watertight Enclosure	150mm deep portable w/handle & feet	\$144.00
013-200-00	Watertight Enclosure	200mm deep portable w/handle & feet	\$159.00
1/16 DIN-4H	4 Holes x 1/16 DIN CUTOUT for Enclosure	Hold 4 x 1/16 DIN Panel meter	\$16.00
1/4 DIN-1H	1 Hole x 1/4 DIN CUTOUT for Enclosure	Hold 1/4 DIN Panel meter	\$8.00
1/8 DIN-1H	1 Hole x 1/8 DIN CUTOUT for Enclosure	Hold 1 x 1/8 DIN Panel meter	\$8.00
1/8 DIN-2H	2 Holes x 1/8 DIN CUTOUT for Enclosure	Hold 2 x 1/8 DIN Panel meter	\$12.00

pH/ORP Electrodes

600P	pH electrode, 3-ft cable, BNC connector, Max Temp. 60 deg. C	pH measurement, Single junction	\$45.00
600P-10	pH electrode, 10-ft cable, BNC connector, Max Temp. 60 deg. C	pH measurement, Single junction	\$66.00
600P-15	pH electrode, 15-ft cable, BNC connector, Max Temp. 60 deg. C	pH measurement, Single junction	\$81.00
600P-20	pH electrode, 20-ft cable, BNC connector, Max Temp. 60 deg. C	pH measurement, Single junction	\$89.00
600P-30	pH electrode, 30-ft cable, BNC connector, Max Temp. 60 deg. C	pH measurement, Single junction	\$99.00
600ED	pH electrode, 3-ft cable, BNC connector, Max Temp. 60 deg. C	pH measurement, Double junction	\$79.00
600E-ORP	ORP electrode, 3-ft cable, BNC connector, Max Temp. 60 deg. C	pH measurement, Single junction	\$105.00
600E-ORP-10	ORP electrode, 10-ft cable, BNC connector, Max Temp. 60 deg. C	pH measurement, Single junction	\$115.00
6000P	3-in-1 pH/ATC Probe, 4-pin connector, Max Temp. 60 deg. C	pH/Temperature measurement, single junction	\$69.00
6000ED	3-in-1 pH/ATC Probe, 4-pin connector, Max Temp. 60 deg. C	pH/Temperature measurement, double junction	\$94.00
612E	Stick pH electrode, BNR to BNC connector, Max Temp. 60 deg. C	pH measurement, Single junction (use with mdl. 61)	\$70.00
618DJ	3-in-1 pH/ATC Probe, Laboratory Style, Max Temp. 60 deg. C	pH/Temperature measurement, double junction (61)	\$89.00
618P	3-in-1 pH/ATC Probe, Compact Style, Max Temp. 60 deg. C	pH/Temperature measurement, single junction (61)	\$39.00
6810NP	3-in-1 pH/ATC Probe, Laboratory Style, 3-ft Cable Max Temp. 60 deg. C	pH/Temperature measurement, single junction (68)	\$95.00
JE-175P	Jenco Peering Tip Electrode, 3-ft cable, BNC	pH/No ATC (Food)	\$99.00
JE-650-pH	Jenco Flat Tip pH Cartridge	pH / No ATC (Must have cap cable to use. See p.5)	\$165.00
JE-650-ORP	Jenco Flat Tip ORP Cartridge	ORP / No ATC (Must have cap cable to use. See page 5)	\$184.00
JE-653HF-pH	Jenco High Temperature pH Cartridge (Special order only)	pH / No ATC	\$194.00
JE-651-pH	Jenco Flat Tip pH Cartridge	pH / No ATC (Must have cap cable to use. See p.5)	\$165.00
JE-651-ORP	Jenco Flat Tip ORP Cartridge	ORP / No ATC (Must have cap cable to use. See page 5)	\$184.00
S651CD-HF	Jenco High Temperature pH Cartridge (Special order only)	pH / No ATC	\$194.00

Laboratory Conductivity Cells w/10K ATC: (All electrodes come with 3-ft cable unless noted.)

101	Epoxy/Carbon, 8-pin connector, K=1.0	Conductivity & Temperature (3107, 3173, 3250, 63)	\$95.00
104	Glass/Platinum, w/ 5-pin connector, K=1.0	Conductivity & Temperature (103, 1671)	\$95.00
105	Epoxy/Carbon, w/ 8-pin connector, K=5.0 (Special order only)	Conductivity & Temperature (6307, 6350)	\$125.00
106	Glass/Platinum, w/ 8-pin connector, K=1.0	Conductivity & Temperature (3107, 3250, 6307, 6350)	\$95.00
106A	Glass/Platinum, w/ 4-pin connector, K=1.0	Conductivity & Temperature (3010)	\$95.00
107	Glass/Platinum, w/ 8-pin connector, K=10	Conductivity & Temperature (3107, 3173, 6307, 6350)	\$110.00
107A	Epoxy /Carbon, w/ 4-pin connector, K=10	Conductivity & Temperature (3010)	\$125.00

107N	Epoxy/Carbon, 8-pin connector, K=10.0, 10-ft cable	Conductivity & Temperature (3107, 3173, 3250, 63)	\$125.00
108	Epoxy/Carbon, w/ 8-pin connector, K=0.1	Conductivity & Temperature (3107, 3173, 3250, 6307)	\$105.00
109	Glass/Platinum, w/ 8-pin connector, K=0.1	Conductivity & Temperature (3107, 3173, 3250, 6307)	\$155.00
109A	Glass/Platinum, w/ 4-pin connector, K=0.1	Conductivity & Temperature (3010)	\$155.00
3020P	Conductivity Sensor	Conductivity & Temperature (Use with 3020M)	\$195.00

Industrial pH (Flat Tip or Cartridge Type.)

* Maximum discount for distributors is 25%, no discount for end-user

IP-600-10/20B	Flat Tip, 3/4" NPT Front & Rear, 10-ft Cable & BNC	pH / No ATC	\$139.00
IP-600-10/20T	Flat Tip, 3/4" NPT Front & Rear, 20-ft Cable & Tinned Leads	pH / No ATC	\$139.00
pHF-010B	Flat Tip, 3/4" NPT Front & Rear, 10-ft Cable & BNC	pH / No ATC	\$130.00
pHF-020B	Flat Tip, 3/4" NPT Front & Rear, 20-ft Cable & BNC	pH / No ATC	\$139.00
pHF-020BS/PT	Flat Tip, 3/4" NPT pH is BNC, Pt-100 ATC is Spade Lugs	pH / with Pt-100 ATC, (3672, 3673, 3675, 3676)	\$194.00
pHF-020ST/PT	Flat Tip, 3/4" NPT, pH is Spade Lug, Pt-100 & all other leads are Tinned	pH / with Pt-100 ATC, (3679N)	\$194.00
pHF-020BP/PT	Flat Tip, 3/4" NPT, pH is BNC, Pt-100ATC is 3.5mm Phono Plug	pH / with Pt-100 ATC, (3671N)	\$194.00
pHF-020ST/TH	Flat Tip, 3/4" NPT pH is Spade Lug, ATC & all other leads are Tinned	pH / with 10K Thermistor ATC, (6308, 6311, 6309)	\$194.00
pHF-020ST/1K	pH is Spade Lug, Pt-1000 & all other leads are Tinned (Special order only)	pH / with Pt-1000 ATC, (2TX, 6311)	\$194.00
pHF-020ST/3K	pH is Spade Lug, 3K Balco & all other leads Tinned (Special order only)	pH / with 3K Balco ATC, (2TX, 6311)	\$194.00
pHF-020BT/3K	pH is Spade Lug, 3K Balco & all other leads Tinned (Special order only)	pH / with 3K Balco ATC, (693-pH , 695-pH)	\$194.00

Industrial ORP (Flat Tip or Cartridge Type.)

* Maximum discount for distributors is 25%, no discount for end-user

IR-500-8/20T	ORP electrode, Flat Tip, No ATC, 3/4" NPT, 20-ft cable, tinned leads	Use with all controller meters without BNC connection	\$214.00
IR-500-8/20B	ORP electrode, Flat Tip, No ATC, 3/4" NPT, 20-ft cable, BNC	Use with all controller meters with BNC connection	\$214.00
ORPF-010B	ORP electrode, Flat Tip, No ATC, 3/4" NPT, 10-ft cable, BNC	Use with all controller meters with BNC connection	\$150.00
ORPF-020B	ORP electrode, Flat Tip, No ATC, 3/4" NPT, 20-ft cable, BNC	Use with all controller meters with BNC connection	\$184.00
ORPF-020T	ORP electrode, Flat Tip, No ATC, 3/4" NPT, 20-ft cable, tinned leads	Use with all controller meters without BNC connection	\$184.00

General Purpose, Non-Rated, Industrial Conductivity Cells w/ 10K ATC: (All electrodes come with 10-ft cables unless noted.)

3101CC-01	Epoxy, K=1.0, Tinned Leads, 3-ft cable, 10 - 2000 uS	Conductivity & Temperature (3101)	\$75.00
3101CC-02	Epoxy, K=1.0, Tinned Leads, 10-ft cable, 10 - 2000 uS	Conductivity & Temperature (3101)	\$95.00
3840P	4-Wire Conductivity Electrode, K=0.5	Conductivity / TDS / Temperature, K=0.5	\$200.00
392-121	SS, Platinum, 3/4" NPT Front, K=1.0, 0 uS to 5,000 uS	Conductivity & Temperature (392-SBC, 3101)	\$135.00
392-122	SS, Pure H ₂ O 3/4" NPT Front, K= .01 0 uS to 20,000 uS	Conductivity & Temperature (6308-Ct Tinned Leads)	\$150.00
392-123	Epoxy/Platinum, 3/4" F/ R, K= 10, 0 mS to 300 mS	Conductivity & Temperature (6308-Ct Tinned Leads)	\$170.00
392-124	Kynar Platinum, Pure H ₂ O 3/4" NPT Front, K= 1.0, 0 uS to 2,000 uS	Conductivity & Temperature (392, 392-SBC, 3101)	\$135.00
392-125	SS, Pure H ₂ O 3/4" NPT Front, K= 1.0, 0 uS to 2,000 uS	Conductivity & Temperature (392-SBC, 3101)	\$160.00
392-134/10FT	ABS, Platinum 3/4" NPT F / R, K=1.0, 0 uS to 5,000 uS	Conductivity & Temperature (1962737-34-010T)	\$165.00
392-134/20FT	ABS, Platinum 3/4" NPT F / R, K=1.0, 0 uS to 5,000 uS, 20-ft cable	Conductivity & Temperature (1962737-34-010T)	\$175.00

Pressure and Temperature Rated Industrial Conductivity Cells w/ 10K ATC: (All electrodes come with 20-ft cables unless noted.)

* Maximum discount for distributors is 25%, no discount for end-user

C621-1-2-4-20T	K=0.01, SS, 3/4" Front, 150PSI @ 135C, 0.055 to 20 uS	Conductivity & Temperature (6308CT, 392 & 3101)	\$193.00
C621-2-4-2-20T	K= 1, SS, 3/4" Front, 150PSI @ 135C, 10 to 2,000 uS	Conductivity & Temperature (6308CT, 392 & 3101)	\$193.00
C621-3-4-2-20T	K=0.1, SS, 3/4" Front, 150PSI @ 135C, 0.5 to 200 uS	Conductivity & Temperature (6308CT, 392 & 3101)	\$193.00

Hamilton Dissolved Oxygen Probes & Accessories: (Special Order Only)

* Maximum discount for distributors is 20%, no discount for end-user

OxyFerm FDA 120	237450: Sterilizable for Fermentation, No Cable	6312DTF	\$1,243.00
OxyFerm Cable	355088: 3-meter cable for OxyFerm 120	OxyFerm Probe	\$215.00
OxyFerm Cable	355089: 5 meter Cable for OxyFerm 120	OxyFerm Probe	\$250.00
OxyFerm Cable	355136: 10 meter Cable for OxyFerm 120	OxyFerm Probe	\$324.00
OxyGold G-120	237395: OxyGold Sensor with No Attached Cable	6312DTB	\$1,689.00
OxyGold Cable	355110: Sensor Cable VP 6.0, 5-meter cable	OxyGold Probe	\$160.00
OxyGold Cable	355111: Sensor Cable VP 6.0, 10-meter cable	OxyGold Probe	\$195.00
Oxylyte	237139: Oxylyte G for Oxygold	OxyGold Probe	\$44.00
OxySense 120	237150: Wastewater w/ Membrane & 5-meter cable	6312DTF, 6309PDTF	\$432.00

Polilyte PRO VP 120	238417: Polilyte PRO VP 120, Electrolyte Solution	6312DTB	\$218.00
Membranes	237135: DO Membrane Kit	Oxyferm, Oxygold Probes	\$306.00

JENCO Dissolved Oxygen Probes & Accessories:

LD-900-3A	Membrane Kit 6-Caps, DO KCL Powder, Sandpaper	Jenco Membrane Kit (Fits Jenco & All Y Probes)	\$59.00
ID-900-5/10	Industrial Epoxy 3/4" NPT F & R w/ 10-ft, Non-Waterproofed Cable	(6308DT, 6309-PDT)	\$295.00
ID-900-5/30	Industrial Epoxy 3/4" NPT F & R w/ 30-ft, Non-Waterproofed Cable	(6308DT, 6309-PDT)	\$335.00
LD-900-10/10	Stainless Steel, 3/4" NPT Front w/ 10-ft, Waterproofed Cable, 8-Pin	(9173, 9250N, 9251N, 9250M, 9251M)	\$295.00
LD-900-10/30	Stainless Steel, 3/4" NPT Front w/ 30-ft, Waterproofed Cable, 8-Pin	(9173, 9250N, 9251N, 9250M, 9251M)	\$335.00
LD-900-7.DO	Lab Epoxy Probe, 8-Pin w/ 1-Meter Cable	(9173, 9250N, 9251N, 9250M, 9251M)	\$295.00
LD-900-11	Stainless Steel, 3/4" NPT Front w/ 10-ft, Waterproofed Cable	(9010M)	\$295.00
LD-900G-1	Stainless Steel, 3/4" NPT Front w/ 30-ft, Waterproofed Cable	(9020M)	\$240.00
LD-900-12/10	Stainless Steel, 3/4" NPT Front w/ 10-ft, Waterproofed Cable, Tinned Lead	(6308DT, 6309-PDT)	\$295.00
LD-900-12/30	Stainless Steel, 3/4" NPT Front w/ 30-ft, Waterproofed Cable, Tinned Lead	(6308DT, 6309-PDT)	\$335.00

ATC Probes: Automatic Temperature Compensation: All Probes 30 ~ 36 Inch Cables unless noted.)

3671A	Glass, Pt-100 with Phono Plug	ATC/Automatic Temperature Compensation (3671)	\$69.00
600A	Glass, Pt-100 with Banana Plugs	ATC/Automatic Temperature Compensation	\$69.00
600A-ST	Stainless Steel, Pt-100 with Banana Plugs	ATC/Automatic Temperature Compensation	\$69.00
6000A	Glass, 10K Ω Thermistor w/ Jenco Screw Connector	ATC/Automatic Temperature Compensation	\$49.00
6000A-15	Glass, 10K Ω Thermistor w/ Jenco Screw Connector	ATC/Automatic Temperature Compensation	\$85.00
6000A-25	Glass, 10K Ω Thermistor w/ Jenco Screw Connector	ATC/Automatic Temperature Compensation	\$115.00
6000A-ST	Stainless Steel, 10K Ω ATC w/ Screw Connector	ATC/Automatic Temperature Compensation	\$49.00
6230A	Glass, 10K Ω Thermistor, 8-Pin DIN Connector	ATC/Automatic Temperature Compensation	\$49.00
6230AS	Stainless Steel, Piercing Tip 10K Ω ATC, 8-Pin DIN Connector	ATC/Automatic Temperature Compensation	\$60.00
6230A-ST	Stainless Steel, 10K Ω ATC, 8-Pin DIN Connector	ATC/Automatic Temperature Compensation	\$49.00
6301NA	Glass, 10K Ω Thermistor, Banana Plugs	ATC/Automatic Temperature Compensation (6301N)	\$69.00
6303A	Glass, 10K Ω Thermistor, Spade Lugs	ATC/Automatic Temperature Compensation (6303)	\$49.00
6303A-10	Glass, 10K Ω Thermistor, Spade Lugs w/ 10-ft cable	ATC/Automatic Temperature Compensation (6303)	\$69.00
6303A-ST	Stainless Steel, 10K Ω Thermistor, Spade Lugs	ATC/Automatic Temperature Compensation (6303)	\$49.00
6303A-ST-10	Stainless Steel, 10K Ω Thermistor, Spade Lugs, 10-ft	ATC/Automatic Temperature Compensation (6303)	\$69.00
6715A	Glass, 10K Ω Thermistor, Banana Plugs	ATC/Automatic Temperature Compensation (6715)	\$49.00
6715J	Ground Probe		\$25.00
6810AS	Stainless Steel, Piercing Tip 10K Ω ATC, 6-Pin DIN Connector	ATC/Automatic Temperature Compensation (6810)	\$60.00
6810AST	Stainless Steel, 10K Ω ATC, 6-Pin DIN Connector	ATC/Automatic Temperature Compensation (6810)	\$60.00
692A	Glass, Pt-100 with Tinned Leads, 5-ft Coil Cable	ATC/Automatic Temperature Compensation (692, 3675, 3675)	\$69.00
692A-15	Glass, Pt-100 with Tinned Leads, 15-ft Coil Cable	ATC/Automatic Temperature Compensation (692, 3675, 3675)	\$95.00
693-3K	ATC Probe, 3K Balco, Tinned Leads (Special order only)	693-pH, 695-pH	\$85.00

Electrode Extension Cables:

6001C	Extension Cable, 4-Pin to 4-Pin, 3-ft	pH (6000P, 6000ED, GB-7000E)	\$25.00
6001C-10	Extension Cable, 4-Pin to 4-Pin, 10-ft	pH (6000P, 6000ED, GB-7000E)	\$45.00
6003C	Extension Cable, 4-Pin to BNC & 1-Pin ATC, 3-ft	pH (6000P, 6000ED, GB-7000E)	\$25.00
6003C-10	Extension Cable, 4-Pin to BNC & 1-Pin ATC, 10-ft	pH (6000P, 6000ED, GB-7000E)	\$45.00
6005C	Extension Cable, 4-Pin to BNC & 8-Pin DIN, 3-ft	pH (6000P, 6000ED, GB-7000E)	\$25.00
6005C-10	Extension Cable, 4-Pin to BNC & 8-Pin DIN, 10-ft	pH (6000P, 6000ED, GB-7000E)	\$45.00
BNR-BNC	Extension Cable, BNR to BNC, 6-foot long	All Electrode with BNC Connector (Special order only)	\$25.00
BNR-BNC	Extension Cable, BNR to BNC, 10-foot long	All Electrode with BNC Connector (Special order only)	\$30.00
JE653-10/BNC	Cable / Plain no ATC 10-Foot Cap Cable for JE650 Series	pH or ORP (Special order only)	\$69.00
JE653-25/BNC	Cable / Plain no ATC 25-Foot Cap Cable for JE650 Series	pH or ORP (Special order only)	\$77.00
JE653-40/BNC	Cable / Plain no ATC 40-Foot Cap Cable for JE650 Series	pH or ORP (Special order only)	\$100.00
JE653TC/Pt100/10/BNC/TL	10-ft Cable, BNC/ Tinned Lead for JE650 Series	pH or ORP w/ATC (Special order only)	\$155.00
JE653TC/Pt100/25/BNC/TL	25-ft Cable, BNC/Tinned Leads for JE650 Series	pH or ORP w/ ATC (Special order only)	\$194.00

Temperature Probes / Thermocouple Probes:

* Maximum discount for distributors is 25%, no discount for end-user

720-01	Immersion Probe / General Purpose / Liquid & Air	Temperature (720)	\$12.00
720-02	Penetration Probe / Semi-Solids	Temperature (720)	\$13.00
720-03	Air & Gases Probe	Temperature (720)	\$14.00

720-04	Surface Probe	Temperature (720)	\$15.00
J-7001	J-Type Thermocouple / General Purpose Probe	Temperature (701, 7000H, 7001H, 7002H)	\$40.00
J-7002	J-Type Thermocouple / Penetration Probe	Temperature (701, 7000H, 7001H, 7002H)	\$45.00
J-7003	J-Type Thermocouple / Air Gases Probe	Temperature (701, 7000H, 7001H, 7002H)	\$50.00
J-7004	J-Type Thermocouple / Surface Probe	Temperature (701, 7000H, 7001H, 7002H)	\$55.00
K-7001	K-Type Thermocouple / General Purpose Probe	Temperature (701, 7000H, 7001H, 7002H)	\$40.00
K-7002	K-Type Thermocouple / Penetration Probe	Temperature (701, 7000H, 7001H, 7002H)	\$45.00
K-7003	K-Type Thermocouple / Air Gases Probe	Temperature (701, 7000H, 7001H, 7002H)	\$50.00
K-7004	K-Type Thermocouple / Surface Probe	Temperature (701, 7000H, 7001H, 7002H)	\$55.00
T-7001	T-Type Thermocouple / General Purpose Probe	Temperature (701, 7000H, 7001H, 7002H)	\$40.00
T-7002	T-Type Thermocouple / Penetration Probe	Temperature (701, 7000H, 7001H, 7002H)	\$45.00
T-7003	T-Type Thermocouple / Air Gases Probe	Temperature (701, 7000H, 7001H, 7002H)	\$50.00
T-7004	T-Type Thermocouple / Surface Probe	Temperature (701, 7000H, 7001H, 7002H)	\$55.00

AC Adapter

600D115	AC Adapter, 9 VDC, 1/8" Phono Plug	115-VAC (UL & CSA)	\$10.00
600D230	AC Adapter, 9 VDC, 1/8" Phono Plug	230-VAC (UL & CSA)	\$10.00
6230D115	AC Adapter, 9 VDC, Center Negative	115-VAC (CE Approved)	\$10.00
6230D230	AC Adapter, 9 VDC, Center Negative	230-VAC (CE Approved)	\$10.00

Other Accessories:

600B-P	BNC to Tinned Pins Adapter / Converter	3679, 3679N & 6308 / 6309 Series	\$18.00
600B-Y	BNC to 4mm spade Lug & Tinned Pins Adapter / Converter	3679, 3679N & 6308 / 6309 Series	\$18.00
600G	Karl Fisher Shorting Plug	603A, 671P, 6071, 6171 Original	N/A
6000B	4-Pin to BNC Adapter / Converter	4-Pin only meters 6007, 6171L & 6231	\$30.00
613	pH Simulator Stick pH 4.01, pH 7.00 & pH 10.01)	Calibrates pH meters	\$79.00
66	Pre-Amplifier for pH / ORP	For remote electrodes > 40-ft away	\$99.00
6B4	Buffer Capsules 4.01 / 10 per pack	Slopes at 4.01	\$10.00
6B7	Buffer Capsules 7.00 / 10 per pack	Slopes at 7.00	\$10.00
6B10	Buffer Capsules 10.01 / 10 per pack	Slopes at 10.01	\$10.00
DB9	RS-232 Cable, 6-ft, DB9 to DB9	(No Discount)	\$29.00
DB25	RS-232 Cable, 6-ft, DB25 to DB9	(No Discount)	\$29.00
720-31	Coiled Adapter Extension Cable / 6-ft	(720 Temperature Meter)	\$25.00
720-99	Vinyl Pouch for 720	pH/ORP	\$10.00
MD0004	24 Polishing Strips for Platinum ORP Probes (Special order only)	pH/ORP	\$40.00
"Model # F"	Carrying Cases for Handheld Meters, For Example "6230F"	Handheld Cases	\$20.00
PMBSS	Pipe Mount Bracket Stainless Steel	¼ DIN Controllers / Analyzers	\$59.00
UT-207 Adapter	RS-485 Adapter, DB25 Male-DB9 Female Cable, 120-240VAC	RS-485 Interface, AC Adapter , Cable	\$60.00

pH / ORP / Conductivity Solutions

CS0001-08	pH / ORP Soaking Solution, 8 Ounce Bottle	pH/ORP	\$12.00
CS0001-16	pH / ORP Soaking Solution, 16 Ounce Bottle	pH/ORP	\$18.00
CS0002-08	pH / ORP Cleaning Solution, 8 Ounce Bottle	pH/ORP	\$10.00
CS0002-16	pH / ORP Cleaning Solution, 16 Ounce Bottle	pH/ORP	\$12.00
RF0007-08	pH Electrode Refill Solution, 8 Ounces	pH Electrode Refill Solution	\$22.00
SD3001-04	Conductivity Standard Solution, 1,412uS/cm, 125ml (4oz)	Conductivity, K=0.1	\$12.00
SD3001-16	Conductivity Standard Solution, 1,412uS/cm, 500ml (16oz)	Conductivity, K=0.1	\$30.00
SD3002-04	Conductivity Standard Solution, 1,000uS/cm, 125ml (4oz)	Conductivity, K=0.1, K=1.0	\$12.00
SD3002-16	Conductivity Standard Solution, 1,000uS/cm, 500ml (16oz)	Conductivity, K=0.1, K=1.0	\$30.00
SD3003-16	Conductivity Standard Solution, 12,880uS/cm, 500ml (16oz)	Conductivity, K=1.0, K=5.0	\$30.00
SD3004-16	Conductivity Standard Solution, 111.8mS/cm, 500ml (16oz)	Conductivity, K=10.00	\$30.00
SD3005-16	Conductivity Standard Solution, 58,600 uS/cm, 500ml (16oz)	Conductivity, 10.00	\$30.00
SD4001-04	ORP Quinhydrone Checking Kit	ORP	\$30.00

Conductivity Meter and Kits:

103	CONDUCTIVITY METER (Meter only)	Conductivity / Temperature	\$85.00
103F	CARRYING CASE		\$20.00

*Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
The prices below are list price we offer up to a 10% discount with a \$300.00 purchase*

103KA	CONDUCTIVITY KIT, includes the following: 103: Meter 104: Conductivity Probe, K=1.0	Conductivity / Temperature	\$180.00
103KB	CONDUCTIVITY KIT, includes the following: 103: Meter 104: Conductivity Probe, K=1.0 103F: Carrying Case	Conductivity / Temperature	\$200.00
103KC	CONDUCTIVITY KIT, includes the following: 103: Meter 104: Conductivity Probe, K=1.0 103F: Carrying Case 008: Simple Holder, Base, Clamp & Rod type	Conductivity / Temperature	\$229.00
3010	CONDUCTIVITY METER (Meter Only)	CONDUCTIVITY METER	\$140.00
3010K	HANDHELD CONDUCTIVITY KIT, includes the following: 3010: Meter 106A: Conductivity Probe, Glass, K=1.0, 3-ft	Conductivity / Temperature, K=0.1, 1 & 10	\$235.00
3010KA	HANDHELD CONDUCTIVITY KIT, includes the following: 3010: Meter 107A: Conductivity Probe, Glass, K=10, 3-ft	Conductivity / Temperature, K=0.1, 1 & 10	\$265.00
3010KB	HANDHELD CONDUCTIVITY KIT, includes the following: 3010: Meter 109A: Conductivity Probe, Glass, K=0.1, 3-ft	Conductivity / Temperature, K=0.1, 1 & 10	\$295.00
3010M	CONDUCTIVITY METER with Memory (Meter only)	CONDUCTIVITY METER	\$150.00
3010MK	HANDHELD CONDUCTIVITY KIT, includes the following: 3010M: Meter with memory 106A: Conductivity Probe, Glass, K=1.0, 3-ft	Conductivity / Temperature, K=0.1, 1 & 10	\$245.00
3010MKA	HANDHELD CONDUCTIVITY KIT, includes the following: 3010M: Meter with memory 107A: Conductivity Probe, Glass, K=10, 3-ft	Conductivity / Temperature, K=0.1, 1 & 10	\$275.00
3010MKB	HANDHELD CONDUCTIVITY KIT, includes the following: 3010M: Meter with memory 109A: Conductivity Probe, Glass, K=0.1, 3-ft	Conductivity / Temperature, K=0.1, 1 & 10	\$305.00
3010F	CARRYING CASE for 3010M. 3010N Meters	Case for 3010 series meter	\$20.00
3020M	CONDUCTIVITY METER with Memory (Meter only)	CONDUCTIVITY METER	\$150.00
3020MK	HANDHELD CONDUCTIVITY KIT, includes the following: 3020M: Meter with memory 3020P: Conductivity Probe	Conductivity / Temperature	\$345.00
3020MKA	HANDHELD CONDUCTIVITY KIT, includes the following: 3020M: Meter with memory 3020P: Conductivity Probe 3020F: Carrying Case	Conductivity / Temperature, K=0.1, 1 & 10	\$365.00
3020F	CARRYING CASE for 3010M. 3020N Meters	Case for 3010 series meter	\$20.00
3107	BENCHTOP COND/SAL/TEMP METER	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$495.00

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
 www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
 The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

3107K	BENCHTOP CONDUCTIVITY KIT, includes the following: 3107: Benchtop Conductivity meter 101: Epoxy, Conductivity probe, K=1.0, 3-ft * Or 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$600.00
3173	Benchtop, Conductivity/Temperature/TDS meter	Conductivity / TDS / Temperature, K=0.1, 1 & 10	\$239.00
3173K1	BENCHTOP CONDUCTIVITY KIT, includes the following: 3173: Benchtop Conductivity meter 101: Epoxy, Conductivity probe, K=1.0, 3-ft * Or 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=1.0	\$344.00
3173K10	BENCHTOP CONDUCTIVITY KIT, includes the following: 3173: Benchtop Conductivity meter 107: Conductivity Probe, K=10.00 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=10.00	\$374.00
3173K0.1	BENCHTOP CONDUCTIVITY KIT, includes the following: 3173: Benchtop Conductivity meter 109: Conductivity Probe, K=0.1 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=0.1	\$404.00
3173R	Benchtop, Conductivity/Temperature/TDS meter (Pre-installed RS-232 interface)	Conductivity / TDS / Temperature, K=0.1, 1 & 10	\$299.00
3173RK1	BENCHTOP CONDUCTIVITY KIT, includes the following: 3173R: Benchtop Conductivity meter with RS-232 interface 101: Epoxy, Conductivity probe, K=1.0, 3-ft * Or 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$398.00
3173RK10	BENCHTOP CONDUCTIVITY KIT, includes the following: 3173R: Benchtop Conductivity meter with RS-232 interface 107: Conductivity Probe, K=10.00 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$428.00
3173RK0.1	BENCHTOP CONDUCTIVITY KIT, includes the following: 3173R: Benchtop Conductivity meter with RS-232 interface 109: Conductivity Probe, K=0.1 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$458.00
3173RKA	BENCHTOP CONDUCTIVITY KIT, includes the following: 3173R: Benchtop Conductivity meter with RS-232 interface 101: Epoxy, Conductivity probe, K=1.0, 3-ft * Or 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$458.00

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

	007N: Electrode Holder, Swing Arm		
3175	Benchtop, Conductivity/Temperature/TDS meter	Conductivity / TDS / Temperature, K=0.1, 1 & 10	\$259.00
3175K1	BENCHTOP CONDUCTIVITY KIT, includes the following: 3175: Benchtop Conductivity meter 101: Epoxy, Conductivity probe, K=1.0, 3-ft * Or 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$364.00
3175K10	BENCHTOP CONDUCTIVITY KIT, includes the following: 3175: Benchtop Conductivity meter 107: Conductivity Probe, K=10.00 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$379.00
3175K0.1	BENCHTOP CONDUCTIVITY KIT, includes the following: 3175: Benchtop Conductivity meter 109: Conductivity Probe, K=0.1 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$424.00
3175KA	BENCHTOP CONDUCTIVITY KIT, includes the following: 3175: Benchtop Conductivity meter 101: Epoxy, Conductivity probe, K=1.0, 3-ft * Or 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 007N: Electrode Holder, Swing Arm	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$418.00
3250	COND/SAL/TEMP METER w/RS-232 Computer Interface	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$395.00
3250F	CARRYING CASE		\$20.00
3250M	CONDUCTIVITY METER w/Memory & RS-232 Computer Interface	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$419.00
3250MK	HANDHELD CONDUCTIVITY KIT, includes the following: 3250M: Conductivity meter with memory & RS-232 interface 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 3250F: Carrying Case	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$544.00
3250N	HANDHELD COND/SAL/TEMP METER w/RS-232 Computer Interface	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$395.00
3250NK	HANDHELD CONDUCTIVITY KIT, includes the following: 3250N: Conductivity meter with RS-232 interface 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 3250F: Carrying Case	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$475.50
3251M	COND/SAL/TEMP METER w/Memory & w/o RS-232 Computer Interface	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$359.00
3251MK	HANDHELD CONDUCTIVITY KIT, includes the following:	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$484.00

	3251M: Conductivity meter with memory 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 3250F: Carrying Case		
3251N	HANDHELD COND/SAL/TEMP METER w/o RS-232 Computer Interface	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$295.00
3251NK	HANDHELD CONDUCTIVITY KIT, includes the following: 3251N: Conductivity meter without memory 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 3250F: Carrying Case	Cond. / Salinity / Temperature, K=0.1, 1 & 10	\$391.50
3840N	Handheld/Portable Conductivity/TDS/Temperature meter, 4-Wire	Conductivity / TDS / Temperature	\$240.00
3840NP	4-Wire Conductivity Electrode, K=0.5	Conductivity/TDS/Temperature, K=0.5, use with 3840N m	\$200.00
6307	Benchtop pH/Conductivity/Temperature meter w/ Memory	pH / Conductivity / Temperature	\$595.00
6307K	BENCHTOP CONDUCTIVITY KIT, includes the following: 6307: Conductivity meter with memory 106: Glass, Conductivity probe, K=1.0, 3-ft 600P: pH Electrode 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH / Conductivity / Temperature	\$745.00
6350M	Handheld/Portable pH/Conductivity/Temperature meter w/ Memory	pH / Conductivity / Temperature	\$545.00
6350MKA	HANDHELD CONDUCTIVITY KIT, includes the following: 6350M: Conductivity meter with memory 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6350F: Carrying Case	pH / Conductivity / Temperature	\$670.00
6350MKB	HANDHELD CONDUCTIVITY KIT, includes the following: 6350M: Conductivity meter with memory 600P: pH/Ref. electrode 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$620.00
6350MCC	HANDHELD CONDUCTIVITY KIT, includes the following: 6350M: Conductivity meter with memory 600P: pH/Ref. electrode 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$715.00
6350N	Handheld/Portable pH/Conductivity/Temperature meter	pH / Conductivity / Temperature	\$495.00
6350NKA	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter	pH / Conductivity / Temperature	\$620.00

	106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6350F: Carrying Case		
6350NKB	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 600P: pH/Ref. electrode 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$570.00
6350NKC	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 600P: pH/Ref. electrode 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$665.00
6360 (NEW)	Handheld/Portable pH/ORP/Conductivity/Temperature meter	pH / ORP/ Conductivity / Temperature	\$545.00
6360KA	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6350F: Carrying Case	pH / Conductivity / Temperature	\$670.00
6360KB	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 600P: pH/Ref. electrode 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$620.00
6360KC	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 600P: pH/Ref. electrode 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$715.00

Handheld, Benchtop pH/ORP/Temperature Meter & Meter kits:

5001	HANDHELD pH METER (Meter only)	pH	\$139.00
5001F	CARRYING CASE W/pH 4 & 7 CAPSULES		\$20.00
5001K	HANDHELD PH METER KIT, includes the following: 5001: Meter 600P: pH/Ref Electrode, 3-ft, BNC 5000F: Carrying case with pH4, pH7 buffer capsules & bottles	pH	\$204.00
5005	HANDHELD pH/mV/Temp. METER (Meter only)	pH/Temperature	\$185.00

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
 www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
 The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

5005F	CARRYING CASE W/pH 4 & 7 CAPSULES		\$20.00
5005KA	HANDHELD PH METER KIT, includes the following: 5005: Meter 600P: pH/Ref Electrode, 3-ft, BNC 5000F: Carrying case with pH4, pH7 buffer capsules & bottles	pH	\$250.00
5005KB	HANDHELD PH METER KIT, includes the following: 5005: Meter 600P: pH/Ref Electrode, 3-ft, BNC 600A: Temperature Probe. 3-ft 5000F: Carrying case with pH4, pH7 buffer capsules & bottles	pH	\$319.00
5005KC	HANDHELD PH METER KIT, includes the following: 5005: Meter 600P: pH/Ref Electrode, 3-ft, BNC 600A: Temperature Probe. 3-ft 600D115: 120V AC adapter * Or 600D230: 220V AC adapter 5000F: Carrying case with pH4, pH7 buffer capsules & bottles	pH	\$329.00
60	PH METER (Meter only)	pH	\$110.00
60K	HANDHELD PH METER KIT, includes the following: 60: pH meter 600P: pH/Ref Electrode, 3-ft, BNC 600D115: 120V AC adapter * Or 600D230: 220V AC adapter 6007F: Carrying case with pH4, pH7 buffer capsules & bottles	pH	\$185.00
601A	Handheld pH METER (Meter only)	pH	\$180.00
601AF	CARRYING CASE	pH	\$20.00
601AKA	HANDHELD PH METER KIT, includes the following: 601A: Meter 600P: pH/Ref Electrode, 3-ft, BNC 600F: Carrying case with pH4, pH7 buffer capsules & bottles	pH	\$245.00
601AKB	HANDHELD PH METER KIT, includes the following: 601A: pH meter 600P: pH/Ref Electrode, 3-ft, BNC 600D115: 120V AC adapter * Or 600D230: 220V AC adapter 600F: Carrying case with pH4, pH7 buffer capsules & bottles	pH	\$255.00
6010M	Handheld pH/ORP Meter, Memory with Batteries	pH/ORP/Memory	\$140.00
6010MK	HANDHELD PH METER KIT, includes the following: 6010M: Meter with Memory 600P: pH/Ref Electrode, 3-ft, BNC	pH/ORP	\$185.00
6010MKA	HANDHELD PH METER KIT, includes the following: 6010M: Meter with Memory 6000P: pH/Temp/Ref Electrode 6003C: Electrode's cable	pH/ORP/Temperature	\$234.00

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
 www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
 The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

6010MKB	HANDHELD PH METER KIT, includes the following: 6010M: Meter with Memory 6000P: pH/Temp/Ref Electrode 6003C: Electrode's cable 6010F: Carrying case with pH4, pH7 buffer capsules & bottles	pH/ORP/Temperature	\$254.00
6010MKC	HANDHELD PH METER KIT, includes the following: 6010M: Meter with Memory 600P: pH/Ref Electrode, 3-ft, BNC 6000A: Glass Temperature Probe * Or 6000AST: Stainless Steel Temperature Probe 6010F: Carrying case with pH4, pH7 buffer capsules & bottles	pH/ORP/Temperature	\$254.00
6010N	Handheld pH/ORP Meter with Batteries Only	pH/ORP	\$120.00
6010NK	HANDHELD PH METER KIT, includes the following: 6010N: Meter 600P: pH/Ref Electrode, 3-ft, BNC	pH/ORP	\$165.00
6010NKA	HANDHELD PH METER KIT, includes the following: 6010N: Meter 6000P: pH/Temp/Ref Electrode 6003C: Electrode's cable	pH/ORP/Temperature	\$214.00
6010NKB	HANDHELD PH METER KIT, includes the following: 6010N: Meter 6000P: pH/Temp/Ref Electrode 6003C: Electrode's cable 6010F: Carrying case with pH4, pH7 buffer capsules & bottles	pH/ORP/Temperature	\$234.00
6010NKC	HANDHELD PH METER KIT, includes the following: 6010N: Meter 600P: pH/Ref Electrode, 3-ft, BNC 6000A: Glass Temperature Probe * Or 6000AST: Stainless Steel Temperature Probe 6010F: Carrying case with pH4, pH7 buffer capsules & bottles	pH/ORP/Temperature	\$234.00
603A	ANALOG pH/mV/Temp METER W/AC ADAPTOR only	pH	\$265.00
603AKA	BENCHTOP ANALOG PH METER KIT, includes the following: 603A: Meter 600P: pH/Ref Electrode, 3-ft, BNC 600D115: 120V AC adapter * Or 600D230: 220V AC adapter	pH	\$305.00
603AKB	BENCHTOP ANALOG PH METER KIT, includes the following: 603A: Meter 600P: pH/Ref Electrode, 3-ft, BNC 600A: Temperature Probe. 3-ft 600D115: 120V AC adapter * Or 600D230: 220V AC adapter	pH	\$369.00
608	DIGITAL pH METER (Meter only)	pH	\$149.00
608F	- CARRYING CASE W/pH 4 & 7 CAPSULE.	pH	\$20.00
608K	HANDHELD PH METER KIT, includes the following: 608: Meter	pH	\$214.00

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

	600P: pH/Ref Electrode, 3-ft, BNC 600F: Carrying case with pH4, pH7 buffer capsules & bottles		
609	DIGITAL pH METER (Meter only)	pH	\$159.00
609F	- CARRYING CASE W/pH 4 & 7 CAPSULE.	pH	\$20.00
609K	HANDHELD PH METER KIT, includes the following: 609: Meter 600P: pH/Ref Electrode, 3-ft, BNC 600F: Carrying case with pH4, pH7 buffer capsules & bottles	pH	\$224.00
611	HANDHELD ANALOG pH METER (Meter only)	pH	\$119.00
611F	- CARRYING CASE W/pH 4 & 7 CAPSULE.	pH	\$20.00
611K	HANDHELD ANALOG PH METER KIT, includes the following: 611: Meter 600P: pH/Ref Electrode, 3-ft, BNC 600F: Carrying case with pH4, pH7 buffer capsules & bottles	pH	\$184.00
612	pH DIP-N-READ STICK METER (Meter only)	pH	\$99.00
612K	HANDHELD METER KIT, includes the following: 612: Meter 612E: pH/Ref Electrode 612F: Carrying case with pH4, pH7 buffer capsules & bottles	pH	\$179.00
6173	BENCHTOP pH/mV/TEMP METER (included 6 x "AA" batteries) Meter only	pH/ORP/Temperature	\$225.00
6173KA	BENCHTOP PH METER Kit, includes the following: 6173: Meter 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH/ORP/Temperature	\$329.00
6173KAA	BENCHTOP PH METER Kit, includes the following: 6173: Meter 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 007N: Electrode's holder, swing arm	pH/ORP/Temperature	\$383.00
6173KB	BENCHTOP PH METER Kit, includes the following: 6173: Meter 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH/ORP/Temperature	\$329.00
6173KBA	BENCHTOP PH METER Kit, includes the following: 6173: Meter 6000P: pH/Temp/Ref. electrode	pH/ORP/Temperature	\$383.00

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

	6005C: Electrode cable, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter		
	007N: Electrode's holder, swing arm		
6173R	pH/mV (ORP)/Temp meter (with RS-232 Interface)	pH/ORP/Temperature	\$285.00
6173RKA	BENCHTOP PH METER Kit, includes the following: 6173R: Meter 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH/ORP/Temperature	\$389.00
6173RKA	BENCHTOP PH METER Kit, includes the following: 6173R: Meter 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 007N: Electrode's holder, swing arm	pH/ORP/Temperature	\$443.00
6173RKB	BENCHTOP PH METER Kit, includes the following: 6173R: Meter 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH/ORP/Temperature	\$389.00
6173RKBA	BENCHTOP PH METER Kit, includes the following: 6173R: Meter 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 007N: Electrode's holder, swing arm	pH/ORP/Temperature	\$443.00
6175	Benchtop pH/mV (ORP)/Temp meter	pH/ORP/Temperature	\$245.00
pH6175KA	BENCHTOP PH METER Kit, includes the following: 6175: Meter 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH/ORP/Temperature	\$349.00
pH6175KAA	BENCHTOP PH METER Kit, includes the following: 6175: Meter 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft	pH/ORP/Temperature	\$403.00

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

	6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter		
	007N: Electrode's holder, swing arm		
pH6175KB	BENCHTOP PH METER Kit, includes the following: 6175: Meter 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH/ORP/Temperature	\$349.00
pH6175KBA	BENCHTOP PH METER Kit, includes the following: 6175: Meter 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH/ORP/Temperature	\$403.00
62	ORP METER	ORP	\$110.00
62K	HANDHELD ORP METER KIT, includes the following: 62: pH meter 600E-ORP: ORP Electrode, 3-ft, BNC 600D115: 120V AC adapter * Or 600D230: 220V AC adapter	pH	\$245.00
	6007F: Carrying case with pH4, pH7 buffer capsules & bottles		
6219	DIGITAL pH/mV/ION/TEMP METER, Dual Display..[Includes: AC adapter &	pH / ORP, Temperature	\$495.00
6219KA	BENCHTOP PH METER Kit, includes the following: 6219: Meter 600P: pH/Ref Electrode, 3-ft, BNC 600D115: 120V AC adapter * Or 600D230: 220V AC adapter	pH / ORP, Temperature	\$550.00
6219KB	BENCHTOP PH METER Kit, includes the following: 6219: Meter 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH / ORP, Temperature	\$599.00
6219KC	BENCHTOP PH METER Kit, includes the following: 6219: Meter 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH / ORP, Temperature	\$599.00
6230M	DIGITAL pH/mV/TEMP. METER..(Feature: RS-232 interface, 40 memory points)	pH / ORP / Temperature	\$225.75
6230MKA	HANDHELD pH METER KIT, includes the following: 6230M: Meter with memory & RS-232 Interface 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft	pH / ORP / Temperature	\$274.75
6230MKB	HANDHELD pH METER KIT, includes the following:	pH / ORP / Temperature	\$319.75

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

	6230M: Meter with memory & RS-232 Interface 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft		
6230MKC	HANDHELD pH METER KIT, includes the following: 6230M: Meter with memory & RS-232 Interface 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft	pH / ORP / Temperature	\$319.75
6230MKD	Accessories kit for 6230M meter, includes the following: 6230F: Carrying case with pH4, pH7 buffer capsules & bottles 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Case & AC adapter	\$30.00
6230N	pH/mV/TEMP METER W/RS-232 Computer Interface	pH / ORP / Temperature	\$163.55
6230NKA	HANDHELD pH METER KIT, includes the following: 6230N: Meter with RS-232 Interface 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft	pH / ORP / Temperature	\$212.55
6230NKB	HANDHELD pH METER KIT, includes the following: 6230N: Meter with RS-232 Interface 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft	pH / ORP / Temperature	\$257.55
6230NKC	HANDHELD pH METER KIT, includes the following: 6230N: Meter with RS-232 Interface 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft	pH / ORP / Temperature	\$257.55
6230NKD	Accessories kit for 6230N meter, includes the following: 6230F: Carrying case with pH4, pH7 buffer capsules & bottles 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Case & AC adapter	\$30.00
6231M	DIGITAL pH/mV/TEMP. METER..(Feature: 3 point calibration, 50 memory points)	pH / ORP / Temperature	\$204.25
6231MKA	HANDHELD pH METER KIT, includes the following: 6231M: Meter with memory 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft	pH / ORP / Temperature	\$253.25
6231MKB	HANDHELD pH METER KIT, includes the following: 6231M: Meter with memory 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft	pH / ORP / Temperature	\$298.25
6231MKC	HANDHELD pH METER KIT, includes the following: 6231M: Meter with memory 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft	pH / ORP / Temperature	\$298.25
6231MKD	Accessories kit for 6231M meter, includes the following: 6230F: Carrying case with pH4, pH7 buffer capsules & bottles 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Case & AC adapter	\$30.00

6231N	pH/mV/TEMP METER	pH / ORP / Temperature	\$153.55
6231NKA	HANDHELD pH METER KIT, includes the following: 6231N: Meter 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft	pH / ORP / Temperature	\$202.55
6231NKB	HANDHELD pH METER KIT, includes the following: 6231N: Meter 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft	pH / ORP / Temperature	\$247.55
6231NKC	HANDHELD pH METER KIT, includes the following: 6231N: Meter 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft	pH / ORP / Temperature	\$247.55
6231NKD	Accessories kit for 6231N meter, includes the following: 6230F: Carrying case with pH4, pH7 buffer capsules & bottles 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Case & AC adapter	\$30.00
6250	pH/mV/ION/TEMP METER w/ RS-232 Computer Interface	pH / ORP / Ion / Temperature	\$395.00
6250F	CARRYING CASE w/pH4, pH7 Buffer capsules and bottles	pH / ORP / Ion / Temperature	\$20.00
6250KA	HANDHELD pH METER KIT, includes the following: 6250: pH meter with RS-232 Interface 600P: pH/Ref Electrode, 3-ft, BNC 6250F: Carrying case with pH4, pH7 buffer capsules & bottles	pH / ORP / Ion / Temperature	\$460.00
6250KB	HANDHELD pH METER KIT, includes the following: 6250: pH meter with RS-232 Interface 6000P: pH/Temp/Ref. electrode 6005C: Electrode cable, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6250F: Carrying case with pH4, pH7 buffer capsules & bottles	pH / ORP / Ion / Temperature	\$519.00
6250KC	HANDHELD pH METER KIT, includes the following: 6250: pH meter with RS-232 Interface 600P: pH/Ref Electrode, 3-ft, BNC 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6250F: Carrying case with pH4, pH7 buffer capsules & bottles	pH / ORP / Ion / Temperature	\$519.00
6251	pH/mV/ION/TEMP METER w/o RS-232 Computer Interface	pH / ORP / Ion / Temperature	\$295.00
6251KA	HANDHELD pH METER KIT, includes the following: 6251: pH meter 600P: pH/Ref Electrode, 3-ft, BNC 6250F: Carrying case with pH4, pH7 buffer capsules & bottles	pH / ORP / Ion / Temperature	\$360.00
6251KB	HANDHELD pH METER KIT, includes the following: 6251: pH meter 6000P: pH/Temp/Ref. electrode	pH / ORP / Ion / Temperature	\$419.00

	6001C: Electrode cable, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6250F: Carrying case with pH4, pH7 buffer capsules & bottles		
6251KC	HANDHELD pH METER KIT, includes the following: 6251: pH meter 600P: pH/Ref Electrode, 3-ft, BNC 6000B: BNC to 4 Pin adapter 6230A: Glass Temperature Probe. 3-ft * Or 6230AST: Stainless Steel Temperature Probe, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6250F: Carrying case with pH4, pH7 buffer capsules & bottles	pH / ORP / Ion / Temperature	\$449.00
6307	Benchtop pH/Conductivity/Temperature meter w/ Memory	pH / Conductivity / Temperature	\$595.00
6307K	BENCHTOP CONDUCTIVITY KIT, includes the following: 6307: Conductivity meter with memory 106: Glass, Conductivity probe, K=1.0, 3-ft 600P: pH Electrode 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	pH / Conductivity / Temperature	\$745.00
6350M	Handheld/Portable pH/Conductivity/Temperature meter w/ Memory	pH / Conductivity / Temperature	\$545.00
6350MKA	HANDHELD CONDUCTIVITY KIT, includes the following: 6350M: Conductivity meter with memory 101: Epoxy, Conductivity probe, K=1.0, 3-ft * Or 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6350F: Carrying Case	pH / Conductivity / Temperature	\$670.00
6350MKB	HANDHELD CONDUCTIVITY KIT, includes the following: 6350M: Conductivity meter with memory 600P: pH/Ref. electrode 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$620.00
6350MKC	HANDHELD CONDUCTIVITY KIT, includes the following: 6350M: Conductivity meter with memory 600P: pH/Ref. electrode 101: Epoxy, Conductivity probe, K=1.0, 3-ft * Or 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$715.00
6350N	Handheld/Portable pH/Conductivity/Temperature meter	pH / Conductivity / Temperature	\$495.00
6350NKA	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 101: Epoxy, Conductivity probe, K=1.0, 3-ft * Or 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6350F: Carrying Case	pH / Conductivity / Temperature	\$620.00

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
 www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
 The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

6350NKB	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 600P: pH/Ref. electrode 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$570.00
6350NKC	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 600P: pH/Ref. electrode 101: Epoxy, Conductivity probe, K=1.0, 3-ft * Or 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$665.00
6360 (NEW)	Handheld/Portable pH/ORP/Conductivity/Temperature meter	pH / ORP/ Conductivity / Temperature	\$545.00
6360KA	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6350F: Carrying Case	pH / Conductivity / Temperature	\$670.00
6360KB	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 600P: pH/Ref. electrode 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$620.00
6360KC	HANDHELD CONDUCTIVITY KIT, includes the following: 6350N: Conductivity meter 600P: pH/Ref. electrode 106: Glass, Conductivity probe, K=1.0, 3-ft 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter 6230F: Carrying Case with pH4, pH7 buffer capsule	pH / Conductivity / Temperature	\$715.00
671P	BENCHTOP pH/mV/TEMP METER	Discontinued. No longer available, check model 6173, 6175, 6219 for pos:	
671PKA	Discontinued. No longer available The following are replacement accessories for use with 671P meter: 600P: pH/Ref Electrode, 3-ft, BNC 6230D115: 120V AC adapter 6230D230: 220V AC adapter		\$45.00 \$10.00 \$10.00
671PKB	Discontinued. No longer available The following are replacement accessories for use with 671P meter: 600P: pH/Ref Electrode, 3-ft, BNC 600A: Temperature Probe 6230D115: 120V AC adapter 6230D230: 220V AC adapter	pH / ORP / Temperature	\$45.00 \$69.00 \$10.00 \$10.00
pH6810N	HANDHELD pH/mV/TEMP METER	pH/ORP/Temperature	\$180.00
pH6810NK	HANDHELD pH METER KIT, includes the following:	pH/ORP/Temperature	\$303.00

6810N: Meter		
6810NP: PH/Temp/Ref. Electrode		
6810F: Soft pouch with pH4, pH7 capsules & bottles		

HANDHELD, BENCHTOP Dissolved Oxygen Meters & Kits:

9010M	Handheld DO/Temp Meter with Memories, included: Batteries	DO/Temperature	\$220.00
9010MK	Handheld DO/Temp Meter Kit, includes the following: 9010M: DO meter LD-900-11: DO sensor, 3/4", No thread, 10-ft LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution	DO/Temperature	\$569.00
9010MKA	Handheld DO/Temp Meter Kit, includes the following: 9010M: DO meter LD-900-11: DO sensor, 3/4", No thread, 10-ft LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution 9010F: Carrying Case	DO/Temperature	\$589.00
9020M	Handheld DO/Temp Meter with Memories, included: Batteries	DO/Temperature	\$220.00
9020MK	Handheld DO/Temp Meter Kit, includes the following: 9020M: DO meter LD-900G-1: DO sensor	DO/Temperature	\$460.00
9173	Benchtop, DO/Temperature Meter	D.O. & Temperature	\$299.00
9173K	Benchtop DO/Temperature Kit, includes the following: 9173: Benchtop DO/Temperature Meter LD-900-7.DO: Laboratory DO Probe, 3-ft LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	D.O. & Temperature	\$658.00
9173R	Benchtop, DO/Temperature Meter with RS-232	D.O. & Temperature	\$350.00
9173RK	Benchtop DO/Temperature Kit, includes the following: 9173R: Benchtop DO/Temperature Meter LD-900-7.DO: Laboratory DO Probe, 3-ft LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	D.O. & Temperature	\$718.00
9250M	Handheld Polarographic DO Meter with Memory & RS-232 Interface	DO & Temperature, Memory	\$385.00
9250MKA	Benchtop DO/Temperature Kit, includes the following: 9250M: DO meter with memory LD-900-10/10: DO Field Probe, Stainless Steel, 10K, 10-ft Cable, 8-Pin LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution	DO & Temperature	\$734.00
9250MCK	Benchtop DO/Temperature Kit, includes the following: 9250M: DO meter LD-900-10/10: DO Field Probe, Stainless Steel, 10K, 10-ft Cable, 8-Pin LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution 9250F: Carrying case 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	DO & Temperature	\$764.00
9250MKD	Accessories kit for 9250M meter, includes the following:	Case & AC adapter	\$30.00

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

	9250F: Carrying case 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter		
9250N	Handheld Polarographic DO Meter with RS-232 Interface	DO & Temperature	\$305.00
9250NKA	Benchtop DO/Temperature Kit, includes the following: 9250N: DO meter LD-900-10/10: DO Field Probe, Stainless Steel, 10K, 10-ft Cable, 8-Pin LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution	DO & Temperature	\$654.00
9250NKC	Benchtop DO/Temperature Kit, includes the following: 9250N: DO meter LD-900-10/10: DO Field Probe, Stainless Steel, 10K, 10-ft Cable, 8-Pin LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution 9250F: Carrying case 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	DO & Temperature	\$684.00
9250NKD	Accessories kit for 9250N meter, includes the following: 9250F: Carrying case 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Case & AC adapter	\$30.00
9251M	Handheld Polarographic DO Meter with Memory	DO & Temperature	\$325.00
9251MKA	Benchtop DO/Temperature Kit, includes the following: 9251M: DO meter with memory LD-900-10/10: DO Field Probe, Stainless Steel, 10K, 10-ft Cable, 8-Pin LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution	DO & Temperature	\$674.00
9251MKC	Benchtop DO/Temperature Kit, includes the following: 9251M: DO meter LD-900-10/10: DO Field Probe, Stainless Steel, 10K, 10-ft Cable, 8-Pin LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution 9250F: Carrying case 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	DO & Temperature	\$704.00
9251MKD	Accessories kit for 9251M meter, includes the following: 9250F: Carrying case 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	Case & AC adapter	\$30.00
9251N	Handheld Polarographic DO Meter with RS-232 Interface	DO & Temperature	\$245.00
9251NKA	Benchtop DO/Temperature Kit, includes the following: 9251N: DO meter LD-900-10/10: DO Field Probe, Stainless Steel, 10K, 10-ft Cable, 8-Pin LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution	DO & Temperature	\$594.00
9251NKC	Benchtop DO/Temperature Kit, includes the following: 9251N: DO meter LD-900-10/10: DO Field Probe, Stainless Steel, 10K, 10-ft Cable, 8-Pin LD-900-03A: Membrane Kit with 6-Membrane Caps & KCL Solution 9250F: Carrying case 6230D115: 120V AC adapter * Or 6230D230: 220V AC adapter	DO & Temperature	\$624.00
9251NKD	Accessories kit for 9251N meter, includes the following:	Case & AC adapter	\$30.00

9250F: Carrying case		
6230D115: 120V AC adapter		
* Or 6230D230: 220V AC adapter		

POCKET SIZE PENS

pH:

610	pH PEN	pH	\$33.00
620	pH/Temperature Pen	pH / Temperature	\$43.00
620D	pH/Temperature Pen, Dual Point	pH / Temperature	\$46.50

ORP:

650	ORP TESTER Pen	ORP	\$49.95
-----	----------------	-----	---------

Salinity:

640	Salinity Tester Pen	Salinity	\$49.95
-----	---------------------	----------	---------

Conductivity:

110	Conductivity pen (10 - 1990uS)	Conductivity	\$39.00
111	Conductivity pen (0.1 - 19.9mS)	Conductivity	\$39.00
112	Conductivity pen (1 - 199uS)	Conductivity	\$39.00
113	TDS pen (10 - 1990 ppm)	TDS pen	\$39.00
115	CONDUCTIVITY PEN, 0.1 to 99.9 uS/cm	Conductivity	\$39.00

VisionPLUS PENS

pH:

pH618NC	pH/Temperature with Memory & Replaceable pH electrode	pH / Temperature C	\$119.00
pH618NF	pH/Temperature with Memory & Replaceable pH electrode	pH / Temperature F	\$119.00
* Replacement pH electrode for use with 618NC & 618NF pens: 618P			\$39.00

pH619C	pH/Temperature with Graphical Display & Replaceable pH electrode	pH / Temperature C	\$99.00
pH619F	pH/Temperature with Graphical Display & Replaceable pH electrode	pH / Temperature F	\$99.00
* Replacement pH electrode for use with pH619C & pH619F pens: 618P			\$39.00

pH630C	pH/Temperature & Replaceable pH electrode	pH / Temperature C	\$69.00
pH630F	pH/Temperature & Replaceable pH electrode	pH / Temperature F	\$69.00
* Replacement pH electrode for use with pH630C & pH630F pens: 618P			\$39.00

ORP:

628NC	ORP/Temperature with Memory & Replaceable ORP electrode	ORP / Temperature C	\$144.00
628NF	ORP/Temperature with Memory & Replaceable ORP electrode	ORP / Temperature F	\$144.00
* Replacement ORP electrode for use with 628NC & 628NF pens: 628P			\$59.00

Conductivity:

EC330	Conductivity/Temperature Meter	Conductivity/Temperature C	\$60.00
EC331	Conductivity/Resistivity/Temperature Meter	Conductivity/Resistivity/Temperature F	\$60.00

pH/EC

pH/EC 80	pH/Conductivity/Temperature Meter	pH/Conductivity/Temperature	
----------	-----------------------------------	-----------------------------	--

pH/ORP Controller, Transmitter, Monitor:

3621	Industrial pH/ORP Controller, LCD Display, 1/8 Din Panel Mount	pH/ORP/Temperature Controller	\$195.00
	Accessories for 3621 meter:		
	* IP-600-10/20T: pH Electrode	3/4" NPT, 20-ft, Tinned Leads, No ATC	\$139.00
	* pHF-020ST: pH Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$139.00
	* pHF-020ST/TH: pH/Temperature Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, 10K ATC	\$194.00
	* ORPF-020ST: ORP Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$184.00
3631	Industrial pH/ORP Transmitter, LCD Display, 1/8 Din Panel Mount	pH/ORP/Temperature Transmitter	\$215.00
	Accessories for 3631 meter:		
	* IP-600-10/20T: pH Electrode	3/4" NPT, 20-ft, Tinned Leads, No ATC	\$139.00
	* pHF-020ST: pH Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$139.00
	* pHF-020ST/TH: pH/Temperature Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, 10K ATC	\$194.00
	* ORPF-020ST: ORP Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$184.00
3671N	pH/ORP Controller, Voltage Output, LED Display	pH/ORP/Temperature, 1/8-DIN Panel Mount	\$225.00
	Accessories for 3671N meter:		
	* IP-600-10/20B: pH Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$139.00
	* pHF-020B: pH Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$139.00
	* pHF-020BP/PT: pH/Temperature Electrode	3/4" NPT, 20-ft, BNC, Phono Plug, PT-100 ATC	\$194.00
	* ORPF-020B: ORP Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$184.00
3672	Transmitter/Controller, Adjustable Span, LCD Display	pH/mV/ORP, 4-20 mA Output, 1/4-DIN Panel Mount	\$315.00
3673	Transmitter/Controller, Pulse Frequency Output, LCD Display	pH/mV/ORP, 4-20 mA Output, 1/4-DIN Panel Mount	\$385.00
3675	pH/ORP Transmitter/Controller, LCD Display	pH/mV/ORP, 4-20 mA Output, 1/4-DIN Panel Mount	\$305.00
3676	pH/ORP Transmitter/Controller, LED Display	pH/mV/ORP, 4-20 mA Output, 1/4-DIN Panel Mount	\$305.00
	Accessories for 3672, 3673, 3675, 3676 meter:		
	* IP-600-10/20B: pH Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$139.00
	* pHF-020B: pH Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$139.00
	* pHF-020BS/PT: pH/Temperature Electrode	3/4" NPT, 20-ft, BNC, Spade Plug, PT-100 ATC	\$194.00
	* ORPF-020B: ORP Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$184.00
375-ORP	ORP Controller, Single Set Point	ORP, mV, 1-Relay, 1/8-DIN Panel Mount	\$199.00
	Accessories for 375-ORP meter:		
	* ORPF-020B: ORP Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$184.00
3677	pH/ORP Transmitter/Controller, LCD Display, No BNC, Spage Plugs	pH/mV/ORP, 1/8-DIN Vertical Panel Mount	\$295.00
3679N	pH/ORP Transmitter/Controller, LCD Display, IP-65 Case	pH/mV/ORP, 4-20 mA Output, 1/4-DIN Panel Mount	\$315.00
	Accessories for 3677, 3679N meter:		
	* IP-600-10/20T: pH Electrode	3/4" NPT, 20-ft, Tinned Leads, No ATC	\$139.00
	* pHF-020ST: pH Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$139.00
	* pHF-020ST/PT: pH/Temperature Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, PT-100 ATC	\$194.00
	* ORPF-020ST: ORP Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$184.00
676	Monitor, No Relays, LCD Display, BNC	pH/mV/ORP, Analog Voltage Output, 1/8-DIN Panel Mount	\$129.00
	Accessories for 676 meter:		
	* IP-600-10/20B: pH Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$139.00
	* pHF-020B: pH Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$139.00
	* ORPF-020B: ORP Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$184.00
691N	Transmitter, Manual ATC (PT-100), LED Display	pH, 4-20 mA Output, 1/8-DIN Panel Mount	\$225.00
692	Transmitter, Pt-100 ATC, LCD Display	pH, 4-20 mA Output, 1/8-DIN Panel Mount	\$225.00
	Accessories for 691N, 692 meter:		
	* IP-600-10/20B: pH Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$124.00
	* pHF-020B: pH Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$124.00
	* pHF-020BT/PT: pH/Temperature Electrode	3/4" NPT, 20-ft, BNC, Tinned Leads, PT-100 ATC	\$179.00
693-ORP	2-Wire ORP Transmitter Transmitter, DC Blind (No Display), NEMA 4 Case	ORP, 4-20 mA Output	\$295.00
693-pH	2-Wire pH Transmitter, DC Blind (No Display), NEMA 4 Case, 3K Balco ATC	pH, 4-20 mA Output	\$295.00
695-ORP	2-Wire ORP Transmitter, DC, NEMA 4 Case, LCD Display	ORP, 4-20 mA Output	\$395.00

695-pH	2-Wire pH Transmitter, DC, NEMA 4 Case, LCD Display	pH, 4-20 mA Output	\$395.00
	* Call for Electrode & ATC probe for use with 693 & 695 meters		
6TX	2-Weire pH Transmitter/Controller, DC, LCD Display, IP-65 Case	pH, 4-20 mA Output, 1/4-DIN Panel Mount	\$499.00
6308PT	Analyzer Graphic Display, 3-Relays, IP-65 Case, RS-485 Interface	pH, Temperature, 4-20 mA, 1/4-DIN Panel Mount	\$499.00
6311	Single Parameter pH or ORP, 4-Relays & 1 Wast Relay, IP-65 Case, RS-485	pH, ORP, Temperature, 4-20 mA, 1/4-DIN Panel Mount	\$389.00
6312PTB	pH or ORP Analyzer/Controller, 4-Relays, IP-65 Case, RS-485	pH, ORP, Temperature, 4-20 mA, 1/4-DIN Panel Mount	\$598.00
6313	Single Parameter pH or ORP, 2-Relays, IP-65 Case, RS-485	pH, ORP, Temperature, 4-20 mA, 1/4-DIN Panel Mount	\$319.00
	Accessories for 6TX, 6308PT, 6311, 6313 meter:		
	* IP-600-10/20T: pH Electrode	3/4" NPT, 20-ft, Tinned Leads, No ATC	\$139.00
	* pHF-020ST: pH Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$139.00
	* pHF-020ST/TH: pH/Temperature Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, 10K ATC	\$194.00
6303C	pH Transmitter/Controller, Programmable, LCD Display	pH/ORP, Reversible 4-20 mA Current Output, 1/4-DIN	\$395.00
	Accessories for 6303C meter:		
	* IP-600-10/20B: pH Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$139.00
	* pHF-020B: pH Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$139.00
	* pHF-020BT/TH: pH/Temperature Electrode	3/4" NPT, 20-ft, BNC, Tinned Leads, 10K ATC	\$194.00
6503	ORP Transmitter/Controller w/1 ORP & 1 pH Input (pH is read only)	ORP, Monitor pH, Reverssible 4-20 mA, 1/4-DIN Panel Mount	\$395.00
	Accessories for 6503 meter:		
	* ORPF-020B: ORP Electrode	3/4" NPT, 20-ft, BNC, No ATC	\$184.00
6308OT	Analyzer Graphic Display, 3-Relays, IP-65 Case, RS-485 Interface	ORP, Temperature, 4-20 mA, 1/4-DIN Panel Mount	\$499.00
	Accessories for 6308OT meter:		
	* ORPF-020ST: ORP Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$184.00
6309POT	Dual Parameter Analyzer, Graphic Display, 5-Relays, IP-65 Case, RS-485	pH, ORP, Temperature, 4-20 mA, 1/4-DIN Panel Mount	\$719.00
	Accessories for 6309POT meter:		
	* IP-600-10/20T: pH Electrode	3/4" NPT, 20-ft, Tinned Leads, No ATC	\$139.00
	* pHF-020ST: pH Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$139.00
	* pHF-020ST/TH: pH/Temperature Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, 10K ATC	\$194.00
	* ORPF-020ST: ORP Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$184.00
6309PDTF	pH/Temp/DO Analyzer Meter	pH/DO/Temperature	\$649.00
	Accessories for 6309PDTF meter:		
	* Oxygens 120 Sensor	Hamilton DO Sensor	\$432.00
	* IP-600-10/20T: pH Electrode	3/4" NPT, 20-ft, Tinned Leads, No ATC	\$139.00
	* pHF-020ST: pH Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$139.00
	* pHF-020ST/TH: pH/Temperature Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, 10K ATC	\$194.00
3601	Controller II, Aquarium Benchtop Controller, Dual AC Outlets	pH/ORP, mV, Temperature	\$295.00
	* Call for accessories		
Conductivity Controller, Transmitter:			
3101	Conductivity Controller, Adjustable 0-199 mS to 0-99 uS, LCD Display	Conductivity, 1/8-DIN Panel Mount	\$249.00
3101S	Conductivity Controller, Adjustable 0-99.9 mS to 0-99.9 uS, LCD Display	Conductivity, 1/8-DIN Panel Mount	\$269.00
	Accessories for 3101, 3101S meter:		
	* 3101CC-01: Conductivity Sensor, Epoxy	K=1.0, Tinned Leads, 3-ft cable, 10 - 2000 uS	\$79.00
	* 3101CC-02: Conductivity Sensor, Epoxy	K=1.0, Tinned Leads, 10-ft cable, 10 - 2000 uS	\$99.00
	* 392-121: Conductivity Sensor, Platinum, Stainless Steel	3/4" NPT Front, K=1.0, 0 uS to 5,000 uS	\$135.00
	* 392-124: Conductivity Sensor, Platinum, Kynar	Pure H ₂ O 3/4" NPT Front, K= 1.0, 0 uS to 2,000 uS	\$135.00
	* 392-125: Conductivity Sensor, Stainless Steel	Pure H ₂ O 3/4" NPT Front, K= 1.0, 0 uS to 2,000 uS	\$160.00
	* C621-2-4-2-20T: Conductivity Sensor, Stainless Steel	K= 1, SS, 3/4" Front, 150PSI @ 135C, 10 to 2,000 uS	\$193.00
3321	Conductivity Controller		\$225.00
	Accessories for 3321 meter:		

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

	* 392-121: Conductivity Sensor, Platinum, Stainless Steel	3/4" NPT Front, K=1.0, 0 uS to 5,000 uS	\$135.00
	* 392-124: Conductivity Sensor, Platinum, Kynar	Pure H ₂ O 3/4" NPT Front, K= 1.0, 0 uS to 2,000 uS	\$135.00
	* C621-1-2-4-20T: Conductivity Sensor, Stainless Steel	K=0.01, SS, 3/4" Front, 150PSI @ 135C, 0.055 to 20 uS	\$193.00
	* C621-2-4-2-20T: Conductivity Sensor, Stainless Steel	K= 1, SS, 3/4" Front, 150PSI @ 135C, 10 to 2,000 uS	\$193.00
	* C621-3-4-2-20T: Conductivity Sensor, Stainless Steel	K=0.1, SS, 3/4" Front, 150PSI @ 135C, 0.5 to 200 uS	\$193.00
3331	Conductivity Transmitter		\$245.00
	Accessories for 3331 meter:		
	* 392-121: Conductivity Sensor, Platinum, Stainless Steel	3/4" NPT Front, K=1.0, 0 uS to 5,000 uS	\$135.00
	* 392-124: Conductivity Sensor, Platinum, Kynar	Pure H ₂ O 3/4" NPT Front, K= 1.0, 0 uS to 2,000 uS	\$135.00
	* C621-1-2-4-20T: Conductivity Sensor, Stainless Steel	K=0.01, SS, 3/4" Front, 150PSI @ 135C, 0.055 to 20 uS	\$193.00
	* C621-2-4-2-20T: Conductivity Sensor, Stainless Steel	K= 1, SS, 3/4" Front, 150PSI @ 135C, 10 to 2,000 uS	\$193.00
	* C621-3-4-2-20T: Conductivity Sensor, Stainless Steel	K=0.1, SS, 3/4" Front, 150PSI @ 135C, 0.5 to 200 uS	\$193.00
392	Conductivity Transmitter, uS/mS Low Multi-Range	4-20 mA Output, K=1, K=0.01, K=10, 1/8-DIN Panel Pour	\$195.00
	Accessories for 392 meter:		
	* 392-124: Conductivity Sensor, Platinum, Kynar	Pure H ₂ O 3/4" NPT Front, K= 1.0, 0 uS to 2,000 uS	\$135.00
	* C621-1-2-4-20T: Conductivity Sensor, Stainless Steel	K=0.01, SS, 3/4" Front, 150PSI @ 135C, 0.055 to 20 uS	\$193.00
	* C621-2-4-2-20T: Conductivity Sensor, Stainless Steel	K= 1, SS, 3/4" Front, 150PSI @ 135C, 10 to 2,000 uS	\$193.00
	* 392-123: Conductivity Sensor, Epoxy, Platinum	3/4" F/R, K= 10, 0 mS to 300 mS	\$170.00
392-SBC	Conductivity Transmitter, uS/mS Mid/Hi Range	4-20 mA Output, K=1, K=0.01, K=10, 1/8-DIN Panel Pour	\$195.00
	Accessories for 392-SBC meter:		
	* 392-121: Conductivity Sensor, Platinum, Stainless Steel	3/4" NPT Front, K=1.0, 0 uS to 5,000 uS	\$135.00
	* C621-1-2-4-20T: Conductivity Sensor, Stainless Steel	K=0.01, SS, 3/4" Front, 150PSI @ 135C, 0.055 to 20 uS	\$193.00
	* C621-2-4-2-20T: Conductivity Sensor, Stainless Steel	K= 1, SS, 3/4" Front, 150PSI @ 135C, 10 to 2,000 uS	\$193.00
6308CT	Analyzer Graphic Display, 3-Relays, IP-65 Case, RS-485 Interface	Conductivity, Temperature, 4-20 mA, 1/4-DIN Panel Mount	\$529.00
	Accessories for 6308CT meter:		
	* 392-122: Conductivity Sensor, Stainless Steel	Pure H ₂ O 3/4" NPT Front, K= .01 0 uS to 20.00 uS	\$150.00
	* 392-123: Conductivity Sensor, Epoxy, Platinum	3/4" F/R, K= 10, 0 mS to 300 mS	\$170.00
	* C621-1-2-4-20T: Conductivity Sensor, Stainless Steel	K=0.01, SS, 3/4" Front, 150PSI @ 135C, 0.055 to 20 uS	\$193.00
	* C621-2-4-2-20T: Conductivity Sensor, Stainless Steel	K= 1, SS, 3/4" Front, 150PSI @ 135C, 10 to 2,000 uS	\$193.00
	* C621-3-4-2-20T: Conductivity Sensor, Stainless Steel	K=0.1, SS, 3/4" Front, 150PSI @ 135C, 0.5 to 200 uS	\$193.00
	* 392-134/10: Conductivity Sensor, ABS, Platinum	3/4" NPT F / R, K=1.0, 0 uS to 5,000 uS, 10-ft	\$165.00
	* 392-134/20: Conductivity Sensor, ABS, Platinum	3/4" NPT F / R, K=1.0, 0 uS to 5,000 uS, 20-ft cable	\$175.00
6312CTB	Analyzer Graphic Display, 3-Relays, IP-65 Case, RS-485 Interface	Conductivity, Temperature, 4-20 mA, 1/4-DIN Panel Mount	\$629.00
	Accessories for 6308CT meter:		
	* 392-122: Conductivity Sensor, Stainless Steel	Pure H ₂ O 3/4" NPT Front, K= .01 0 uS to 20.00 uS	\$150.00
	* 392-123: Conductivity Sensor, Epoxy, Platinum	3/4" F/R, K= 10, 0 mS to 300 mS	\$170.00
	* C621-1-2-4-20T: Conductivity Sensor, Stainless Steel	K=0.01, SS, 3/4" Front, 150PSI @ 135C, 0.055 to 20 uS	\$193.00
	* C621-2-4-2-20T: Conductivity Sensor, Stainless Steel	K= 1, SS, 3/4" Front, 150PSI @ 135C, 10 to 2,000 uS	\$193.00
	* C621-3-4-2-20T: Conductivity Sensor, Stainless Steel	K=0.1, SS, 3/4" Front, 150PSI @ 135C, 0.5 to 200 uS	\$193.00
	* 392-134/10: Conductivity Sensor, ABS, Platinum	3/4" NPT F / R, K=1.0, 0 uS to 5,000 uS, 10-ft	\$165.00
	* 392-134/20: Conductivity Sensor, ABS, Platinum	3/4" NPT F / R, K=1.0, 0 uS to 5,000 uS, 20-ft cable	\$175.00
DO Analyzer Meter:			
6308DT (Discontinued)	Analyzer Graphic Display, 3-Relays, IP-65 Case, RS-485 Interface	Dissolved Oxygen, Temperature, 4-20 mA, 1/4-DIN	\$569.00
Meter is Discontinued No Longer Available Accessories still available	Accessories for 6308DT meter:		
	* LD-900-12/10: DO Sensor, Stainless Steel, No Thread, 10K ATC	3/4" NPT Front w/ 10-ft, Waterproofed Cable, Tinned Leads	\$295.00
	* LD-900-12/30: DO Sensor, Stainless Steel, No Thread, 10K ATC	3/4" NPT Front w/ 30-ft, Waterproofed Cable, Tinned Leads	\$335.00
	* ID-900-5/10: DO Sensor, Industrial Epoxy, 10K ATC	3/4" NPT F & R w/ 10-ft , Non-Waterproofed Cable	\$295.00
	* ID-900-5/30: DO Sensor, Industrial Epoxy, 10K ATC	3/4" NPT F & R w/ 30-ft , Non-Waterproofed Cable	\$335.00
	* LD-900-3A: Membrane Cap Kit	6-Caps, DO KCL Powder, Sandpaper	\$59.00
6309PDT (Discontinued)	Dual Parameter Analyzer, Graphic Display, 5-Relays, IP-65 Case, RS-485	pH, DO, Temperature, 4-20 mA, 1/4-DIN Panel Mount	\$649.00
Meter is Discontinued	Accessories for 6309PDT meter:		

No Longer Available Accessories still available	* LD-900-12/10: DO Sensor, Stainless Steel, No Thread, 10K ATC	3/4" NPT Front w/ 10-ft, Waterproofed Cable, Tinned Leads	\$295.00
	* LD-900-12/30: DO Sensor, Stainless Steel, No Thread, 10K ATC	3/4" NPT Front w/ 30-ft, Waterproofed Cable, Tinned Leads	\$335.00
	* ID-900-5/10: DO Sensor, Industrial Epoxy, 10K ATC	3/4" NPT F & R w/ 10-ft, Non-Waterproofed Cable	\$295.00
	* ID-900-5/30: DO Sensor, Industrial Epoxy, 10K ATC	3/4" NPT F & R w/ 30-ft, Non-Waterproofed Cable	\$335.00
	* LD-900-3A: Membrane Cap Kit	6-Caps, DO KCL Powder, Sandpaper	\$59.00
	* IP-600-10/20T: pH Electrode	3/4" NPT, 20-ft, Tinned Leads, No ATC	\$139.00
	* pHF-020ST: pH Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC	\$139.00
	* pHF-020ST/TH: pH/Temperature Electrode (When use w/o DO)	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, 10K ATC	\$194.00

6309PDTF	pH/Temp/DO Analyzer Meter	pH/DO/Temperature	\$649.00
Accessories for 6309PDTF meter:			
* Oxsens 120 Sensor	Hamilton DO Sensor		\$432.00
* IP-600-10/20T: pH Electrode	3/4" NPT, 20-ft, Tinned Leads, No ATC		\$139.00
* pHF-020ST: pH Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, No ATC		\$139.00
* pHF-020ST/TH: pH/Temperature Electrode	3/4" NPT, 20-ft, Spade Plug, Tinned Leads, 10K ATC		\$194.00

6312DTB	Analyzer Graphic Display, 5-Re-lays, IP-65 Case, RS-485	Reference Calibration, D.O./Temperature, 4-20 mA, 1/4-D	\$689.00
Accessories for 6312DTB meter:			
* 237395: OxyGold G-120: DO Sensor	OxyGold Sensor with No Attached Cable		\$1,689.00
* 355110: OxyGold Cable	Sensor Cable VP 6.0, 5-meter cable		\$160.00
* 355111: OxyGold Cable	Sensor Cable VP 6.0, 10-meter cable		\$195.00
* 237139: Oxylyte	Oxylyte G for Oxygold		\$44.00
* 238417: Polilyte PRO VP 120	Polilyte PRO VP 120, Electrolyte Solution		\$218.00
* 237135: Membranes	DO Membrane Kit		\$306.00

6312DTF	Fermentable/Sterilizable Analyzer, 5-Relays, RS-485	D.O., Temperature, 4-20 mA, RS-485, 1/4-DIN Panel Moun	\$789.00
Accessories for 6312DTF meter:			
* 237150: OxySense 120	Wastewater w/ Membrane & 5-meter cable		\$432.00
* 237450: OxyFerm FDA 120	Sterilizable for Fermentation, No Cable		\$1,243.00
* 355088: OxyFerm Cable	3-meter cable for OxyFerm 120		\$215.00
* 355089: OxyFerm Cable	5 meter Cable for OxyFerm 120		\$250.00
* 355136: OxyFerm Cable	10 meter Cable for OxyFerm 120		\$324.00
* 237135: Membranes	DO Membrane Kit		\$306.00

Process Controller, Monitors:

202	Universal Current Output or Pressure Transmitter	DC Current, DC Voltage, 1/8-DIN Panel Mount	\$210.00
203	Universal Process Indicator/transmitter	DC Current, DC Voltage, 1/8-DIN Panel Mount	\$195.00
203S	Universal Process Indicator/transmitter, Strain Gauge	DC Voltage, 1/8-DIN Panel Mount	\$215.00
207	Universal Loop Powered Indicator, NEMA 4X	4-20 mA, 10-50 mA	\$149.00
217	Universal Loop Powered Indicator, NEMA 4X	4-20 mA, 10-50 mA	\$169.00
3201	Universal Process Controller / Indicator	DC Voltage Input, 1/8-DIN Panel Mount	\$229.00
3201S	Universal Process Controller / Indicator, Strain Gauge	DC Voltage Input, 1/8-DIN Panel Mount	\$249.00

Temperature Controller, Transmitter:

377-1-JF	Single Relay Temperature Controller, Type J	Temperature F, Analog Voltage Output, 1/4-DIN Panel Mo	\$220.00
377-1-KF	Single Relay Temperature Controller, Type K	Temperature F, Analog Voltage Output, 1/4-DIN Panel Mo	\$220.00
377-1-PTAF	Single Relay Temperature Controller, Type RTD	Temperature F, Analog Voltage Output, 1/4-DIN Panel Mo	\$220.00
377-1-PTBC	Single Relay Temperature Controller, Type RTD	Temperature C, Analog Voltage Output, 1/4-DIN Panel Mo	\$220.00
377-1-PTBF	Single Relay Temperature Controller, Type RTD	Temperature F, Analog Voltage Output, 1/4-DIN Panel Mo	\$220.00
377-1-TC	Single Relay Temperature Controller, Type T	Temperature C, Analog Voltage Output, 1/4-DIN Panel Mo	\$220.00
377-1-TF	Single Relay Temperature Controller, Type T	Temperature F, Analog Voltage Output, 1/4-DIN Panel Mo	\$220.00

377-2-JC	Dual Relay Temperature Controller, Type J	Temperature C, Analog Voltage Output, 1/4-DIN Panel Mo	\$199.00
377-2-JF	Dual Relay Temperature Controller, Type J	Temperature F, Analog Voltage Output, 1/4-DIN Panel Mo	\$199.00
377-2-KC	Dual Relay Temperature Controller, Type K	Temperature C, Analog Voltage Output, 1/4-DIN Panel Mo	\$199.00
377-2-KF	Dual Relay Temperature Controller, Type K	Temperature F Analog Voltage Output, 1/4-DIN Panel Mol	\$199.00
377-2-PTAC	Dual Relay Temperature Controller, Type RTD	Temperature C, Analog Voltage Output, 1/4-DIN Panel Mo	\$199.00
377-2-PTAF	Dual Relay Temperature Controller, Type RTD	Temperature F, Analog Voltage Output, 1/4-DIN Panel Mo	\$199.00
377-2-PTAC	Dual Relay Temperature Controller, Type RTD	Temperature C, Analog Voltage Output, 1/4-DIN Panel Mo	\$199.00

Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
The prices below are list price we offer up to a 10% discount with a \$300.00 purchase

377-2-PTAF	Dual Relay Temperature Controller, Type RTD	Temperature F, Analog Voltage Output, 1/4-DIN Panel Mo	\$199.00
377-2-TC	Dual Relay Temperature Controller, Type T	Temperature C, Analog Voltage Output, 1/4-DIN Panel Mo	\$199.00
377-2-TF	Dual Relay Temperature Controller, Type T	Temperature F, Analog Voltage Output, 1/4-DIN Panel Mo	\$199.00
378JC	Single Relay Temperature Controller, Type J	Temperature C, Analog Voltage Output, 1/8-DIN Panel Mo	\$129.00
378JF	Single Relay Temperature Controller, Type J	Temperature F, Analog Voltage Output, 1/8-DIN Panel Mo	\$129.00
378KC	Single Relay Temperature Controller, Type K	Temperature C, Analog Voltage Output, 1/8-DIN Panel Mo	\$129.00
378KF	Single Relay Temperature Controller, Type K	Temperature F, Analog Voltage Output, 1/8-DIN Panel Mo	\$129.00
7000APL	Microprocessor Thermocouple, 1/8-DIN Panel Mount,	Selectable: Type J, K, T, E, N, R, S, Temperature C or F	\$179.00
7001APL	Microprocessor Thermocouple, 1/8-DIN Panel Mount,	Selectable: Type J, K, T, E, N, R, S, Temperature C or F	\$199.00
7000P	Panel Meter J, K, KB, RTD, T TH, Specify Type	Single Probe, Temperature, P = LCD	\$179.00
7000PL	Panel Meter J, K, KB, RTD, T TH, Specify Type	Single Probe, Temperature, PL = LED	\$179.00
7001P	Panel Meter J, K, KB, RTD, T TH, Specify Type	Single Probe, Temperature, P = LCD	\$199.00
7001PL	Panel Meter J, K, KB, RTD, T TH, Specify Type	Single Probe, Temperature, PL = LED	\$199.00
7002P	Panel Meter J, K, KB, RTD, T TH, Specify Type	Dual Probe, Temperature, P = LCD	\$210.00
7002PL	Panel Meter J, K, KB, RTD, T TH, Specify Type	Dual Probe, Temperature, PL = LED	\$210.00
7001HJ	Single Probe Handheld Meter, Type J	Temperature Range: -176 ~ 1099°C or -350 ~ 2010°F	\$129.00
7001HK	Single Probe Handheld Meter, Type K	Temperature Range: -149 ~ 1371°C or -300 ~ 2500°F	\$129.00
7001HT	Single Probe Handheld Meter, Type T	Temperature Range: -127 ~ 400°C or -260 ~ 752°F	\$129.00
7001HRTD	Single Probe Handheld Meter, RTD Type	Temperature Range: -200 ~ 850°C or -328 ~ 1562°F	\$159.00
7001HTH	Single Probe Handheld Meter, Thermistor Type	Temperature Range: -40 ~ 120°C or -40 ~ 248°F	\$159.00
7002HK	Dual Probe Handheld Meter, Type K	Temperature Range: -149 ~ 1371°C or -300 ~ 2500°F	\$149.00
7002HRTD	Dual Probe Handheld Meter, Type RTD	Temperature Range: -200 ~ 850°C or -328 ~ 1562°F	\$179.00
7002HTH	Dual Probe Handheld Meter, Thermistor Type	Temperature Range: -40 ~ 120°C or -40 ~ 248°F	\$179.00
TA-1-J	Thermocouple Simulator Type J for 7001/7002	Temperature Handheld Simulator	\$79.00
TA-1-K	Thermocouple Simulator Type K for 7001/7002	Temperature Handheld Simulator	\$79.00
TA-1-T	Thermocouple Simulator Type T for 7001/7002	Temperature Handheld Simulator	\$79.00
701JC	Magnetic Back Meter, Type J	Temperature Range: -50 ° C to 700° C	\$79.00
701JF	Magnetic Back Meter, Type J	Temperature Range: -50° F to 1200° F	\$79.00
* Accessories for use with 701JC, 701JF meters: J-7001, J-7002, J-7003, J-7004 (See Accessories page for pricing)			
701KC	Magnetic Back Meter, Type K	Temperature Range: -50 ° C to 800° C	\$79.00
701KF	Magnetic Back Meter, Type K	Temperature Range: -50° F to 1000° F	\$79.00
* Accessories for use with 701KC, 701KF meters: K-7001, K-7002, K-7003, K-7004 (See Accessories page for pricing)			
701TC	Magnetic Back Meter, Type T	Temperature Range: -50 ° C to 400° C	\$79.00
701TF	Magnetic Back Meter, Type T	Temperature Range: -100° F to 700° F	\$79.00
* Accessories for use with 701TC, 701TF meters: T-7001, T-7002, T-7003, T-7004 (See Accessories page for pricing)			
720C	Handheld Pocket Thermometer, Type J	Temperature, Deg. C	\$39.95
720F	Handheld Pocket Thermometer, Type J	Temperature, Deg. F	\$39.95
720CK	Completed kit (included: 720C + 720-01 to 720-04 + 720-99)	Temperature, Deg. C	\$103.95
720FK	Completed kit (included: 720F + 720-01 to 720-04 + 720-99)	Temperature, Deg. F	\$103.95
* Accessories for use with 720C, 720F meters: 720-01, 720-02, 720-03, 720-04, 720-31, 720-99 (See Accessories page for pricing)			
765EC	Panel Meter, Type E.	Temperature Range: -105 ° C to 1000° C	\$110.00
765EF	Panel Meter, Type E.	Temperature Range: -157° F to 1832° F	\$110.00
765JC	Panel Meter, Type J.	Temperature Range: -210 ° C to 760° C	\$110.00
765JF	Panel Meter, Type J.	Temperature Range: -346° F to 1400° F	\$110.00
765KC	Panel Meter, Type K.	Temperature Range: -105 ° C to 1372° C	\$110.00
765KF	Panel Meter, Type K.	Temperature Range: -157° F to 1999° F	\$110.00
765TC	Panel Meter, Type T.	Temperature Range: -105 ° C to 400° C	\$110.00
765TF	Panel Meter, Type T.	Temperature Range: -157° F to 752° F	\$110.00
765PTAC	Panel Meter, Type PTA (RTD), ° C	Temperature Range: -50 ° C to 199.9° C	\$110.00
765PTAF	Panel Meter, Type PTA (RTD) ° F	Temperature Range: -58° F to 199.9° F	\$110.00
765PTBF	Panel Meter, Type PTB (RTD) ° F	Temperature Range: -58° F to 1562° F	\$110.00

*Jenco Instruments 2016 Price List - Authorized Distributor Clarkson Laboratory & Supply Inc.
www.clarksonlab.com E-mail: sales@clarksonlab.com Phone 619-425-1932 Fax: 619-425-7917
The prices below are list price we offer up to a 10% discount with a \$300.00 purchase*

768J-C-02	Panel Meter, Type J.	Temperature ° C	\$79.00
768J-F-02	Panel Meter, Type J.	Temperature ° F	\$79.00
768K-C-02	Panel Meter, Type K.	Temperature ° C	\$79.00
768K-F-02	Panel Meter, Type K.	Temperature ° F	\$79.00
77A-K	2-Wire Transmitter, Sensor Type K. Order information for 77A-K: * 77A/01/0000/+0300/CEL * 77A/01/0000/+0600/CEL * 77A/01/0000/+1200/CEL	Ambient Temperature Range -40 to 85 ° C Type K, Temperature range: 0 to 300 ° C (32 to 572 ° F) Type K, Temperature range: 0 to 600 ° C (32 to 1112 ° F) Type K, Temperature range: 0 to 1200 ° C (32 to 2192 ° F)	\$69.00
77A-J	2-Wire Transmitter, Sensor Type J. Order information for 77A-J: * 77A/02/0000/+0300/CEL * 77A/02/0000/+0700/CEL	Ambient Temperature Range -40 to 85 ° C Type J, Temperature range: 0 to 300 ° C (32 to 572 ° F) Type J, Temperature range: 0 to 700 ° C (32 to 1292 ° F)	\$69.00
77A-E	2-Wire Transmitter, Sensor Type E. Order information for 77A-E: * 77A/03/0000/+1000/CEL	Ambient Temperature Range -40 to 85 ° C Type E, Temperature range: 0 to 1000 ° C (32 to 1832 ° F)	\$69.00
77A-T	2-Wire Transmitter, Sensor Type T. Order information for 77A-T: * 77A/04/0000/+0100/CEL * 77A/04/0000/+0400/CEL	Ambient Temperature Range -40 to 85 ° C Type T, Temperature range: 0 to 100 ° C (32 to 212 ° F) Type T, Temperature range: 0 to 400 ° C (32 to 752 ° F)	\$69.00
77A-RTD	2-Wire Transmitter, Sensor Type RTD Order information for 77A-RTD: * 77A/11/-0050/+0050/CEL * 77A/11/0000/+0100/CEL * 77A/11/0000/+0250/FAH * 77A/11/0000/+0500/FAH * 77A/11/0000/+0600/CEL	Ambient Temperature Range -40 to 85 ° C Type RTD, Temperature range: -50 to 50 ° C (-58 to 122 ° F) Type RTD, Temperature range: 0 to 100 ° C (32 to 212 ° F) Type RTD, Temperature range: 0 to 250 ° F (-18 to 121 ° C) Type RTD, Temperature range: 0 to 500 ° F (-18 to 260 ° C) Type RTD, Temperature range: 0 to 600 ° C (32 to 1112 ° F)	\$79.00
791J-C	Panel Temperature Meter, Type J, ° C, LCD Display	Temperature ° C	\$199.00
791J-F	Panel Temperature Meter, Type J, ° F, LCD Display	Temperature ° F	\$199.00
791K-C	Panel Temperature Meter, Type K, ° C, LCD Display	Temperature ° C	\$199.00
791K-F	Panel Temperature Meter, Type K, ° F, LCD Display	Temperature ° F	\$199.00
791PTAC	Panel Temperature Meter, Type PTA, ° C, LCD Display	Temperature ° C	\$199.00
791PTBC	Panel Temperature Meter, Type PTB, ° C, LCD Display	Temperature ° C	\$199.00
791L-JC	Panel Temperature Meter, Type J, ° C, Red LED Display	Temperature ° C	\$199.00
791L-JF	Panel Temperature Meter, Type J, ° F, Red LED Display	Temperature ° F	\$199.00
791L-KC	Panel Temperature Meter, Type K, ° C, Red LED Display	Temperature ° C	\$199.00
791L-KF	Panel Temperature Meter, Type K, ° F, Red LED Display	Temperature ° F	\$199.00
791L-PTAC	Panel Temperature Meter, Type PTA (RTD), ° C, Red LED Display	Temperature ° C	\$199.00
791L-PTAF	Panel Temperature Meter, Type PTA (RTD), ° F, Red LED Display	Temperature ° F	\$199.00
791L-PTBC	Panel Temperature Meter, Type PTB (RTD), ° C, Red LED Display	Temperature ° C	\$199.00
791L-PTBF	Panel Temperature Meter, Type PTB (RTD), ° F, Red LED Display	Temperature ° F	\$199.00