

EcoSense® Products				
YSI	YSI			
Model	Item		Used	
No	No	Description	With	Notes
ODO200 Optical Dissolved Oxygen Instruments & Kits - uses optical DO probe				
ODO200	606329	EcoSense Optical Dissolved Oxygen and Temp Instrument		Instrument only
ODO200CC-01	606324	EcoSense Kit with ODO200, 1M Probe and Case		
ODO200CC-04	606325	EcoSense Kit with ODO200, 4M Probe and Case		
ODO200CC-10	606305	EcoSense Kit with ODO200, 10M Probe and Case		
ODO200M Optical Dissolved Oxygen Instruments & Kits - uses optical DO probe				
ODO200M	601023	EcoSense Optical Dissolved Oxygen and Temp Instrument		Instrument only
ODO200MCC-01	601024	EcoSense Kit with ODO200, 1M Probe and Case		
ODO200MCC-04	601025	EcoSense Kit with ODO200, 4M Probe and Case		
ODO200MCC-10	601026	EcoSense Kit with ODO200, 10M Probe and Case		
Optical Dissolved Oxygen Probes and Cables - used with ODO200 and ODO200M instruments				
EcoODO-01	606327	EcoSense Optical DO and Temp Field Probe, 1M Cable	ODO200, ODO200M	Probe and Cable only
EcoODO-04	606328	EcoSense Optical DO and Temp Field Probe, 4M Cable	ODO200, ODO200M	Probe and Cable only
EcoODO-10	606304	EcoSense Optical DO and Temp Field Probe, 10M Cable	ODO200, ODO200M	Probe and Cable only
ODO200-CAP	606326	Sensor Cap Kit, EcoSense ODO200	ODO200, ODO200M	
282	606330	Carrying Case, Hard Plastic w/Form Fitted Foam Insert 12.5x9.5x3.7	ODO200, ODO200M	
DO200A Dissolved Oxygen Instruments & Kits - membrane-style electrochemical instruments				
DO200A	606077	Dissolved Oxygen and Temp Instrument Only		28
DO200ACC-01	606071	Kit, DO200A, 1M Probe/Cable and Carrying Case		28
DO200ACC-04	606072	Kit, DO200A, 4M Probe/Cable and Carrying Case		28
DO200ACC-10	606040	Kit, DO200A, 10M Probe/Cable and Carrying Case		28
DO200M Dissolved Oxygen Instruments & Kits - membrane-style electrochemical instruments				
DO200M	601027	Dissolved Oxygen and Temp Instrument Only		28
DO200MCC-01	601028	EcoSense Kit, DO200M, 1M Probe/Cable and Carrying Case		28
DO200MCC-04	601029	EcoSense Kit, DO200M, 4M Probe/Cable and Carrying Case		28
DO200MCC-10	601030	EcoSense Kit, DO200M, 10M Probe/Cable and Carrying Case		28
Dissolved Oxygen Probes & Cables - used with DO200A and DO200M instruments				
200-1	606037	DO and Temp Field Probe and 1M Cable	DO200/DO200A	28
200-4	605352	DO and Temp Field Probe and 4M Cable	DO200/DO200A	28
200-10	605353	DO and Temp Field Probe and 10M Cable	DO200/DO200A	28
200-BOD	609200	Stirring BOD Probe, 115V, 5 ft.	DO200/DO200A	28
200-BOD-230V	609201	Stirring BOD Probe, 230V	DO200/DO200A	28
EcoSense Conductivity, Salinity, TDS Instrument and Pens				
EC300A Meter and Kits				
EC300A	606079	Conductivity, TDS, Salinity, Temp Instrument Only		Instrument Only
EC300ACC-01	606068	Kit, EC300A, 1M Probe/Cable and Carrying Case		
EC300ACC-04	606069	Kit, EC300A, 4M Probe/Cable and Carrying Case		
EC300ACC-10	606047	Kit, EC300A, 10M Probe/Cable and Carrying Case		
EC300M Meter and Kits				
EC300M	601034	Conductivity, TDS, Salinity, Temp Instrument Only		Instrument Only
EC300MCC-01	601035	Kit, EC300M, 1M Probe/Cable and Carrying Case		
EC300MCC-04	601036	Kit, EC300M, 4M Probe/Cable and Carrying Case		
EC300MCC-10	601037	Kit, EC300M, 10M Probe/Cable and Carrying Case		
Conductivity Probes & Cables for use with EC300A and EC300M				
300-1	606044	Conductivity/Temp Probe and 1M Cable	EC300, EC300A, EC300M	Probe and Cable only

YSI Model No	YSI Item No	Description	Used With	Notes
300-4	605395	Conductivity/Temp Probe and 4M Cable	EC300, EC300A, EC300M	Probe and Cable only
300-10	605396	Conductivity/Temp Probe and 10M Cable	EC300, EC300A, EC300M	Probe and Cable only
EC30A Pen				
EC30A	606121	EC30A Conductivity, TDS, Temperature Pen Tester		
606114	606114	Sensor Kit, EC30A, Grey	EC30A	Sensor only
EcoSense pH/ORP/MV Instrument and Pens				
pH100A Meter and Kits				
pH100A	606075	pH, mV, Temp Instrument Only		Instrument only
pH100CCA-01	606067	pH100A, 1M Probe/Cable and Carrying Case		
pH100CCA-04	606033	pH100A, 4M Probe/Cable and Carrying Case		
pH100M Meter and Kits				
pH100M	601031	pH, mV, Temp Instrument Only		Instrument only
pH100CCM-01	601032	pH100M, 1M Probe/Cable and Carrying Case		
pH100CCM-04	601033	pH100M, 4M Probe/Cable and Carrying Case		
EcoSense pH, ORP and Temperature Probes & Cables for use with pH100A and pH100M meters				
100-1	605377	Waterproof pH/Temp Field Probe and 1M Cable	pH100/pH100A/pH100M	Probe/Cable Only, 32
100-4	605378	Waterproof pH/Temp Field Probe and 4M Cable	pH100/pH100A/pH100M	Probe/Cable Only, 32
110-1	605374	pH Electrode and 1M Cable - Laboratory-Grade	pH100/pH100A/pH100M	Probe/Cable Only, 32
111-1	605080	pH Electrode, 1M Cable Piercing Double Junction	pH100/pH100A/pH100M and Legacy pH 1200	Probe/Cable Only, 32
112-1	605081	pH Electrode, 1M Flat Glass Double Junction	pH100/pH100A/pH100M and Legacy pH 1200	Probe/Cable Only, 32
115-1	605376	ORP Electrode and 1M Cable Laboratory-Grade	pH100/pH100A/pH100M	Probe/Cable Only, 32
130-1	605375	Temp Probe and 1 M Cable	pH100/pH100A/pH100M	Probe/Cable Only
pH/ORP/mV Pens				
pH10A	pH10	pH Temperature Pen Tester		
ORP15A	ORP15	ORP Temperature Pen Tester		
pH and ORP Replacement Electrodes for Pen Testers				
605113	605113	Electrode Kit, pH10, Blue	pH10	
606110	606110	Electrode Kit, pH10A, Grey	pH10A	

YSI Model No	YSI Item No	Description	Used With	Notes
116	605116	Electrode, Double Junction, PH10	pH10	
605123	605123	Electrode Kit, ORP15, Blue	ORP15	
606112	606112	Electrode Kit, ORP15A, Grey	ORP15A	
EcoSense pH, Conductivity and Temperature Pen				
pH/EC1030A	606180	pH/Conductivity/TDS/Temperature Pen Tester, includes batteries		32
606181	606181	pH/Conductivity electrode kit, pH/EC1030A	pH/EC1030A pen	32
EcoSense pH1000A Benchtop Lab Instrument and Instrument Kits				
pH1000A	601100	pH1000A pH/mv/Temperature benchtop laboratory instrument, includes 110-220V international AC power supply, batteries		Instrument only, 33
pH1000A-01 Kit	601104	pH1000A pH/mv/Temperature benchtop laboratory instrument and electrode stand kit, includes 110-220V international AC power supply, batteries		33
pH1000A-02 Kit	601305	pH1000A pH/mv/Temperature benchtop laboratory instrument with 1102 pH/temp lab electrode and electrode stand, includes 110-220V international AC power supply, batteries		32, 33
pH1000A-03 Kit	601306	pH1000A pH/mv/Temperature benchtop laboratory instrument with 1102 pH/temp lab electrode, includes 110-220V international AC power supply, batteries		32, 33
EcoSense pH1000A Electrodes and Accessories				
1101	601101	1101 pH/mv electrode and 1M cable	pH1000A	32
1102	601102	1102 pH/mv/temperature lab electrode and 1M cable	pH1000A	32
1103	601103	1103 temperature probe and 1M cable	pH1000A	
601112	601112	110-220V Power supply, pH1000A	pH1000A	
601113	601113	Laboratory electrode stand	pH1000A, all pH/ORP electrodes	
EcoSense® pH Accessories				
160	605380	Electrode Simulator	pH100A	29
440	605409	440 Cable Weight Kit	100-1 & 100-4	
605118	605118	RP, Battery Kit, Pen	All EcoSense pens	4 batteries
EcoSense® Products Carrying Cases				
180	605382	Carrying Case, Hard Plastic w/Form Fitted Foam Insert 12.5x9.5x3.7	pH100	
180A	606031	Carrying Case, Hard Plastic w/Form Fitted Foam Insert 12.5x9.5x3.7	pH100A, pH100M	
280	605383	Carrying Case, Hard Plastic w/Form Fitted Foam Insert 12.5x9.5x3.7	DO200	
280A	606036	Carrying Case, Hard Plastic w/Form Fitted Foam Insert 12.5x9.5x3.7	DO200A, DO200M	
380	605384	Carrying Case, Hard Plastic w/Form Fitted Foam Insert 12.5x9.5x3.7	EC300	
380A	606043	Carrying Case, Hard Plastic w/Form Fitted Foam Insert 12.5x9.5x3.7	EC300A, EC300M	
480	605381	Carrying Case, Form-fitted, Clear & Black Vinyl (w/Shoulder Strap)	pH100, DO200 and EC300	
485	605139	485 Carrying Case, Soft Sided	pH100, DO200 and EC300	
580	605129	Carrying Case, Pens, Soft-sided	pH10A, ORP15A, EC30A	

PROSERIES				
Model	YSI			
No	Item	Description	Used With	Notes
PROSERIES INSTRUMENTS				
Professional Plus	6050000	Full Featured Multiparameter Instrument		sensors and probe/cables sold separately
Pro10	6050010	pH or ORP (mV) and Temperature Handheld instrument	ProSeries cables 10-x, 1007-x and 1008-x and 1001 pH and 1002 ORP sensors	pH or ORP sensor ONLY. Cannot be use with combination sensors, NO3, NH4 or Cl sensors. Probe/cables sold separately
Pro20	6050020	Dissolved Oxygen and Temperature Handheld	ProSeries 20-x cables, ProBOD, 2002 and 2003/B sensors	28, sensors and probe/cables sold separately
Pro30	6050030	Conductivity, Salinity, TDS and Temperature Handheld	ProSeries 30-x cables	sensors and probe/cables sold separately
Pro1030	6051030	pH or ORP (mV) and Conductivity, Salinity, TDS and Temperature Handheld	ProSeries 1030-x cables and 1001 pH and 1002 ORP sensors	sensors and probe/cables sold separately
Pro1020	6051020	Dissolved Oxygen, pH or mV (ORP), and Temperature Handheld	ProSeries 1020-x cables, 1001 pH, 1002 ORP, 2002 and 2003/B DO sensors	28, sensors and probe/cables sold separately
Pro2030	6052030	Dissolved Oxygen/Conductivity/Salinity Temperature Handheld	ProSeries 2030-x cables	28, sensors and probe/cables sold separately
PRO 20i - Instrument with Integral Cable				
Pro20i-1 P Kit	607130	Pro20i Dissolved Oxygen and Temperature Handheld with 1-meter integral (non-detachable cable) and 2003 Polarographic sensor kit		28, Includes 2003 DO kit.
Pro20i-1 G Kit	607131	Pro20i Dissolved Oxygen and Temperature Handheld with 1-meter integral (non-detachable cable) and 2002 Galvanic sensor kit		28, Includes 2002 DO kit.
Pro20i-4 P Kit	607125	Pro20i Dissolved Oxygen and Temperature Handheld with 4-meter integral (non-detachable cable) and 2003 Polarographic sensor kit		28, Includes 2003 DO kit.
Pro20i-4 G Kit	607129	Pro20i Dissolved Oxygen and Temperature Handheld with 4-meter integral (non-detachable cable) and 2002 Galvanic sensor kit		28, Includes 2002 DO kit.
Pro20i-10 P Kit	607132	Pro20i Dissolved Oxygen and Temperature Handheld with 10-meter integral (non-detachable cable) and 2003 Polarographic sensor kit		28, Includes 2003 DO kit.
Pro20i-10 G Kit	607133	Pro20i Dissolved Oxygen and Temperature Handheld with 10-meter integral (non-detachable cable) and 2002 Galvanic sensor kit		28, Includes 2002 DO kit.
CABLE/PROBE ASSEMBLIES				
1007-1	605107	pH/Temp single junction combination electrode with 1-meter cable w/MS connector	Professional Plus, Pro10 instruments	Includes lab grade pH electrode, 32
1007-4	605177	pH/Temp single junction combination electrode with 4-meter cable w/MS connector	Professional Plus, Pro10 instruments	Includes lab grade pH electrode, 32
1008-1	605108	ORP/Temp single junction combination electrode with 1-meter cable w/MS connector	Professional Plus, Pro10 instruments	Includes lab grade ORP electrode, 32
1008-4	605178	ORP/Temp single junction combination electrode with 4-meter cable w/MS connector	Professional Plus, Pro10 instruments	Includes lab grade ORP electrode, 32
1009-1	605109	pH/ORP/Temp single junction combination electrode with 1-meter cable w/MS connector	Professional Plus	Includes lab grade pH/ORP electrode, 32
1009-4	605179	pH/ORP/Temp single junction combination electrode with 4-meter cable w/MS connector	Professional Plus	Includes lab grade pH/ORP electrode, 32
10-1	60510-1	ISE/Temp 1-meter cable assembly	Professional Plus, Pro10 instruments	26, ISE sensors sold separately
10-4	60510-4	ISE/Temp 4-meter cable assembly	Professional Plus, Pro10 instruments	26, ISE sensors sold separately
10-10	60510-10	ISE/Temp 10-meter cable assembly	Professional Plus, Pro10 instruments	26, ISE sensors sold separately
10-20	60510-20	ISE/Temp 20-meter cable assembly	Professional Plus, Pro10 instruments	26, ISE sensors sold separately
10-30	60510-30	ISE/Temp 30-meter field assembly	Professional Plus, Pro10 instruments	26, ISE sensors sold separately
ProBOD	605780	DO/Temp 115V stirring BOD probe with 1-meter cable assembly	Professional Plus, Pro20 instruments	Includes 5733 (item 073047 universal power supply)
20-1	60520-1	DO/Temp 1-meter cable assembly	Professional Plus, Pro20 instruments	27, DO sensor sold separately
20-4	60520-4	DO/Temp 4-meter cable assembly	Professional Plus, Pro20 instruments	27, DO sensor sold separately
20-10	60520-10	DO/Temp 10-meter cable assembly	Professional Plus, Pro20 instruments	27, DO sensor sold separately
20-20	60520-20	DO/Temp 20-meter cable assembly	Professional Plus, Pro20 instruments	27, DO sensor sold separately
20-30	60520-30	DO/Temp 30-meter cable assembly	Professional Plus, Pro20 instruments	27, DO sensor sold separately
20-100	60520-100	DO/Temp 100-meter cable assembly	Professional Plus, Pro20 instruments	27, DO sensor sold separately
20-X	60520-X	DO/Temp cable assembly \$420 List + \$50 for 10 meter increments up to 100 meters (this is a special order only)	Professional Plus, Pro20 instruments	Example: a 50 meter cable would cost \$420 + \$250 (5 X \$50 = \$250) = \$670
30-1	60530-1	Cond/Temp 1-meter cable assembly	Professional Plus, Pro30 instruments	Includes conductivity and temp
30-4	60530-4	Cond/Temp 4-meter cable assembly	Professional Plus, Pro30 instruments	Includes conductivity and temp
30-10	60530-10	Cond/Temp 10-meter cable assembly	Professional Plus, Pro30 instruments	Includes conductivity and temp
30-20	60530-20	Cond/Temp 20-meter cable assembly	Professional Plus, Pro30 instruments	Includes conductivity and temp
30-30	60530-30	Cond/Temp 30-meter cable assembly	Professional Plus, Pro30 instruments	Includes conductivity and temp
1010-1	6051010-1	Dual ISE/Temp 1-meter cable assembly	Professional Plus	26, ISE sensors sold separately
1010-4	6051010-4	Dual ISE/Temp 4-meter cable assembly	Professional Plus	26, ISE sensors sold separately
1010-10	6051010-10	Dual ISE/Temp 10-meter cable assembly	Professional Plus	26, ISE sensors sold separately
1010-20	6051010-20	Dual ISE/Temp 20-meter cable assembly	Professional Plus	26, ISE sensors sold separately
1010-30	6051010-30	Dual ISE/Temp 30-meter cable assembly	Professional Plus	26, ISE sensors sold separately
1020-1	6051020-1	DO/ISE/Temp 1-meter cable assembly	Professional Plus, Pro1020 instruments	26, 27 DO and ISE sensors sold separately

YSI Model No	YSI Item No	Description	Used With	Notes
1020-4	6051020-4	DO/ISE/Temp 4-meter cable assembly	Professional Plus, Pro1020 instruments	26, 27 DO and ISE sensors sold separately
1020-10	6051020-10	DO/ISE/Temp 10-meter cable assembly	Professional Plus, Pro1020 instruments	26, 27 DO and ISE sensors sold separately
1020-20	6051020-20	DO/ISE/Temp 20-meter cable assembly	Professional Plus, Pro1020 instruments	26, 27 DO and ISE sensors sold separately
1020-30	6051020-30	DO/ISE/Temp 30-meter cable assembly	Professional Plus, Pro1020 instruments	26, 27 DO and ISE sensors sold separately
1030-1	6051030-1	ISE/Cond/Temp 1-meter cable assembly	Professional Plus, Pro1030 instruments	26, Includes conductivity and temp. ISE sensors sold separately
1030-4	6051030-4	ISE/Cond/Temp 4-meter cable assembly	Professional Plus, Pro1030 instruments	26, Includes conductivity and temp. ISE sensors sold separately
1030-10	6051030-10	ISE/Cond/Temp 10-meter cable assembly	Professional Plus, Pro1030 instruments	26, Includes conductivity and temp. ISE sensors sold separately
1030-20	6051030-20	ISE/Cond/Temp 20-meter cable assembly	Professional Plus, Pro1030 instruments	26, Includes conductivity and temp. ISE sensors sold separately
1030-30	6051030-30	ISE/Cond/Temp 30-meter cable assembly	Professional Plus, Pro1030 instruments	26, Includes conductivity and temp. ISE sensors sold separately
2030-1	6052030-1	DO/Cond/Temp 1-meter cable assembly	Professional Plus, Pro2030 instruments	27, includes conductivity and temp. DO sensors sold separately
2030-4	6052030-4	DO/Cond/Temp 4-meter cable assembly	Professional Plus, Pro2030 instruments	27, includes conductivity and temp. DO sensors sold separately
2030-10	6052030-10	DO/Cond/Temp 10-meter cable assembly	Professional Plus, Pro2030 instruments	27, includes conductivity and temp. DO sensors sold separately
2030-20	6052030-20	DO/Cond/Temp 20-meter cable assembly	Professional Plus, Pro2030 instruments	27, includes conductivity and temp. DO sensors sold separately
2030-30	6052030-30	DO/Cond/Temp 30-meter cable assembly	Professional Plus, Pro2030 instruments	27, includes conductivity and temp. DO sensors sold separately
10102030-1	605790-1	Quatro - Dual ISE/Cond/DO/Temp cable assy	Professional Plus	26, 27 DO and ISE sensors sold separately. Includes 5560 conductivity and temp. Does not accept 1003 pH/ORP combo sensor
10102030-4	605790-4	Quatro - Dual ISE/Cond/DO/Temp cable assy	Professional Plus	26, 27 DO and ISE sensors sold separately. Includes 5560 conductivity and temp. Does not accept 1003 pH/ORP combo sensor
10102030-10	605790-10	Quatro - Dual ISE/Cond/DO/Temp cable assy	Professional Plus	26, 27 DO and ISE sensors sold separately. Includes 5560 conductivity and temp. Does not accept 1003 pH/ORP combo sensor
10102030-20	605790-20	Quatro - Dual ISE/Cond/DO/Temp cable assy	Professional Plus	26, 27 DO and ISE sensors sold separately. Includes 5560 conductivity and temp. Does not accept 1003 pH/ORP combo sensor
10102030-30	605790-30	Quatro - Dual ISE/Cond/DO/Temp cable assy	Professional Plus	26, 27 DO and ISE sensors sold separately. Includes 5560 conductivity and temp. Does not accept 1003 pH/ORP combo sensor
ODO-1	626250-1	ODO Digital probe assy with 1 meter cable	Legacy ProODO Handheld, any ProDigital Handheld	Optical DO sensor and temp sensor, sensors are not replaceable.
ODO-4	626250-4	ODO Digital probe assy with 4 meter cable	Legacy ProODO Handheld, any ProDigital Handheld	Optical DO sensor and temp sensor, sensors are not replaceable.
ODO-10	626250-10	ODO Digital probe assy with 10 meter cable	Legacy ProODO Handheld, any ProDigital Handheld	Optical DO sensor and temp sensor, sensors are not replaceable.
ODO-20	626250-20	ODO Digital probe assy with 20 meter cable	Legacy ProODO Handheld, any ProDigital Handheld	Optical DO sensor and temp sensor, sensors are not replaceable.
ODO-30	626250-30	ODO Digital probe assy with 30 meter cable	Legacy ProODO Handheld, any ProDigital Handheld	Optical DO sensor and temp sensor, sensors are not replaceable.
ODO-50	626250-50	ODO Digital probe assy with 50 meter cable	Legacy ProODO Handheld, any ProDigital Handheld	Optical DO sensor and temp sensor, sensors are not replaceable.
ODO-100	626250-100	ODO Digital probe assy with 100 meter cable	Legacy ProODO Handheld, any ProDigital Handheld	Optical DO sensor and temp sensor, sensors are not replaceable.
ODO-X	626250-X	ODO Digital probe assy \$725 List + \$75 for 10 meter increments up to 100 meters (this is a special order only)	Legacy ProODO Handheld, any ProDigital Handheld	Optical DO sensor and temp sensor, sensors are not replaceable. Example: an 75 meter cable would cost \$700 + \$560 (8 x 75) = \$1300.00
SENSORS				
2002	605202	Galvanic DO Sensor	Professional Plus, Pro20, Pro20i, Pro2030, Pro1020	Requires cable/probe assembly
2003	605203	Polarographic DO Sensor	Professional Plus, Pro20, Pro20i, Pro2030, Pro1020	Requires cable/probe assembly
2003B	607203	Polarographic 2003 DO Sensor with Blue, 2.0 PE membrane kit	Professional Plus, Pro20, Pro20i, Pro2030, Pro1020	Requires cable/probe assembly
1001	605101	pH Sensor	Professional Plus, Pro10, Pro1030, Pro1020 instruments	Requires Cable/Probe Assembly, 32
1002	605102	ORP Sensor	Professional Plus, Pro10, Pro1030, Pro1020 instruments	Requires Cable/Probe Assembly, 32
1003	605103	pH/ORP Sensor	Professional Plus. Can not be used on Quatro cable assembly	Requires Cable/Probe Assembly, 32
1004	605104	Ammonium ISE, NH4+	Professional Plus	Requires Cable/Probe Assembly, 32
1005	605105	Chloride ISE	Professional Plus	Requires Cable/Probe Assembly, 32

YSI Model No	YSI Item No	Description	Used With	Notes
1006	605106	Nitrate ISE	Professional Plus	Requires Cable/Probe Assembly, 32
5560	005560	Cond, Temp Replaceable Probe	Professional Plus with Quatro cable only, 556	Use with Quatro cables
1001A	605323	1001A Amplified pH Sensor	Professional Plus, Pro10, Pro1030, Pro1020 instruments	32
1001A Kit	605216	1001A Amplified pH Sensor Kit*	Professional Plus with 1010-X or 1020-X cables	*Kits include a required guard extension for 5563-x and 2 port ProSeries cables, 32
1003A	605324	1003A Amplified pH/ORP Combo Sensor	ProPlus with 10-X, 1020-x or 1030-x cable. Can not be used on Quatro cable	32
1003A Kit	605050	1003A Amplified pH/ORP Combo Sensor Kit*	ProPlus with 10-X, 1020-x or 1030-x cable. Can not be used on Quatro cable	*Kits include a required guard extension for 5563-x and 2 port ProSeries cables, 32
	655575	Guard extension kit, Pro Series, 556	ProPlus or Pro1020 Instruments	All 556 & ProSeries 6051010-X or 6051020-X only
PROSERIES KITS				
Professional Plus Kits				
PP BOD US	603165	ProPlus BOD Kit, US		Includes Pro Plus instrument, ProBOD kit, Pro Series Lab Dock and USB power supply for instrument's communication saddle
PP BOD INT	603219	ProPlus BOD Kit, International		Includes Pro Plus instrument, ProBOD kit, Pro Series Lab Dock and USB international power supply for instrument's communication saddle
PP BOD PH US	603166	ProPlus BOD PH Kit, US		32, Includes Pro Plus instrument, ProBOD kit, 1007-1 lab pH/temp probe, Pro Series Lab Dock and USB power supply for instrument's communication saddle
PP BOD PH INT	603220	ProPlus BOD PH Kit, International		32, Includes Pro Plus instrument, ProBOD kit, 1007-1 lab pH/temp probe, Pro Series Lab Dock and USB international power supply for instrument's communication saddle
PP DOLF-4 P US	603167	ProPlus Lab Field Kit, US, 4 Meter		Includes Pro Plus instrument, ProBOD kit, Pro Series Lab Dock, 60520-4 DO cable, 605203 DO sensor, 603162 soft-sided carrying case, and USB power supply for instrument's communication saddle
PP DOLF-4 P INT	603221	ProPlus Lab Field Kit, International, 4 Meter		Includes Pro Plus instrument, ProBOD kit, Pro Series Lab Dock, 60520-4 DO cable, 605203 DO sensor, 603162 soft-sided carrying case, and USB international power supply for instrument's communication saddle
PP 20-4G	603178	ProPlus Galvanic DO 20 4 Meter		Includes Pro Plus instrument, 60520-4 DO cable, 605202 DO sensor and 603162 soft-sided carrying case.
PP 20-4P	603179	ProPlus Polarographic DO 20 4 Meter		Includes Pro Plus instrument, 60520-4 DO cable, 605203 DO sensor and 603162 soft-sided carrying case.
PP 2030-4 P	603180	ProPlus Polarographic DO 2030 4 Meter		Includes Pro Plus instrument, 6052030-4 DO/Cond/Temp cable, 605203 DO sensor and 603162 soft-sided carrying case.
PP 2030-4 G	603181	ProPlus Galvanic DO 2030 4 Meter		Includes Pro Plus instrument, 6052030-4 DO/Cond/Temp cable, 605202 DO sensor and 603162 soft-sided carrying case.
PP 2030-10 P	603182	ProPlus Polarographic DO 2030 10 Meter		Includes Pro Plus instrument, 6052030-10 DO/Cond/Temp cable, 605203 DO sensor and 603075 soft-sided carrying case.
PP 2030-10 G	603183	ProPlus Galvanic DO 2030 10 Meter		Includes Pro Plus instrument, 6052030-10 DO/Cond/Temp cable, 605202 DO sensor and 603075 soft-sided carrying case.
PP 1020-4 P	603184	ProPlus pH Polarographic DO 1020 4 Meter		32, Includes Pro Plus instrument, 6051020-4 DO/ISE/Temp cable, 605203 DO sensor, 605101 pH sensor and 603162 soft-sided carrying case.
PP 1020-4 G	603185	ProPlus pH Galvanic DO 1020 4 Meter		32, Includes Pro Plus instrument, 6051020-4 DO/ISE/Temp cable, 605203 DO sensor, 605101 pH sensor and 603162 soft-sided carrying case.
PP 1020-10 P	603186	ProPlus pH Polarographic DO 1020 10 Meter		32, Includes Pro Plus instrument, 6051020-10 DO/ISE/Temp cable, 605203 DO sensor, 605101 pH sensor and 603075 soft-sided carrying case.

YSI Model No	YSI Item No	Description	Used With	Notes
PP 1020-10 G	603187	ProPlus pH Galvanic DO 1020 10 Meter		32, Includes Pro Plus instrument, 6051020-10 DO/ISE/Temp cable, 605202 DO sensor, 605101 pH sensor and 603075 soft-sided carrying case.
PP 1030-4 PH	603188	ProPlus pH 1030 4 Meter		32, Includes Pro Plus instrument, 6051030-4 ISE/Cond/Temp cable, 605101 pH sensor and 603162 soft-sided carrying case.
PP 1030-10 PH	603189	ProPlus pH 1030 10 Meter		32, Includes Pro Plus instrument, 6051030-10 ISE/Cond/Temp cable, 605101 pH sensor and 603075 soft-sided carrying case.
PP Quatro-4 P PH	603190	ProPlus Polarographic DO pH Quatro 4 Meter		32, Includes Pro Plus instrument, 605790-4 ISE/ISE/DO/Cond/Temp cable, 605101 pH sensor, 605203 DO sensor and 603075 soft-sided carrying case.
PP Quatro-4 P PH/ORP	603223	ProPlus Polarographic DO pH ORP Quatro 4 Meter		32, Includes Pro Plus instrument, 605790-4 ISE/ISE/DO/Cond/Temp cable, 605101 pH sensor, 605102 ORP sensor, 605203 DO sensor and 603075 soft-sided carrying case.
PP Quatro-4 G PH	603191	ProPlus Galvanic DO pH Quatro 4 Meter		32, Includes Pro Plus instrument, 605790-4 ISE/ISE/DO/Cond/Temp cable, 605101 pH sensor, 605202 DO sensor and 603075 soft-sided carrying case.
PP Quatro-4 G PH/ORP	603224	ProPlus Galvanic DO pH ORP Quatro 4 Meter		32, Includes Pro Plus instrument, 605790-4 ISE/ISE/DO/Cond/Temp cable, 605101 pH sensor, 605102 ORP sensor, 605203 DO sensor and 603075 soft-sided carrying case.
Pro20 Kits				
P20 BOD US	603168	Pro20 BOD Kit		Includes Pro20 instrument, ProBOD kit and lab dock.
P20 BOD INT	603222	Pro20 BOD Kit		Includes Pro20 instrument, ProBOD kit and lab dock.
P20 DOLF-4 P	603169	Pro20 Lab Field Kit 4 Meter		Includes Pro20 instrument, ProBOD kit, 60520-4 DO/Temp cable, 605203 DO sensor, 603162 carrying case and lab dock.
P20 20-4 G	603170	Pro20 Field Galvanic DO 4 Meter		Includes Pro20 instrument, 60520-4 DO/Temp cable, 605202 DO sensor and 603162 carrying case.
P20 20-4 P	603171	Pro20 Field Pol DO 4 Meter		Includes Pro20 instrument, 60520-4 DO/Temp cable, 605203 DO sensor and 603162 carrying case.
P20 20-10 G	603172	Pro20 Field Galvanic DO 10 Meter		Includes Pro20 instrument, 60520-10 DO/Temp cable, 605202 DO sensor and 603162 carrying case.
P20 20-10 P	603173	Pro20 Field Pol DO 10 Meter		Includes Pro20 instrument, 60520-10 DO/Temp cable, 605203 DO sensor and 603162 carrying case.
Pro2030 Kits				

YSI Model No	YSI Item No	Description	Used With	Notes
P2030 2030-4 P	603174	Pro2030 Field Pol DO 4 Meter		Includes Pro2030 instrument, 6052030-4 DO/Cond/Temp cable, 605203 DO sensor, and 603162 carrying case.
P2030 2030-4 G	603175	Pro2030 Field Galvanic DO 4 Meter		Includes Pro2030 instrument, 6052030-4 DO/Cond/Temp cable, 605202 DO sensor, and 603162 carrying case.
P2030 2030-10 P	603176	Pro2030 Field Pol DO 10 Meter		Includes Pro2030 instrument, 6052030-10 DO/Cond/Temp cable, 605203 DO sensor, and 603162 carrying case.
P2030 2030-10 G	603177	Pro2030 Field Galvanic DO 10 Meter		Includes Pro2030 instrument, 6052030-10 DO/Cond/Temp cable, 605202 DO sensor, and 603162 carrying case.
ACCESSORIES				
	3059	603059	Flow Cell, Standard, 203 mL	ProSeries 1010-x and 1020-x cables. 3078 Adaptor is needed for single port probe assemblies
3076		603076	Flow Cell, Extended Length	ProSeries 1010-x and 1020-x cables. 3078 Adaptor is needed for single port probe assemblies
3077		603077	Flow Cell Kit, 1 or 2 Port Cables	ProSeries ODO, 10-x, 20-x, 30-x, 1010-x, 1020-x and 1030-x cables. Also used with 550, 550A, 60. Includes 3078 Adaptor for 1 port probe assemblies
3078		603078	Flow Cell Adaptor-Single Port	Use with 3059 or 3076 flow cell. Flow Cell adaptor needed to adapt Flow Cell to single port probes
3056		603056	Flow Cell Mounting Spike	Use with 3059, 3076 or 3077 flow cell. Included with 3059, 3076 or 3078
6850		606850	Flow Cell Quatro	Use with Quatro Cables
5515		605515	Data Manager Desktop Software	Professional Plus, ProODO. Included with Professional Plus instruments (Free Download from ysi.com)
5604		605404	ProComm II Saddle Communications Kit	Professional Plus and ProODO. Included with Professional Plus. Includes USB cable.
5518		605209	USB Power Supply, US	Pro Plus, ProODO only. AC power to Mini USB. Powers saddle and instrument.
5519		605210	USB Power Supply, International	Pro Plus, ProODO only. AC power to Mini USB. Powers saddle and instrument.
		626444	Pro Series Lab Dock	All Professional Series with or without Saddle
5120		625120	BOD Analyst Pro Desktop Software	Pro Plus, ProODO, 5000 series and 52
6260		626600	ProOBOD Power Supply, US	Comes with US version OBOD
6261		626601	ProOBOD Power Supply, International	Comes with international version OBOD
3075		603075	Carrying Case, Soft Sided	All Professional Series systems
3074		603074	Carrying Case, Hard Sided	All Professional Series systems and Legacy 556
6262		603162	Carrying Case, Soft Sided, Small	ProSeries. Replaced 5080 of the legacy 556 series (item 655101). Will accommodate up to 10 meter DO/Temp (20-X or ODO) or up to 4 meters for MP probes. Includes 3ea 100 ml buffer bottles
3069		603069	Belt Clip	All Professional Series instruments
614		063517	Ultra Clamp	All Professional Series instruments
4654		063507	Tripod Clamp	All Professional Series instruments
5745		605745	Maintenance Kit	All Professional Series probe assemblies. Included with all 2 port probe/cable assemblies. Contains; 1ea port plug, grease, o-rings for sensors and cal cup
		605980	Maintenance Kit, Quatro	Quatro cable assemblies. Included with all Quatro probe assemblies. Contains; 3 ea port plug, installation tool, o-ring grease, o-rings for sensors and cal cup
038213		038213	Brush, Tube Cleaner	All probes with conductivity cells. Included with all conductivity probes
601205		601205	Grease, o-ring (size is a 2cc tube)	Included with all probe/cables assemblies
3062		603062	Cable Management Kit	All probe/cables longer than 1 meter. Included with all probe/cables longer than 1 meter
5978		605978	Weight, Probe/Cable, 4.9 oz	All single port probe assemblies, Quatro and ProDSS cables. Stackable. Add to guard as needed to increase probe weight by 4.9 oz per piece
		626918	Weight, 1 lb	All Quatro and ProDSS cables
690		063019	Weight, Probe/Cable, 24 oz, 3"	All dual port probe/cable assemblies come with a 6 oz, 1" weight.
691		063020	Weight, Probe/Cable, 51 oz, 6"	All dual port probe/cable assemblies come with a 6 oz, 1" weight.
3070		603070	Shoulder Strap	All Professional Series instruments
Calibrator Solutions/Standards: Please See Membranes & Solutions Tab Starting in 2019				

PRODIGITAL				
YSI Model No.	YSI Item No.	Description	Used With	Notes
ProDigital Handheld Instruments				
ProDSS-1	626870-1	ProDSS Handheld, No GPS	Any ProDigital Probe or Cable Assembly	
ProDSS-2	626870-2	ProDSS Handheld with GPS	Any ProDigital Probe or Cable Assembly	
ProSolo	626650	ProSolo Handheld	All legacy ProODO cables, ProSolo ODO-T and ProSolo ODO-CT cables	Replacement for the legacy ProODO
ProDigital ODO/T Probe Assemblies				
ODO/T-1 m	627200-1	ODO/T probe assembly, 1 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/T-4 m	627200-4	ODO/T probe assembly, 4 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/T-10 m	627200-10	ODO/T probe assembly, 10 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/T-20 m	627200-20	ODO/T probe assembly, 20 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/T-30 m	627200-30	ODO/T probe assembly, 30 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/T-50 m	627200-50	ODO/T probe assembly, 50 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/T-100 m	627200-100	ODO/T probe assembly, 100 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ProOBOD Sensors				
ProOBOD-US	626400	ProOBOD Probe, US	Legacy ProODO Handheld, any ProDigital Handheld	Includes power supply 626600, power supply for US outlets
ProOBOD-INT	626401	ProOBOD Probe, International	Legacy ProODO Handheld, any ProDigital Handheld	With 626601 power supply which includes SAA, EU and BS International outlet adapters and UK BOD funnel adaptor
ProDigital ODO/CT Probe Assemblies				
ODO/CT-1 m	627150-1	ODO/CT probe assembly, 1 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/CT-4 m	627150-4	ODO/CT probe assembly, 4 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/CT-10 m	627150-10	ODO/CT probe assembly, 10 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/CT-20 m	627150-20	ODO/CT probe assembly, 20 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables

YSI Model No.	YSI Item No.	Description	Used With	Notes
ODO/CT-30 m	627150-30	ODO/CT probe assembly, 30 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/CT-50 m	627150-50	ODO/CT probe assembly, 50 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ODO/CT-100 m	627150-100	ODO/CT probe assembly, 100 m	ProSolo and ProDSS	Will not work with legacy ProODO handheld; see ProSeries tab for legacy ProODO cables
ProDSS Cable Assemblies--AUTHORIZED DEALERS ONLY				
6909-1	626909-1	DSS-1 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-4	626909-4	DSS-4 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-10	626909-10	DSS-10 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-20	626909-20	DSS-20 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-30	626909-30	DSS-30 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-40	626909-40	DSS-40 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-50	626909-50	DSS-50 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-60	626909-60	DSS-60 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-70	626909-70	DSS-70 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-80	626909-80	DSS-80 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-90	626909-90	DSS-90 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6909-100	626909-100	DSS-100 Meter 4 port Cable Assembly, No Depth	ProDSS	Order all sensors separately
6910-1	626910-1	DSS-1 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6910-4	626910-4	DSS-4 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6910-10	626910-10	DSS-10 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6911-20	626911-20	DSS-20 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6911-30	626911-30	DSS-30 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6911-40	626911-40	DSS-40 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6911-50	626911-50	DSS-50 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6911-60	626911-60	DSS-60 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6911-70	626911-70	DSS-70 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6911-80	626911-80	DSS-80 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6911-90	626911-90	DSS-90 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
6911-100	626911-100	DSS-100 Meter 4 port Cable Assembly, With Depth	ProDSS	Includes depth sensor. Order all other sensors separately
ProDSS Smart Sensors--AUTHORIZED DEALERS ONLY				
6900	626900	ProDSS ODO Optical Dissolved Oxygen Sensor	ProDSS Cable Assembly	
6902	626902	ProDSS Conductivity and Temperature Sensor	ProDSS Cable Assembly	
6901	626901	ProDSS Turbidity Sensor	ProDSS Cable Assembly	
6903	626903	ProDSS pH Sensor with Module	ProDSS Cable Assembly	32
6904	626904	ProDSS pH/ORP Sensor with Module	ProDSS Cable Assembly	32
6906	626906	ProDSS Ammonium Sensor with Module	ProDSS Cable Assembly	32
6905	626905	ProDSS Nitrate Sensor with Module	ProDSS Cable Assembly	32
6907	626907	ProDSS Chloride Sensor with Module	ProDSS Cable Assembly	32
6210	626210	ProDSS Total Algae-Phycocyanin (TAL-PC) Sensor	ProDSS Cable Assembly	
6211	626211	ProDSS Total Algae-Phycocerythrin (TAL-PE) Sensor	ProDSS Cable Assembly	
ProDigital Replacement Modules & ODO Caps				
6963	626963	Replacement pH Module	ProDSS	32
6964	626964	Replacement pH/ORP Modules	ProDSS	32
6966	626966	Replacement Ammonium Modules	ProDSS	32
6965	626965	Replacement Nitrate Modules	ProDSS	32
6967	626967	Replacement Chloride Modules	ProDSS	32
6890	626890	Replacement DSS ODO Sensor Cap	ProDSS ODO sensor 626900	1 year warranty
			627150-X ODO/CT and 627200-X ODO/T used with ProDigital Handhelds	2 year warranty
OBOD-CAP	627180	Replacement ProDigital ODO Extended Warranty Sensor Cap	ProOBOD Probe	
	626482	Replacement OBOD Sensor Cap Kit		

YSI Model No.	YSI Item No.	Description	Used With	Notes
ProDigital Accessories				
9080	599080	Flow Cell	ProDSS 6909-X and 6911-X cable assemblies	
3056	603056	Flow Cell Mounting Spike		
	626943	External Li-Ion Rechargeable Battery Pack, small	ProSolo and ProDSS	
	626944	External Li-Ion Rechargeable Battery Pack, large	ProSolo and ProDSS	
	626946	Large Hard Sided Carrying Case - 19 x 14 x 8 inches	ProSolo and ProDSS	Fits 10, 20 and 30 meter cable with cable management kit, handheld and accessories
	626945	Small Hard Sided Carrying Case - 18 x 13 x 7 inches	ProSolo and ProDSS	Fits 1 and 4 meter cables, handheld, flow cell and accessories
627195	627195	Calibration cup for ProDigital ODO/CT probe assemblies	627150-X ODO/CT probes	A calibration cup is included with all ODO/CT probe assemblies upon purchase
3076	603076	Flow Cell, Extended Length	627150-X ODO/CT probes with 3078	3078 Adaptor required for use with 627150-X ODO/CT
3078	603078	Flow Cell Adaptor-Single Port	Use with 3059 or 3076 flow cell	Needed to adapt Flow Cell to single port probes and ODO/CT
	603162	Small, soft-sided carrying case	ProSolo and ProDSS	Fits handheld, 1 and 4 m ODO/T probe assemblies
3075	603075	Large, soft-sided carrying case	ProSolo and ProDSS	Fits handheld, ODO/CT probe assemblies, ProDSS cable assemblies
	626918	Weight, 1 lb	ProDSS	Stackable on 4-port cable guard, included with cables 10 meters and longer
	605978	Weight, 4.9 oz	ProSolo and ProDSS	Stackable on guard of ODO/T and ODO/CT probe assemblies
	626942	Car charger adapter, USB, 12VDC	ProSolo and ProDSS	
4654	063507	Tripod Clamp	ProSolo and ProDSS	Same as used with Professional Series
614	063517	Ultra clamp	ProSolo and ProDSS	Same as used with Professional Series
3070	603070	Shoulder strap	ProSolo and ProDSS	Same as used with Professional Series
3069	603069	Belt Clip	ProSolo and ProDSS	Same as used with Professional Series
ProDSS Replacement Parts--AUTHORIZED DEALERS ONLY				
	626940	ProDSS Battery Charger Kit, US, includes AC switching power supply and 6 ft USB cable		Included with and ProDigital Handheld
	626941	ProDSS Battery Charger Kit, International, includes AC switching power supply, 6 ft USB cable and outlet adapters		Included with and ProDigital Handheld
	626991	USB cable, 6 ft		Connects ProDigital Handheld to AC charger or PC, included with instrument and battery charger kit
	626992	USB cable, 6 in		Connects ProDigital handheld to USB stick, included with instrument
	626846	ProDSS Replacement Battery kit		Includes Li-ion battery pack for installing in ProDigital Handheld and replacement gasket
	626919	Probe Guard Kit		Included with the purchase of ProDigital Handheld
	626969	ProDSS USB Flash Drive, user manuals and KorDSS		Included with the purchase of ProDigital Handheld
	599786	Calibration/storage cup		Included with the purchase of ProDigital Handheld
	626990	Maintenance kit, ProDSS 4-port cable		Includes (3) port plugs, (1) Conductivity brush, (1) tube o-ring lubricant, (1) sensor installation tool, (6) o-rings, (1) syringe for cleaning depth sensor
3062	603062	Cable management kit		Included with 10, 20 and 30 meter cables
ProSolo Kits				
ProSolo ODO/T Kit, 4 m	626663	ProSolo handheld (626650), ODO/T probe assembly, 4 m (627200-4), soft-sided carrying case (603162)		
ProSolo ODO/T Kit, 10 m	626664	ProSolo handheld (item 626650), ODO/T probe assembly, 10 m (627200-10), soft-sided carrying case (item 603075)		
ProSolo ODO/CT Kit, 4 m	626660	ProSolo handheld (626650), ODO/CT probe assembly, 4 m (627150-4), soft-sided carrying case (603075)		
ProSolo ODO/CT Kit, 10 m	626661	ProSolo handheld (626650), ODO/T probe assembly, 4 m (627150-10), soft-sided carrying case (603075)		
ProDSS Factory Service Plans--YSI REPAIR CENTER ONLY				
	999041	1 Year ProDSS Factory Service Plan		U.S. Only; must be purchased within 60 days of a new system; covers one handheld, one 4-port cable, and up to four sensors
	999042	2 Year ProDSS Factory Service Plan		U.S. Only; must be purchased within 60 days of a new system; covers one handheld, one 4-port cable, and up to four sensors

YSI Model No.	YSI Item No.	Description	Used With	Notes
	999043	3 Year ProDSS Factory Service Plan		U.S. Only; must be purchased within 60 days of a new system; covers one handheld, one 4-port cable, and up to four sensors
Calibrator Solutions/Standards: Please See Membranes & Solutions Tab Starting in 2019				

LAB & FIELD SAMPLING PRODUCTS				
YSI Model No	YSI Item No	Description	Used With	Notes
YSI 60 and 63				
131133	131133	Electrode, pH, Replacement	60,63	32
YSI 550A DO Dissolved Oxygen				
559	655900	DO Replaceable Probe	550A and 556	
556 Cables & Probes				
5564	005564	pH Kit	556	pH Buffer Solution Required, 32
5565	005565	pH/ORP Kit	556	pH and ORP (Dobell) Buffer Solution Required, 32
5564A	655564	5564A Amplified pH Sensor	556	32
5564A Kit	655561	5564A Amplified pH Sensor Kit*	556	*Kits include a required guard extension for 5563-x and 2 port ProSeries cables, 32
5565A	655565	5565A Amplified pH/ORP Combo Sensor	556	32
5565A Kit	655562	5565A Amplified pH/ORP Combo Sensor Kit*	556	*Kits include a required guard extension for 5563-x and 2 port ProSeries cables, 32
	655575	Guard extension kit, Pro Series, 556	556 or ProSeries	All 556 & ProSeries 6051010-X or 6051020-X only
5563-10	5563-10	10 m cable and DO/Temp/Cond	556	Conductivity Standard Solution Required, 30
5563-20	5563-20	20 m cable and DO/Temp/Cond	556	Conductivity Standard Solution Required, 30
5563-4	5563-4	4 m cable and DO/Temp/Cond	556	Conductivity Standard Solution Required, 30
556 Accessories				
559	655900	DO Replaceable Probe	550A and 556	
616	063516	Charger, Cigarette Lighter	556	
695	069582	Transport Calibration Cup, Clear		
3059	603059	Flow Cell, Standard, 203 mL	556	
5083	005083	Flow Cell	556	
5084	655293	Maintenance Kit	5083 Flow Cell	2 large O-rings 061124 & 2 small o-rings 062307, 31
5085	655227	Hands Free Harness	556	
5094	655370	Rechargeable Battery Pack Int'l (220V, Europe)	556	
5095	655374	Rechargeable Battery Pack Int'l (Australia)	556	
5511	005511	Maintenance Kit	5562, 5563	
5560	005560	Cond, Temp Replaceable Probe	556	
5568	655173	PC adapter cable to 556	556	
6118	655277	Rechargeable Battery Kit, US	556	

YSI Model No	YSI Item No	Description	Used With	Notes
6123	655288	Universal Charger	556,650	
Lab & Field Dissolved Oxygen Instruments--DISCONTINUATION PENDING IN 2019				
58-115	069194	Oxygen Instrument-115V, must purchase the probe	5239, 5718, 5905, 5750, 5740 cable with 5739 probe	25
58-230	069179	Oxygen Instrument-230V, must purchase the probe	5239, 5718, 5905, 5750, 5740 cable with 5739 probe	16
Lab Dissolved Oxygen Instruments--DISCONTINUATION PENDING IN 2019				
5000-115	050022	Oxygen Instrument, Lab-115V	5010	25
5000-230	050023	Oxygen Instrument, Lab-230V	5010	16
5100-115	051004	Oxygen Instrument, Lab with Barometer and SOUR software-115V	5010	25
5100-230	051005	Oxygen Instrument, Lab with Barometer and SOUR software- 230V	5010	16
Dissolved Oxygen Probes & Cables				
5010	050102	BOD Probe, Self-Stirring, 5 ft.	5000 and 5100	10
5010-J	050103	BOD Probe, Self-Stirring, 5 ft.	5000 and 5100	10, 11
5010-K	050104	BOD Probe, Self-Stirring, 5 ft.	5000 and 5100	10, 12
5010-L	050105	BOD Probe, Self-Stirring, 5 ft.	5000 and 5100	10, 13
5010-W	050113	BOD Probe, Wine Bottle Probe, Self-Stirring, 5 ft.	5000 and 5100	10, 14
5239-10	052390	Field Oxygen Probe w/ Cable Assembly, 10ft	5000 and 5100 with 5011 adapter, 52, 58	10
5239-25	052391	Field Oxygen Probe w/ Cable Assembly, 25ft	5000 and 5100 with 5011 adapter, 52, 58	10
5239-50	052392	Field Oxygen Probe w/ Cable Assembly, 50ft	5000 and 5100 with 5011 adapter, 52, 58	10
5718	005718	Field Probe/Cable Assembly, 12 ft.	5000 and 5100 with 5011 adapter, 52, 58	
5739	057087	Requires 5740 or 5795 Cable	5000 and 5100 with 5011 adapter, 52, 58	17
070786	070786	O-Ring Bulk Pack, 25 each	5718, 55s, 5739, 6562	
5750	098088	BOD Probe, Non-Stirring, 6 ft.	5000 and 5100 with 5011 adapter, 52, 58	
5905-115V	059800	BOD Probe, Self-Stirring, 5 ft.	5000 and 5100 with 5011 adapter, 52, 58, C-5906	1, 10, 15
5905-230V	059854	BOD Probe, Self-Stirring, 5 ft.	5000 and 5100 with 5011 adapter, 52, 58, C-5906	2, 10, 15
5905-J	059920	BOD Probe, Self-Stirring, 5 ft.	5000 and 5100 with 5011 adapter, 52, 58, C-5906	2, 10, 15
5905-K	059930	BOD Probe, Self-Stirring, 5 ft.	5000 and 5100 with 5011 adapter, 52, 58, C-5906	3, 10, 15

YSI Model No	YSI Item No	Description	Used With	Notes
5905-L	059909	BOD Probe, Self-Stirring, 5 ft.	5000 and 5100 with 5011 adapter, 52, 58, C-5906	4, 10, 15
5905-W	059940	BOD Probe, Wine Bottle Probe, Self-Stirring, 5 ft.	5000 and 5100 with 5011 adapter, 52, 58, C-5906	10
5740-10	655801	Cable Assembly - 10 ft.	5739	
5740-25	655802	Cable Assembly - 25 ft.	5739	
5740-50	655803	Cable Assembly - 50 ft.	5739	
5740-100	655804	Cable Assembly - 100 ft.	5739	
5740-150	655805	Cable Assembly - 150 ft.	5739	
5740-200	655806	Cable Assembly - 200 ft.	5739	
X's*		Cable Lengths, Extra Long available in 25' increments only	5740	19
Example of LIST PRICE calculation for cable length would be:				
5740 w/250 ft of cable would be \$700.00 + modification fee (\$55 x 2 increments over std length) = \$810.00				
Cable Reels				
98086	098086	Cable Reel, Small, 25-100 ft.	5740, 5795A	
98087	098087	Cable Reel, Medium, 100-200 ft.	5740, 5795A	
98096	098096	Cable Reel, Large, 200-300 ft.	5740, 5795A	
LAB CONDUCTIVITY INSTRUMENTS--DISCONTINUATION PENDING IN 2019				
3100-115	031036	Conductivity Instrument, Lab, 115 V		6,25
3100-230	031037	Conductivity Instrument, Lab, 230V		6,16
3200-115	003204	Conductivity Instrument, Lab, 115 V		6,25
3200-230	003238	Conductivity Instrument, Lab, 230V		6,16
Conductivity Cells				
3232	003232	Adaptor, Cell	3100, 3200	Allows 3400 series cells to be used with the 3100 and 3200 instruments
3252	003252	ABS Plastic cell w/temp., 4 ft., K=1.0 cm-1	3100, 3200	
3253	603253	Glass dip cell w/temp., 4 ft., K=1.0 cm-1	3100, 3200	
3254	603254	Glass fill cell w/temp., 4 ft., K=1.0 cm-1	3100, 3200	
3255	603255	Glass flow-thru w/temp., 4 ft., K=0.1cm-1	3100, 3200	
3256	603256	Glass dip cell w/temp., 4 ft., K=0.1cm-1	3100, 3200	
3401	603401	Glass, 4 ft., K=1.0 cm-1	3100, 3200, 32, 32FL, 34, 35	7
3402	603402	Glass, 4 ft., K=0.1 cm-1	3100, 3200, 32, 32FL, 34, 35	7
3403	603403	Glass, 4 ft., K=1.0 cm-1	3100, 3200, 32, 32FL, 34, 35	7
3417	099820	ABS, 4 ft., K=1.0 cm-1	3100, 3200, 32, 32FL, 34, 35	7
3418	099821	ABS, 4 ft., K=0.1 cm-1	3100, 3200, 32, 32FL, 34, 35	7
3440	603440	Glass, 4 ft., K=10.0 cm-1	3100, 3200, 32, 32FL, 34, 35	7
Lab pH Probes and Accessories				
1201	601201	pH Electrode, Lab, 1M	pH1200	32
1202	601202	Temperature Probe, Stainless Steel	pH1200	
1203	601203	pH/ATC Temp Combination Probe, Lab, 1M	pH1200	32
115-1	605376	ORP Electrode, Lab, 1M Cable	pH1200, pH100	32
1209	601209	AC Adaptor, Universal	pH1200	

YSI Model No	YSI Item No	Description	Used With	Notes
Lab & Field Sampling Product Accessories				
614	063517	Ultra Clamp	550A, 556	20
3140	086511	Platinizing Solution, 2oz	3200 & 3400 Series Cells	32
3166	069657	Conductance Calibrator Set	Verify 3100 & 3200 instruments. Needs 3232 cell adapter also.	7
3220	086522-4	Temperature Probe	3200	Updated item number
4654	063507	Tripod	550A, 556	
5015	051060	Bar Code Scanner	5100/BOD Analyst	
5120	625120	BOD Analyst Pro Desktop Software	Pro Plus, ProODO, 5000 series and 52	New release in 2011
52021	052021	RS-232 Cable Assembly	5000/5100	
59160	059160	Label Set, Bar Code (1000 labels)	5100/BOD Analyst	
Carrying Cases				
5050	050500	Carrying Case, Small hard sided, polyurethane foam pad/HDPE (12 x 10 x 7)	All handhelds, 52 and 58	
5060	655100	Carrying Case, Small Soft-sided (instrument & cable), Pre-cut foam/Nylon fabric (11.5 x 14.5 x 6)	550A	
5061	655102	Carrying Case, Large Soft Sided (instrument & 20m cable), Pre-cut foam/Nylon fabric (15 x 19 x 5)	556	
5065	655259	Carrying Case, Form-fitted, Clear & Black Vinyl (w/Shoulder Strap)	550A, 556	
5085	655227	Harness, Hands Free	550A, 556	
5520	005520	Carrying Case, Handhelds, Pre-formed plastic/Polyethylene (13.5 x 9.5 x 4.5)	30,55,85,95 up to 25ft of cable	
6930	606930	Carrying Case, Large Hard-sided	556	
Power Supplies				
3208	013208	Power Supply, 115V	3100, 3200	
3209	003209	Power Supply 230V	3100, 3200	
5117	005117	Power Supply, 115V/ 60 Hz	5000, 5100	
5401	013010	Power Supply, 115V/ 60 Hz	58	
5902	059165	Power Supply, (Optional) 230V	52	
5734	073035	Power Supply, 115V/ 60 Hz	5905	
Manuals - Note: Manuals may be downloaded from the ysi website without charge. Go to www.ysi.com.				

Membranes & Solutions				
YSI Model No	YSI Item No	Description	Used With	Notes
Dissolved Oxygen Membranes/Probe Kits				
5238	052380	Probe Reconditioning Kit (400 grit sanding discs and sanding tool)	5239, 550A, 556, 5905, 5010, 2002, 2003	5239, model 550A
5511	005511	Maintenance Kit	5562, 5563 cables	Conductivity brush, 2cc krytox, port plugs, o-rings, set screw, hex wrench, probe removal tool
5680	060745	Probe Reconditioning Kit	5718, 5739, 5750, 55	Probe sanding tool, 10 sanding discs
5685	005685	Half Sens. Membrane Kit, includes 30 membranes, electrolyte, 2 o-rings (2 mil Stretch membrane)	Stretch	Polarographic Probes / KCL electrolyte
5775	098094	Membrane Kit, Standard, includes 30 membranes, electrolyte, 2 o-rings (1 mil Stretch membrane)	Stretch	Polarographic Probes / KCL electrolyte
5776	098095	Membrane Kit, High Sensitivity, includes 30 membranes, electrolyte, 2 o-rings (0.5 mil Stretch membrane)	Stretch	Polarographic Probes / KCL electrolyte
5793	066155	Membranes, 10-Pack, includes 150 membranes, Standard (1 mil Stretch membrane)	Stretch	Polarographic Probes / KCL electrolyte
5794	066156	Membranes, 10-Pack, includes 150 membranes, High-Sens (0.5 mil Stretch membrane)	Stretch	Polarographic Probes / KCL electrolyte
5906	059880	Cap Membrane Kit 1.00 Mil Teflon (6 each), includes electrolyte (black cap)	MultiLab 4100, 5239, 5905, 5010 probes 85, 550, 556, ProPlus instruments	Polarographic Probes / Na2SO4 electrolyte
5908	605306	Cap Membrane Kit 1.25 Mil PE (6 each), includes electrolyte (yellow cap)	MultiLab 4100, DO200, 550A, 556, Pro20, Pro20i, Pro2030, Pro1020, ProPlus	Polarographic Probes / Na2SO4 electrolyte
5909	605307	Cap Membrane Kit 2.00 Mil PE(6 each), includes electrolyte (blue cap)	DO200, 550A, 556, Pro20, Pro20i, Pro2030, Pro1020, ProPlus	Polarographic Probes / Na2SO4 electrolyte
5912	605912	Cap Membrane Kit 1.00 Mil Teflon (6 each), includes electrolyte (black cap)	ProPlus	Galvanic Probes / NaCl electrolyte
5913	605913	Cap Membrane Kit 1.25 Mil PE (6 each), includes electrolyte (yellow cap)	Pro20, Pro20i, Pro2030, Pro1020, ProPlus	Galvanic Probes / NaCl electrolyte
5914	605914	Cap Membrane Kit 2.00 Mil PE(6 each), includes electrolyte (blue cap)	Pro20, Pro20i, Pro2030, Pro1020, ProPlus	Galvanic Probes / NaCl electrolyte
ODO-CAP	626320	Replacement ODO Sensor Cap Kit	Legacy ProODO Probes 626250-x	1 year warranty

YSI Model No	YSI Item No	Description	Used With	Notes
5945	098400	O-Ring Kit		5739,5750,5795A, 55
5986	098405	Diaphragm Kit		5739
Cap Membrane; uses Na ₂ SO ₄ .KCl solution				
Stretch Membrane; uses KCl electrolyte solution (used with 5685, 5775, 5776) where mil = .001 inches (1/1000 of an inch thickness)				
Calibrator Solutions/Standards				
3161	065270	Conductivity Calibrator, 1,000 umhos/cm (quart)	Fresh Water	8, 32
3163	065272	Conductivity Calibrator, 10,000 umhos/cm (quart)	Brackish Water	8, 32
3165	065274	Conductivity Calibrator, 100,000 umhos/cm (quart)	Supersaturated Sea Water	8, 32
3167	060907	Conductivity Calibrator, 1,000 umhos/cm (8 ea, pint)	Fresh Water	8, 32
3160	060906	Conductivity Calibrator Solution 1413 umhos/CM, +/- 1% (.01 MOLAR KCL) (8 ea, pint)		8, 32
3168	060911	Conductivity Calibrator, 10,000 umhos/cm (8 ea, pint)	Brackish Water	8, 32
3169	060660	Conductivity Calibrator, 50,000 umhos/cm (8 ea, pint)	Sea Water	8, 32
3682	061320	Zobell Solution, ORP Calibrator 125 mL	ORP probe calibration	8
	061321	Zobell Solution, ORP Calibrator 250 mL		8
	061322	Zobell Solution, ORP Calibrator 500 mL		8
3821	003821	pH 4 Buffer (box of 6 pints)	pH probe calibration, Also used as storage solution for pH probe	8, 32
3822	003822	pH 7 Buffer (box of 6 pints)	pH probe calibration	8, 32
3823	003823	pH 10 Buffer (box of 6 pints)	pH probe calibration	8, 32
3824	603824	pH Buffer, Assorted Case	pH probe calibration	8, 32
3841	003841	Ammonium Cal Solution, 1 mg/L (500mL)	Ammonium Probe Cal	8, 32
3842	003842	Ammonium Cal Solution, 10 mg/L (500mL)	Ammonium Probe Cal	8, 32
3843	003843	Ammonium Cal Solution, 100 mg/L (500mL)	Ammonium Probe Cal	8, 32
5580	005580	5580 Confidence Solution (case of 6 pints)	Verifies Conductivity, pH and ORP probes	8, 32
6072	607200	Turbidity Std. - 12.7 NTU (6136), 12.4 NTU (EXO & ProDSS) - 1 Gallon	Turbidity Probe Cal	8, 32
6073G	607300	Turbidity Std. - 126 NTU (6136), 124 NTU (EXO & ProDSS), - 1 Gallon	Turbidity Probe Cal	8, 32
6074	607400	Turbidity Std. - 1000 NTU (6136), 1010 NTU (EXO & ProDSS) - 1 Gallon	Turbidity Probe Cal	8, 32
6080	608000	Turbidity Std. - 0 NTU (All turbidity sensors) - 1 Gallon	Turbidity Probe Cal	8, 32
3885	003885	Nitrate Standard, 1 mg/L (500mL)	Nitrate Probe cal	8, 32
3886	003886	Nitrate Standard, 10 mg/L (500mL)	Nitrate Probe cal	8, 32
3887	003887	Nitrate Standard, 100 mg/L (500mL)	Nitrate Probe cal	8, 32

Photometry			
YSI	YSI		
Model	Item		
No	No	Description	Notes
Photometers			
YPT930	YPT930	Photometer 9300 Kit, includes carrying case	
YPT950	YPT950	Photometer 9500 Kit, includes carrying case	
Instrument Accessories			
YPT285	YPT285	Cases for 9300	
YPT286	YPT286	Cases for 9500	
YPT282	YPT282	Instruction Manual, Comprehensive	9300 and 9500
YPT745USA	YPT745USA	Power Supply, universal 110- 230 VAC, 9300/9500	Adaptors for international receptacles
YPT283	YPT283	USB Power Supply Unit for Photometry	PT745-US
YPT284	YPT284	USB Waterproof Computer/PSU	PT746
Photometry Accessories			
YPT370	YPT370	20 ml Syringe Luer, 1 ea.	
YPT502	YPT502	Crush/Stir Rod, 10 ea.	
YPT500	YPT500	DE-ION Pack, up to 5 liters, 1 ea.	
YPT512	YPT512	Dilution Tube, 1 ea.	
YPT606	YPT606	Filter Holder Luer, 1 ea.	
YPT600	YPT600	Filtration Set Luer/GFB, 1 ea.	
YPT603	YPT603	GFB filters, 50 ea.	
YPT526	YPT526	Nitrate Tube, 1 ea.	New item. Replaces YPT508.
YPT230	YPT230	Photometer Color Standards - 1 color std., 1 blank	9000, 9100 only
YPT804	YPT804	Photometer Color Standards - 3 color std., 1 blank	9300, 9500 only
YPT671	YPT671	Plastic Tweezers	
YPT595	YPT595	Round Test Tube with Cap, 5 ea.	
YPT510	YPT510	Sample Container, 100 ml, 1 ea.	
YPT361	YPT361	Syringe, 1ml, 1 ea.	
YPT663	YPT663	Test Tube Brush, 1 ea.	
YPT501	YPT501	Test Tube Rack	
YPT303	YPT303	Work Tray	
Photometry Reagent Starter Kits (Includes reagents, instructions and accessories for 50 tests)			
YPM188	YPM188	Alkalinity, Total	
YPM250	YPM250	Alkalinity-Methol orange	
YPM251	YPM251	Alkalinity-Phenolphthalein	

YSI Model No	YSI Item No	Description	Notes
YPM166	YPM166	Aluminum	
YPM152	YPM152	Ammonia	
YAT1707	YAT1707	Ammonia Conditioning Reagent, 50 tests	
YPM060	YPM060	Bromine	
YPM252	YPM252	Calcium Hardness	
YPM268	YPM268	Chloride	
YPM052	YPM052	Chlorine Dioxide (DPD Glycine Method)	
YPM065	YPM065	Chlorine Dioxide HR (Lissamine Green B)	
YPM064	YPM064	Chlorine Dioxide LR (Lissamine Green B)	
YPM041	YPM041	Chlorine DPD4	
YPM011	YPM011	Chlorine DPD-Free	Includes DPD 1
YPM031	YPM031	Chlorine DPD-Free, Combined and Total	includes DPD 1 and DPD 3
YPM021	YPM021	Chlorine DPD-Free, Monochloramine & Dichloramine	Included DPD 2. Also order YPM 011
YPM162	YPM162	Chlorine HR	
YPM281	YPM281	Chromium, hexavalent	
YPM186	YPM186	Copper	
YPM087	YPM087	Cyanuric Acid	
YPL553	YPL553	Dissolved Oxygen (0.0-0.8 vials)	30 tests
YPL503	YPL503	Dissolved Oxygen (0.0-2.0 vials)	30 tests
YPM179	YPM179	Fluoride	
YPM254	YPM254	Hardness	
YPM103	YPM103	Hydrazine	
YPM105	YPM105	Hydrogen Peroxide HR	
YPM104	YPM104	Hydrogen Peroxide LR	

YSI Model No	YSI Item No	Description	Notes
YPM156	YPM156	Iron HR	
YPM155	YPM155	Iron LR	
YPM292	YPM292	Iron MR	
YPM193	YPM193	Magnesium	
YPM173	YPM173	Manganese	
YPM175	YPM175	Molybdate HR	
YPM258	YPM258	Molybdate LR	
YPM284	YPM284	Nickel	
YPM163	YPM163	Nitrate	Nitratetest
YPM109	YPM109	Nitrite-N	Nitracol
YPM260	YPM260	Nitrite-NaNO ₂	Nitraphot
YPM262	YPM262	Organophosphonate	
YPM056	YPM056	Ozone	
YPM130	YPM130	pH (Phenol Red)	
YPM287	YPM287	Phenols	
YPM272	YPM272	PHMB	
YPM114	YPM114	Phosphate HR	
YPM177	YPM177	Phosphate LR	
YPM189	YPM189	Potassium	
YPM181	YPM181	Silica	
YPM290	YPM290	Silica HR	
YPM154	YPM154	Sulfate	
YPM168	YPM168	Sulfide	
YPM266	YPM266	Sulfite	
YPM269	YPM269	Turbidity (Includes Color)	
YPM148	YPM148	Zinc	
Photometry Replacement Reagents			
(250 tests per pack, except as noted)			
YAP188	YAP188	Alkalinity, Total	
YAP250	YAP250	Alkalinity-Methol orange	
YAP251	YAP251	Alkalinity-Phenolphthalein	
YAP166	YAP166	Aluminum	

YSI Model No	YSI Item No	Description	Notes
YAP152	YAP152	Ammonia	
YAP060	YAP060	Bromine	
YAP252	YAP252	Calcium Hardness	
YAP268	YAP268	Chloride	

YSI Model No	YSI Item No	Description	Notes
YAP052	YAP052	Chlorine Dioxide (DPD Glycine Method)	
YAP065	YAP065	Chlorine Dioxide HR (Lissamine Green B)	
YAP064	YAP064	Chlorine Dioxide LR (Lissamine Green B)	
YAP041	YAP041	Chlorine DPD4	
YAP011	YAP011	Chlorine DPD-Free	Includes DPD 1
YAP031	YAP031	Chlorine DPD-Free, Combined and Total	includes DPD 1 and DPD 3
YAP021	YAP021	Chlorine DPD-Free, Monochloramine & Dichloramine	Included DPD 2. Also order YPM 011
YAP162	YAP162	Chlorine HR	
YAP281	YAP281	Chromium, hexavalent	
YAP186	YAP186	Copper	
YAP187	YAP187	Copper (free)	
YAP087	YAP087	Cyanuric Acid	
YAP179	YAP179	Fluoride, 200 tests per pack	
YAP254	YAP254	Hardness	
YAP103	YAP103	Hydrazine	
YAP105	YAP105	Hydrogen Peroxide HR	
YAP104	YAP104	Hydrogen Peroxide LR	
YAP156	YAP156	Iron HR	
YAP155	YAP155	Iron LR	
YAP292	YAP292	Iron MR	
YAP193	YAP193	Magnesium	
YAP173	YAP173	Manganese	
YAP175	YAP175	Molybdate HR	
YAP258	YAP258	Molybdate LR	
YAP284	YAP284	Nickel	
YAP163	YAP163	Nitrate, 200 test per pack (Nitratetest)	
YAP109	YAP109	Nitrite-N (Nitracol)	
YAP260	YAP260	Nitrite-NaNO ₂ (Nitraphot)	
YAP262	YAP262	Organophosphonate	
YAP056	YAP056	Ozone	
YAP130	YAP130	pH (Phenol Red)	
YAP287	YAP287	Phenols	

YSI Model No	YSI Item No	Description	Notes
YAP272	YAP272	PHMB	
YAP114	YAP114	Phosphate HR	
YAP177	YAP177	Phosphate LR, 200 tests per pack	
YAP189	YAP189	Potassium	
YAP290	YAP290	Silica HR	
YAP181	YAP181	Silica, 200 tests per pack	
YAP154	YAP154	Sulfate	
YAP168	YAP168	Sulfide, 200 tests per pack	
YAP266	YAP266	Sulfite	
YAP148	YAP148	Zinc	

MultiLab				
YSI Model	YSI Item			
No		Description	Used With	Notes
MultiLab IDS Instruments				
4010-1W	1FD350Y	MultiLab IDS One Channel Benchtop Instrument with barometer, memory, and data transfer via USB. Includes single channel instrument, universal AC power supply, electrode stand, USB cable and PC software.	IDS Probes	With electrode stand; IDS sensors ordered separately. If wireless sensors are used, one WA-M adapter is needed per instrument.
4010P-1W	1FD350PY	MultiLab 4010P-1 IDS digital multiparameter single channel benchtop instrument with integrated thermal printer, barometer, memory, and data transfer via USB. Includes single channel instrument with printer, universal AC power supply, electrode stand, USB cable and PC software.	IDS Probes	With electrode stand; IDS sensors ordered separately. If wireless sensors are used, one WA-M adapter is needed per instrument.
4010-2W	1FD560Y	MultiLab IDS Two Channel Benchtop Instrument with barometer, memory, data transfer via USB, and OUR/SOUR software. Includes two channel instrument with color display, universal AC power supply, electrode stand, USB cable and PC software.	IDS Probes	With electrode stand; IDS sensors ordered separately. If wireless sensors are used, one WA-M adapter is needed per instrument.
4010-3W	1FD570Y	MultiLab IDS Three Channel Benchtop Instrument with barometer, memory, data transfer via USB, and OUR/SOUR software. Includes three channel instrument with color display, universal AC power supply, electrode stand, USB cable and PC software	IDS Probes	With electrode stand; IDS sensors ordered separately. If wireless sensors are used, one WA-M adapter is needed per instrument.
MultiLab IDS Kits				
MultiLab BOD Lab Kit	626570	BOD Lab Kit, 4010-1W One Channel Benchtop instrument with OBOD probe		With IDS ProOBOD
MultiLab AdvancedBOD Lab Kit	626571	BOD Lab Kit, 4010-1W One Channel benchtop instrument with OBOD probe and BOD Analyst Pro PC software		With IDS ProOBOD
MultiLab pH Lab Kit	626572	pH Lab Kit, 4010-1W One Channel benchtop instrument with combination pH and temperature dual junction pH probe		With IDS 4110
MultiLab BOD/pH Lab Kit	626573	BOD/pH Lab kit, 4010-2W Two channel benchtop instrument with OBOD probe and with combination pH and temperature dual junction probe		With IDS ProOBOD and IDS 4110
MultiLab Advanced BOD/pH Lab Kit	626574	BOD/pH Lab kit, 4010-2W Two channel benchtop instrument with OBOD probe, combination pH and temperature dual junction probe and BOD Analyst Pro PC software		With IDS ProOBOD and IDS 4110
IDS Probes and Sensors				
IDS ProOBOD	626500	Optical self stirring BOD probe with temperature sensor, digital	MultiLab Instruments	
IDS ProOBOD-5	626500-5	Optical self stirring BOD probe with temperature sensor, digital, with 5 m cable	MultiLab Instruments	
IDS 4100 ProBOD	300310	Polarographic self stirring BOD probe with temperature sensor, digital, includes 5908 membrane kit	MultiLab 4010-1W, 4010-2W and 4010-3W instruments	
IDS 4110	103740Y	Combination pH and temperature, plastic, gel filled, digital, double junction probe, 1.5 meter cable	MultiLab Instruments	
IDS 4110-3	103741Y	Combination pH and temperature, plastic, gel filled, digital, double junction probe, 3 meter cable	MultiLab Instruments	
IDS 4120	103750Y	Combination pH and temperature, plastic, refillable (3 mol KCl), digital, double junction probe, 1.5 meter cable	MultiLab Instruments	
IDS 4130	103780Y	Combination pH and temperature, glass, refillable (3 mol KCL), digital, double junction probe, 1.5 meter cable	MultiLab Instruments	Refillable reference
IDS 4211	103791Y	Combination ORP/Temperature, glass, refillable (3 mol KCl), digital, double junction probe, 1.5 meter cable	MultiLab Instruments	Refillable reference
IDS 4310	301710Y	Conductivity and temperature, epoxy body, 4-graphite electrodes, digital probe, 1.5 meter cable, K= 0.475 cm-1	MultiLab Instruments	For general laboratory applications; can only be calibrated with 1413 umhos/cm standard.
IDS 4310-3	301711Y	Conductivity and temperature, epoxy body, 4-graphite electrodes, digital probe, 3 meter cable, K= 0.475 cm-1	MultiLab Instruments	For general laboratory applications; can only be calibrated with 1413 umhos/cm standard.
IDS 4320	301720Y	Conductivity and temperature, stainless steel body, 2-electrodes, digital probe, 1.5 meter cable, K = 0.1 cm-1	MultiLab Instruments	For ultrapure water applications; cannot be calibrated by the user.
IDS 4410	201300Y	Fluorescent dissolved oxygen (FDO) probe with temperature sensor, digital, 1.5 meter cable	MultiLab 4010-1W, 4010-2W and 4010-3W instruments	
IDS 4410-3	201301Y	Fluorescent dissolved oxygen (FDO) probe with temperature sensor, digital, 3 meter cable	MultiLab 4010-1W, 4010-2W and 4010-3W instruments	
Wireless IDS Probes and Sensors				
IDS 4110W	103760Y	Combination pH and temperature, plastic, gel filled, digital, double junction probe, wireless	MultiLab 4010-1W, 4010-2W, and 4010-3W	WA-S adapter needed for each wireless sensor; one WA-M adapter is needed per MultiLab instrument.
IDS 4120W	103761Y	Combination pH and temperature, plastic, refillable (3 mol KCl), digital, double junction probe, wireless	MultiLab 4010-1W, 4010-2W, and 4010-3W	WA-S adapter needed for each wireless sensor; one WA-M adapter is needed per MultiLab instrument.
IDS 4130W	103762Y	Combination pH and temperature, glass, refillable (3 mol KCL), digital, double junction probe, wireless	MultiLab 4010-1W, 4010-2W, and 4010-3W	WA-S adapter needed for each wireless sensor; one WA-M adapter is needed per MultiLab instrument.
IDS 4210W	103763Y	Combination ORP, glass, refillable (3 mol KCl), digital, double junction probe, wireless	MultiLab 4010-1W, 4010-2W, and 4010-3W	WA-S adapter needed for each wireless sensor; one WA-M adapter is needed per MultiLab instrument.
IDS 4310W	301716Y	Conductivity and temperature, epoxy body, 4-graphite electrodes, digital probe, K= 0.475 cm-1, wireless	MultiLab 4010-1W, 4010-2W, and 4010-3W	WA-S adapter needed for each wireless sensor; one WA-M adapter is needed per MultiLab instrument. For general laboratory applications; can only be calibrated with 1413 umhos/cm standard.
IDS 4320W	301722Y	Conductivity and temperature, stainless steel body, 2-electrodes, digital probe, K = 0.1 cm-1, wireless	MultiLab 4010-1W, 4010-2W, and 4010-3W	WA-S adapter needed for each wireless sensor; one WA-M adapter is needed per MultiLab instrument. For ultrapure water applications; cannot be calibrated by the user.
IDS 4410W	201306Y	Fluorescent dissolved oxygen (FDO) probe with temperature sensor, digital, wireless	MultiLab 4010-1W, 4010-2W, and 4010-3W	WA-S adapter needed for each wireless sensor; one WA-M adapter is needed per MultiLab instrument.
Wireless Sensor Accessories				
IDS WA-S	108141Y	WA-S wireless sensor module for wireless MultiLab IDS sensors	Wireless MultiLab sensors	WA-S adapter is needed for each wireless MultiLab sensor. Does not include the charger for WA-S (108143Y).
IDS WA-M	108142Y	WA-M wireless meter module	MultiLab 4010-1W, 4010-2W, and 4010-3W	One WA-M adapter is needed per MultiLab instrument
IDS WA-S Charger	108143Y	Charger for WA-S wireless sensor module	IDS WA-S wireless sensor module	
IDS WA Kit	108144Y	MultiLab Wireless module kit. Includes WA-S wireless sensor module, WA-M wireless meter module, one charger for WA-S modules, and USB power supply	MultiLab 4010-1W, 4010-2W, and 4010-3W; wireless MultiLab sensors.	WA-S adapter is needed for each wireless sensor; one WA-M adapter is needed per MultiLab instrument.
Cable Adapters for Wireless Sensors				
YSI IDS Cable - 1.5 m	903850Y	Cable (1.5 meter) for wireless MultiLab sensor; connects any wireless MultiLab sensor directly to the instrument.	MultiLab 4010-1W, 4010-2W, and 4010-3W; wireless MultiLab sensors.	
YSI IDS Cable - 3 m	903851Y	Cable (3 meters) for wireless MultiLab sensor; connects any wireless MultiLab sensor directly to the instrument.	MultiLab 4010-1W, 4010-2W, and 4010-3W; wireless MultiLab sensors.	

YSI Model No	YSI Item No	Description	Used With	Notes
MultiLab IDS Accessories				
YSI 4011 Adapter	902873Y	Cable for connecting YSI 5010 BOD probe to MultiLab	MultiLab 4010-1W, 4010-2W, and 4010-3W; 5010 BOD probe.	Allows connection of the electrochemical 5010 BOD probe to the MultiLab.
	108160Y	MultiLab OBOD/BOD probe power stirrer adapter; input for up to 3 stirrers	MultiLab 4010-2W and 4010-3W; OBOD/BOD probes.	Allows connection of multiple OBOD/BOD probes to multi-channel MultiLab instruments.
QSC Kit	109830Y	Calibration kit for IDS pH electrodes; 3 ampules: 4.01, 6.86, 9.18		Use for initial IDS pH calibration. Three 20 mL ampoules with 17 mL solution in each.
4010-2/3 DIN	108131Y	DIN pH adapter for 4010-2/3	4010-2 or 4010-3	Special DIN connector for WTW pH/ORP electrodes
4010-2/3 BNC	108132Y	BNC pH adapter for 4010-2/3	4010-2 or 4010-3	
	902867Y	Universal power supply	MultiLab and TruLab Instruments	
	109813Y	Stand + holder for 4010-X		
USB A – Mini B Cable	605611	USB cable for connecting instrument with USB-Mini B to a Computer	MultiLab, ProPlus and ProODO Instruments	
	626473	UK Style BOD bottle funnel adaptor	OBOD	Allows OBOD to be used in UK BOD bottles
250115Y	250115Y	Printer paper for MultiLab 4010P-1, TruLab 1310P, and TruLab 1320P built in printers, replacement, 1 roll	MultiLab 4010P-1, TruLab 1310P and TruLab 1320P	
5120	625120	BOD Analyst Pro Desktop Software	MultiLab, Pro Plus, ProODO, 5000 series and 52	
KCl-250	109 705Y	3M KCl solution for refillable lab pH probes	TruLab and MultiLab refillable pH probes	
OBOD-CAP	626482	Replacement OBOD Sensor Cap Kit	ProOBOD and IDS ProOBOD	
YSI SC-FDO 4410	201310Y	FDO Replacement Cap for MultiLab FDO Sensor	MultiLab FDO sensors	

TruLab Benchtop Laboratory Instruments and Sensors				
YSI Model No	YSI Item No	Description	Used With	Notes
TruLab Instruments				
TruLab pH 1110	1AA120Y	TruLab 1110 pH/mV single channel benchtop instrument with BNC and two banana plug connectors. Includes instrument, universal AC power supply and electrode stand.	TruLab analog pH/mV/temp probes	Probe ordered separately
TruLab pH 1310	1AA320Y	TruLab 1310 pH/mV single channel benchtop instrument with BNC and two banana plug connectors, data storage and data transfer via USB. Includes instrument, universal AC power supply, electrode stand, USB cable and PC software.	TruLab analog pH/mV/temp probes	Probe ordered separately
TruLab pH 1310P	1AA320PY	TruLab 1310P pH/mV single channel benchtop instrument with BNC and two banana plug connectors, data storage, data transfer via USB and integrated thermal printer. Includes instrument with printer, universal AC power supply, electrode stand, USB cable and PC software.	TruLab analog pH/mV/temp probes	Probe ordered separately
TruLab pH/ISE 1320	1GA340Y	TruLab 1320 pH/mV/ISE dual channel benchtop meter instrument with two BNC and 4 banana plug connectors, data storage and data transfer via USB. Includes two channel instrument, universal AC power supply, electrode stand, USB cable and PC software.	TruLab analog pH/mV/ISE/temp probes	Probe ordered separately
TruLab pH/ISE 1320P	1GA340PY	TruLab 1320P pH/mV/ISE dual channel benchtop meter instrument with two BNC and two banana plug connectors, integrated thermal printer, data storage and data transfer via USB. Includes two channel instrument with printer, universal AC power supply, electrode stand, USB cable and PC software.	TruLab analog pH/mV/ISE/temp probes	Probe ordered separately
TruLab pH probes				
TruLine pH 15	400350	TruLine pH 15, pH electrode, Single Junction, 3 in 1, Refillable, Glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm	TruLab	32
TruLine pH 17	400351	TruLine pH 17, pH electrode, Single Junction, Combination, Refillable, Glass shaft, 1 meter cable, BNC Connector	TruLab	32
TruLine pH 26	400352	TruLine pH 26, pH electrode, Single Junction, 3 in 1, Gel electrolyte, Epoxy shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm	TruLab	32
TruLine pH 25	400353	TruLine pH 25, pH electrode, Single Junction, Combination, Gel electrolyte, Epoxy shaft, 1 meter cable, BNC Connector	TruLab	32
TruLine pH 27	400354	TruLine pH 27, pH electrode, Single Junction, Combination, Flat glass membrane, Glass shaft, 1 meter cable, BNC Connector	TruLab	32
TruLine pH 21	400357	TruLine 21 pH, Single Junction, Combination, Spear tip membrane, Epoxy shaft, 1 meter cable, BNC connector.	TruLab	32
IoLine - 3 in 1	400358	IoLine - 3 in 1, pH electrode, Triple Junction, Iodine/Iodide reference, 3 in 1, Refillable, Glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm	TruLab	32
IoLine Micro - 3 in 1	400359	IoLine Micro - 3 in 1, pH electrode, Triple Junction, Iodine/Iodide reference, 3 in 1, Refillable, Micro electrode, Glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm	TruLab	32
Science pHT-Pt	400360	Science pHT-Pt, pH electrode, Double Junction, 3 in 1, Platinum junction, 170 mm length, glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm	TruLab	32
Science pHT-G	400361	Science pHT-G, pH electrode, Double Junction, 3 in 1, ground joint junction, 170 mm length, glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm	TruLab	32
Science pHT-Micro	400362	Science pHT-Micro, pH electrode, Double Junction, 3 in 1, Platinum junction, 170 mm length, Micro electrode, glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm	TruLab	32

YSI Model No	YSI Item No	Description	Used With	Notes
TruLab ORP probes				
TruLine ORP 50	400355	TruLine ORP 50, ORP electrode, Single Junction, Refillable, Glass shaft, 1 meter cable, BNC Connector	TruLab	32
TruLine ORP 51	400356	TruLine ORP 51, ORP electrode, Single Junction, Gel electrolyte, Epoxy shaft, 1 meter cable, BNC Connector	TruLab	32
TruLab Temperature probes				
ScienceLine Temp 135	400363	ScienceLine Temp 135, Temperature sensor, Stainless Steel, 120 mm, 1 banana plug, NTC 30 kOhm	TruLab	
ScienceLine Temp 136	400364	ScienceLine Temp 136, Temperature sensor, Glass, 120 mm, 1 banana plug, NTC 30 kOhm	TruLab	
TruLab Accessories				
USB A – Mini B Cable	605611	USB cable for connecting instrument with USB-Mini B to a Computer	TruLab 1310, 1310P, 1320 and 1320P	
250115Y	250115Y	Printer paper for MultiLab 4010P-1, TruLab 1310P, and TruLab 1320P built in printers, replacement, 1 roll	MultiLab 4010P-1, TruLab 1310P and TruLab 1320P	
	902867Y	Universal power supply	MultiLab and TruLab Instruments	
Solutions: Please See Membranes & Solutions Tab For pH and Zobell Solutions				
KCI-250	109 705Y	3M KCI solution for refillable lab pH probes	TruLab and MultiLab refillable pH probes	

TruLine ISE Electrodes and Solutions				
YSI	YSI			
Model	Item		Used	
No	No	Description	With	Notes
TruLine ISE Electrode Kits				
TruLine Ammonia Electrode Kit	400365	TruLine Ammonia Laboratory Electrode Kit, includes gas-sensing ammonia combination ISE, replaceable/refillable membrane, double-junction reference, 3 foot cable and BNC Connector. Range: 0.02-17,000 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Ammonium Electrode Kit	400371	TruLine Ammonium Laboratory Electrode Kit, includes refillable ammonium combination ISE with PVC membrane and replaceable sensor module, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.02-1,800 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Bromide Electrode Kit	400377	TruLine Bromide Laboratory Electrode Kit, includes solid state, refillable Bromide Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.4-79,900 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Cadmium Electrode Kit	400382	TruLine Cadmium Laboratory Electrode Kit, includes solid state, refillable Cadmium Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.1-11,200 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Calcium Electrode Kit	400387	TruLine Calcium Laboratory Electrode Kit, includes PVC membrane, refillable Calcium Combination ISE, replaceable sensor module, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.02-40,000 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Chloride Electrode Kit	400393	TruLine Chloride Laboratory Electrode Kit, includes solid state, refillable Chloride Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 1.8-35,500 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Copper Electrode Kit	400445	TruLine Copper Laboratory Electrode Kit, includes solid state, refillable Copper Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.6-6,400 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Cyanide Electrode Kit	400403	TruLine Cyanide Laboratory Electrode Kit, includes solid state, refillable Cyanide Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.2-260 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Fluoride Electrode Kit	400406	TruLine Fluoride Laboratory Electrode Kit, includes LaF Crystal type, refillable Fluoride Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.02 mg/L - saturation	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Iodide Electrode Kit	400411	TruLine Iodide Laboratory Electrode Kit, includes solid state, refillable Iodide Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.006-127,000 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Lead Electrode Kit	400416	TruLine Lead Laboratory Electrode Kit, includes solid state, refillable Lead Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.02-20,700 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32

Model No	Item No	Description	Used With	Notes
TruLine ISE Electrode Kits				
TruLine Nitrate Electrode Kit	400421	TruLine Nitrate Laboratory Electrode Kit, includes refillable, PVC membrane Nitrate Combination ISE with replaceable sensor module, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.4-62,000 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Potassium Electrode Kit	400427	TruLine Potassium Laboratory Electrode Kit, includes refillable Potassium Combination ISE with PVC membrane, replaceable sensor module, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.04-39,000 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Silver/Sulfide Electrode Kit	400433	TruLine Silver/Sulfide Electrode Kit, includes solid state, refillable Silver/Sulfide Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.01-107,900 mg/L (Silver) 0.003-32,100 mg/L (Sulfide)	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine Sodium Electrode Kit	400439	TruLine Sodium Electrode Kit, includes refillable Sodium Combination ISE with glass sensor, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.1-23,000 mg/L	TruLab 1320; MultiLab 4010-2 or 4010-3 with BNC adapter (108132Y)	8, 32
TruLine ISE Replacement Modules				
TruLine Ammonia Electrode RM	400366	TruLine Ammonia Replacement Membrane Modules, 4 ea, includes fill solution		8, 32
TruLine Ammonium Electrode RM	400372	TruLine Ammonium Electrode Replacement Sensor Module, 1 each		8, 32
TruLine Calcium Electrode RM	400388	TruLine Calcium Electrode Replacement Sensor Module, 1 each		8, 32
TruLine Nitrate Electrode RM	400422	TruLine Nitrate Electrode Replacement Sensor Module, 1 each		8, 32
TruLine Potassium Electrode RM	400428	TruLine Potassium Electrode Replacement Sensor Module, 1 each		8, 32
TruLine ISE Ionic Strength Adjustor Solutions				
TruLine Ammonia ISA	400368	TruLine Ammonia Ionic Strength Adjustor, 500 mL		8, 32
TruLine Ammonium ISA	400374	TruLine Ammonium Ionic Strength Adjustor, 500 mL		8, 32
TruLine Bromide ISA	400379	TruLine Bromide Ionic Strength Adjustor, 500 mL		8, 32
TruLine Cadmium ISA	400384	TruLine Cadmium Ionic Strength Adjustor, 500 mL		8, 32
TruLine Calcium ISA	400390	TruLine Calcium Ionic Strength Adjustor, 500 mL		8, 32
TruLine Chloride ISA	400395	TruLine Chloride Ionic Strength Adjustor, 500 mL		8, 32
TruLine Copper ISA	400447	TruLine Copper Ionic Strength Adjustor, 500 mL		8, 32
TruLine Cyanide ISA	400405	TruLine Cyanide Ionic Strength Adjustor, 500 mL		8, 32
TruLine Fluoride ISA	400408	TruLine Fluoride Ionic Strength Adjustor, 500 mL		8, 32
TruLine Iodide ISA	400413	TruLine Iodide Ionic Strength Adjustor, 500 mL		8, 32
TruLine Lead ISA	400418	TruLine Lead Ionic Strength Adjustor, 500 mL		8, 32
TruLine Nitrate ISA	400424	TruLine Nitrate Ionic Strength Adjustor, 500 mL		8, 32
TruLine Potassium ISA	400430	TruLine Potassium Ionic Strength Adjustor, 500 mL		8, 32
TruLine Silver ISA	400435	TruLine Silver Ionic Strength Adjustor, 500 mL		8, 32
TruLine Sulfide ISA	400436	TruLine Sulfide Ionic Strength Adjustor, 500 mL		8, 32
TruLine Sodium ISA	400441	TruLine Sodium Ionic Strength Adjustor, 500 mL		8, 32
TruLine ISE Standards				
TruLine Ammonia Low Standard	400369	TruLine Ammonia Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Ammonia High Standard	400370	TruLine Ammonia High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Ammonium Low Standard	400375	TruLine Ammonium Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Ammonium High Standard	400376	TruLine Ammonium Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Bromide Low Standard	400380	TruLine Bromide Low Standard Solution, 100 mg/L, 500 mL		8, 32

Model No	Item No	Description	Used With	Notes
TruLine ISE Electrode Kits				
TruLine Bromide High Standard	400381	TruLine Bromide High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Cadmium Low Standard	400385	TruLine Cadmium Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Cadmium High Standard	400386	TruLine Cadmium High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Calcium Low Standard	400391	TruLine Calcium Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Calcium High Standard	400392	TruLine Calcium High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Chloride Low Standard	400396	TruLine Chloride Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Chloride High Standard	400397	TruLine Chloride High Standard Solution, 1000 mg/L, 500 mL		8, 32

Model	Item		Used	
No	No	Description	With	Notes
TruLine ISE Electrode Kits				
TruLine Copper Low Standard	400448	TruLine Copper Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Copper High Standard	400449	TruLine Copper High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Fluoride Low Standard	400409	TruLine Fluoride Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Fluoride High Standard	400410	TruLine Fluoride High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Iodide Low Standard	400414	TruLine Iodide Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Iodide High Standard	400415	TruLine Iodide High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Lead Low Standard	400419	TruLine Lead Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Lead High Standard	400420	TruLine Lead High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Nitrate Low Standard	400425	TruLine Nitrate Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Nitrate High Standard	400426	TruLine Nitrate High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Potassium Low Standard	400431	TruLine Potassium Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Potassium High Standard	400432	TruLine Potassium High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Silver Low Standard	400437	TruLine Silver Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Silver High Standard	400438	TruLine Silver High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine Sodium Low Standard	400442	TruLine Sodium Low Standard Solution, 100 mg/L, 500 mL		8, 32
TruLine Sodium High Standard	400443	TruLine Sodium High Standard Solution, 1000 mg/L, 500 mL		8, 32
TruLine ISE Reference Filling Solutions				
TruLine Ammonia Electrode FS	400367	TruLine Ammonia Electrode Filling Solution, 60 mL		8, 32
TruLine Ammonium Electrode FS	400373	TruLine Ammonium Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Bromide Electrode FS	400378	TruLine Bromide Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Cadmium Electrode FS	400383	TruLine Cadmium Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Calcium Electrode FS	400389	TruLine Calcium Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Chloride Electrode FS	400394	TruLine Chloride Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Copper Electrode FS	400446	TruLine Copper Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Cyanide Electrode FS	400404	TruLine Cyanide Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Fluoride Electrode FS	400407	TruLine Fluoride Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Iodide Electrode FS	400412	TruLine Iodide Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Lead Electrode FS	400417	TruLine Lead Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Nitrate Electrode FS	400423	TruLine Nitrate Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Potassium Electrode FS	400429	TruLine Potassium Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Silver/Sulfide Electrode FS	400434	TruLine Silver/Sulfide Electrode Reference Filling Solution, 60 mL		8, 32
TruLine Sodium Electrode FS	400440	TruLine Sodium Electrode Reference Filling Solution, 60 mL		8, 32
TruLine ISE Accessories				
TruLine Sodium Soaking Solution	400444	TruLine Sodium Soaking Solution, 60 mL		8, 32

Colorimeters			
YSI	YSI		
Model	Item		
No	No	Description	Notes
Colorimeters			
pHotoFlex STD	251105Y	pHotoFlex STD LED colorimeter with 6 wavelengths, 35 pre-defined tests, 50 user-defined tests and 100 data set memory.	
pHotoFlex pH	251100Y	pHotoFlex pH LED filter colorimeter with 6 wavelengths, 38 pre-defined tests, 100 user-defined tests with BNC connector for pH probe and 1000 data set memory.	
pHotoFlex pH/SET	251200Y	pHotoFlex pH/SET. LED filter colorimeter with 6 wave lengths, BNC connector for pH probe in a field case with field tray, stand and vials; pH electrode, 2 each 10 ml and 2 ml syringe. Accessories: empty cuvettes 16+28 mm, cleaning tissues, stand, 2 empty buffer bottles, beaker, screw driver, PC-software LSdata, RS232 PC cable.	
pHotoFlex STD/SET	251205Y	pHotoFlex STD/SET. LED colorimeter with 6 wave lengths, in a field case with field tray to hold instrument, stand and vials, 2 ea 10 ml and 2 ml syringe. Accessories: empty cuvettes 16+28 mm, cleaning tissues, stand, 2 empty bottles, beaker, screw driver, PC-software LSdata, RS232 PC cable.	
900	250900Y	Model 900 Free and Total Chlorine Colorimeter, includes: instrument, manual, 100 free and 100 total chlorine DPD powder packets (251414Y and 251401Y), carrying case, batteries, cleaning brush. screw driver and (3) 10 ml cuvettes, 24 mm Ø and (2) 5 ml cuvettes, 10 mm	
910	250910Y	Model 910 COD Colorimeter, includes: manual, instrument, carrying case, batteries, screw driver, 3 ml syringe and 1 ml syringe	
Thermal Reactors			
CR 2200	1P21-2Y	Thermoreactor for COD and thermal digestions for up to 12 test tubes, with 3 reactors temperatures and 8 fixed programs. 115 V version.	
CR 3200	1P22-2Y	Thermoreactor for COD and thermal digestions, up to 24 reaction cuvettes, 8 user defined/8 fixed programs, selectable temperature. 115 V version.	
CR 4200	1P23-2Y	Thermoreactor for COD and thermal digestions, 2 different temperature blocks for up to 12 reaction cuvettes each, 8 user defined/8 fixed programs, selectable temperature. 115 V version.	
Thermal Reactor Accessories			
TFK CR	250100Y	External temperature sensor for CR 3200 and CR 4200 thermoreactors.	
AK CR/P	250101Y	Printer connection cable for CR 3200 and CR 4200 thermoreactors.	

YSI	YSI		
Model	Item		
No	No	Description	Notes
AK CR/PC	250102Y	RS 232 PC connection cable for CR 3200 and CR 4200 thermoreactors.	
Colorimeter Accessories			
Data Hub	200900Y	900 Data Hub for 900 and 910 colorimeters	
LSdata Flex/430	199163Y	photoFlex GLP compliant PC software for data management and transfer.	
FC pHotoFlex	251304Y	Field case with field tray to hold pHotoFlex, stand and cuvettes. Additional space to hold accessories and pipette.	
RB Flex/430	251300Y	Rechargeable battery with universal plug for all pHotoFlex pH models.	
LS Flex/430	251301Y	LabStation for pHotoFlex series includes data management software, rechargeable batteries and universal plug, RS 232 interface. Loading function; barcode reader use optional.	
LK28-Set	251302Y	12 pHotoFlex replacement vials, 28 x 60 mm.	
AK 540/B	902842Y	PC interface cable for connecting pHotoFlex to a PC via RS 232 interface.	
AK Labor	902758Y	PC interface cable for connecting Lab Station with a pHotoFlex to a PC via RS 232 interface.	
ADA USB	902881Y	RS232 serial to USB adapter for pHotoFlex colorimeters (requires instrument RS 232 cable)	
Sentix® 42	103637Y	photoFlex pH electrode, integrated temperature sensor BNC plug and banana plug, 3.3 ft (1 m) cable	
251399	251399Y	Secondary Reference Standard Set, Chlorine	
YREP3-90001015	YREP3-90001015	Replacement light shield, photoFlex STD	
YREP3-90001004	YREP3-90001004	Replacement light shield, photoFlex pH	
ADA-16/900	251394Y	Replacement COD tube adapter, 16 mm, 910 colorimeter	
SC-24	251393Y	Sample cuvettes, 24 mm, pack of 12, 900 colorimeter	
SL-Ci2 1.5 mg/L	251392Y	Primary Chlorine Standard, 1.5 mg/L, 100 mL, 900 colorimeter	
Reagents, Powder Packs			
Al-1 TP	251400Y	Aluminum, powder pack reagent set with 25 ml ECR Masking liquid reagent, 100 tests	0.002 - 0.250 mg/l Al
Ci2-1 TP	251401Y	DPD, Chlorine, free, powder pack reagent, 10 ml, pack of 100	0.02 - 2.00 mg/l Cl ₂ on pHotoFlex and 900 or 0.1 - 8.0 mg/L using two packs on the 900 only.


YSI	YSI		
Model	Item		
No	No	Description	Notes
CI2-2 TP	251402Y	DPD, Chlorine, free, powder pack reagent, 25 ml, pack of 100	0.5 - 5.0 mg/l Cl ₂ , used with pHotoFlex
		DPD, Chlorine, total, powder pack reagent, 10 ml, pack of 100	0.02 - 2.00 mg/l Cl ₂ on pHotoFlex and 900 or 0.1 - 8.0 mg/L using two packs on the 900 only
CI2-3 TP	251414Y		
CI2-4 TP	251415Y	DPD, Chlorine, total, powder pack reagent, 25 ml, pack of 100	0.5 - 5.0 mg/l Cl ₂ , used with pHotoFlex
Cu-1 TP	251403Y	Copper, powder pack reagent, pack of 100	0.5-12.0 mg/l Cu
		DPD, Chlorine, free 10 ml, powder pack reagent, pack of 1000	0.02 - 2.00 mg/l Cl ₂ on pHotoFlex and 900 or 0.1 - 8.0 mg/L using two packs on the 900 only
CI2-1 TP LP	251401LP1Y		
CI2-2 TP LP	251402LP1Y	DPD, Chlorine, free 25 ml, powder pack reagent, pack of 1000	0.5 - 5.0 mg/l Cl ₂ , used with pHotoFlex
		DPD, Chlorine, free, powder pack reagent, 5 ml, pack of 100	0 - 3.5 mg/l Cl ₂ for other manufacturer instruments only.
CI2-F5F	251398Y		
CI2-F5F LP	251398LPY	DPD, Chlorine, free, powder pack reagent, 5 ml, pack of 1000	0 - 3.5 mg/l Cl ₂ for other manufacturer instruments only.
		DPD, Chlorine, total, powder pack reagent, 10 ml, pack of 1000	0.02 - 2.00 mg/l Cl ₂ on pHotoFlex and 900 or 0.1 - 8.0 mg/L using two packs on the 900 only
CI2-3 TP LP	251414LP1Y		
CI2-4 TP LP	251415LP1Y	DPD, Chlorine, total, powder pack reagent, 25 ml, pack of 1000	0.5 - 5.0 mg/l Cl ₂ , used with pHotoFlex
		DPD, Chlorine, total, powder pack reagent, 5 ml, pack of 100	0 - 3.5 mg/l Cl ₂ for other manufacturer instruments only.
CI2-F5T	251397Y		
CI2-F5T LP	251397LPY	DPD, Chlorine, total, powder pack reagent, 5 ml, pack of 1000	0 - 3.5 mg/l Cl ₂ for other manufacturer instruments only.
Fe-1 TP	251404Y	Iron, total, LR, powder pack reagent, pack of 100	0.012 - 1.800 mg/l Fe
Fe-2 TP	251405Y	Iron, total, powder pack reagent, pack of 100	0.02 - 3.00 mg/l Fe
Fe-2 TP LP	251405LPY	Iron, total, powder pack reagent, pack of 1000	0.02 - 3.00 mg/l Fe
Mn-1 TP	251406Y	Manganese HR, powder pack reagent, pack of 100	0.2 - 20.0 mg/l Mn
Mn-2 TP	251417Y	Manganese LR, powder pack reagent, pack of 50	0.007 - 0.700 mg/l Mn
Mo-1 TP	251407Y	Molybdate, powder pack reagent, 10 ml, pack of 100	0.3 - 35.0 mg/l Mn
Mo-2 TP	251418Y	Molybdate, powder pack reagent set, 25 ml, 100 tests	0.3 - 40.0 mg/l Mo
NO2-1 TP	251409Y	Nitrite, LR, powder pack reagent, 10 ml, pack of 100	0.002 - 0.300 mg/l NO ₂ -N
NO2-3 TP	251420Y	Nitrite, LR, powder pack reagent, 25 ml, pack of 100	0.002 - 0.300 mg/l NO ₂ -N


YSI	YSI		
Model	Item		
No	No	Description	Notes
NH4-1 TP	251408Y	Nitrogen, Ammonia, powder pack reagent, pack of 100	0.01 - 0.50 mg/l NH ₄ -N; 0.01 - 0.64 NH ₄ ; NH ₃ -N & NH ₃ can be calculated with pHotoFlex pH and connected pH/temp external probe, range is temp and pH dependent. pHotoFlex STD can calculate NH ₃ via multiplier.
DEHA1 TP	251421Y	Oxygen Scavenger, powder pack reagent, pack of 100	0.004 - 0.450 mg/l DEHA
PO4-1 TP	251410Y	Phosphate (Orthophosphate), powder pack reagent, pack of 100	Includes 251987RP1 only. 0.007 - 0.800 mg/l PO ₄ -P; 0.02 - 2.45 mg/L PO ₄ . Includes 251987RP1 only.
PO4-1 TP LP	251410LPY	Phosphate (Orthophosphate), powder pack reagent, pack of 1000	0.007 - 0.800 mg/l PO ₄ -P; 0.02 - 2.45 mg/L PO ₄
Potassium Iodide TP	251396Y	Potassium Iodide, powder packs, pack of 100	Dependent on DPD range. Used in other manufacturer instruments only.
Si-2 TP (HR)	251412Y	Silica, HR, powder pack reagent, pack of 100	0.7 - 70.0 mg/l SiO ₂ ; 0.3 - 3.27 mg/L Si with 28 mm cell. 1 - 100 mg/l SiO ₂ ; 0.5 - 46.7 mg/l Si with 16 mm cell.
Si-1 TP (LR)	251411Y	Silica, LR, powder pack reagent, pack of 100	0.01 - 1.60 mg/l SiO ₂ ; 0.005 - 0.748 Si
Si-3 TP	251422Y	Silica, UHR, powder pack reagent, pack of 100	1 - 75 mg/l SiO ₂ ; 0.5 - 35.1 mg/L Si
Sulfamic Acid TP	251395Y	Sulfamic Acid, powder pack reagent, 10 mL, pack of 100	Dependent on DPD range. Used in other manufacturer instruments only.
SO4-1 TP	251413Y	Sulfate, powder pack reagent, 10 ml, pack of 100	2 - 70 mg/l SO ₄
SO4-2 TP	251423Y	Sulfate, powder pack reagent, 25 ml, pack of 100	2 - 70 mg/l SO ₄
Reagent - Replacement Powder Packs			
Si-1 RP1	251411RP1Y	Amino Acid F, powder pack reagent, 10 mL, pack of 100	
NH4-2 RP1	251997RP1Y	Ammonia Cyanurate, powder pack reagent, 5 mL, pack of 50	
NH4-1 RP2	251408RP2Y	Ammonia Salicylate, powder pack reagent, 10 mL, pack of 100	
NH4-2 RP2	251997RP2Y	Ammonia Salicylate, powder pack reagent, 5 mL, pack of 50	
NH4-1 RP1	251408RP1Y	Ammonia Cyanurate, powder pack reagent, 10 mL, pack of 100	
Mn-2 RP2	251417RP2Y	Ascorbic Acid, powder pack reagent, pack of 100	
Si-1 RP2	251411RP2Y	Citric Acid, powder pack reagent, 10 mL, pack of 100	
Al-1 RP1	251400RP1Y	ECR, powder pack reagent, pack of 100	Part of Aluminum Set 251400Y
Al-1 RP2	251400RP2Y	Hexamethylenetetramine Buffer, reagent powder packs, 20 mL, pack of 100	Part of Aluminum Set 251400Y
Mn-1 RP1	251406RP1Y	Manganese Citrate Buffer, powder pack reagent, 10 mL, pack of 100	
Mo-1 RP1	251407RP1Y	Molybdate HR1, powder pack reagent, 10 mL, pack of 100	

YSI	YSI		
Model	Item		
No	No	Description	Notes
Mo-2 RP1	251418RP1Y	Molybdate HR1, powder pack reagent, 25 mL, pack of 100	
Mo-1 RP2	251407RP2Y	Molybdate HR2, powder pack reagent, 10 mL, pack of 100	
Mo-2 RP2	251418RP2Y	Molybdate HR2, powder pack reagent, 25 mL, pack of 100	
Mo-1 RP3	251407RP3Y	Molybdate HR3, powder pack reagent, 10 mL, pack of 100	
Mo-2 RP3	251418RP3Y	Molybdate HR3, powder pack reagent, 25 mL, pack of 100	
DEHA1 RP1	251421RP1Y	Oxygen Scavenger, DEHA 1, powder pack reagent, pack of 100	
PO4-4 RP1	251987RP1Y	Phosphate 3, powder pack reagent, 10 mL, pack of 50	Used in 251410Y and 251987Y
PO4-4 RP2	251987RP2Y	Potassium Persulfate, powder pack reagent, pack of 50	
Si-2 RP1	251412RP1Y	Silica HR Acid, powder pack reagent, 10 mL, pack of 100	
Si-3 RP1	251422RP1Y	Silica HR Acid, powder pack reagent, 25 mL, pack of 100	
Si-2 RP2	251412RP2Y	Silica HR Citric Acid, powder pack reagent, 10 mL, pack of 100	
Si-3 RP2	251422RP2Y	Silica HR Citric Acid, powder pack reagent, 25 mL, pack of 100	
Si-3 RP3	251422RP3Y	Silica HR Molybdate, powder pack reagent 25 mL, pack of 100.	
Si-2 RP3	251412RP3Y	Silica HR Molybdate, powder pack reagent, 10 mL, pack of 100	
Mn-1 RP2	251406RP2Y	Sodium Periodate, powder pack reagent, 10 mL, pack of 100	
Ntot-2 RP1	251996RP2Y	Total Nitrogen Persulfate, powder pack reagent, 10 mL, pack of 50	
Reagents - Vials/Cuvettes			
COD2-F TC (MR)	251985Y	COD, HR, Hg Free, vial reagent, pack of 25	0-1,500 mg/L, requires thermal reactor. Used in 910 only.
COD2 TC (MR)	251991LPY	COD, HR, vial reagent, pack of 150	20-1,500 mg/L COD, requires thermal reactor
COD3-F TC (HR)	251984Y	COD, HR+, Hg Free, vial reagent, pack of 25	0-15,000 mg/L, requires thermal reactor. Used in 910 only.
COD3 TC (HR)	251992LPY	COD, HR+, vial reagent, pack of 150	200-15,000 mg/L COD, requires thermal reactor
COD1-F TC (LR)	251986Y	COD, LR, Hg Free, vial reagent, pack of 25	0-150 mg/L, requires thermal reactor. Used in 910 only.
COD1 TC (LR)	251990LPY	COD, LR, vial reagent, pack of 150	3-150 mg/L COD, requires thermal reactor
COD2 TC (MR)	251991Y	COD, vial reagent, HR, pack of 25	20-1,500 mg/L COD, requires thermal reactor
COD3 TC (HR)	251992Y	COD, vial reagent, HR+, pack of 25	200-15,000 mg/L COD, requires thermal reactor
COD1 TC (LR)	251990Y	COD, vial reagent, LR, pack of 25	3-150 mg/L COD, requires thermal reactor
NO3-1 TC	251993Y	Nitrate, vial reagent, pack of 50 for up to 49 tests.	0.2-30 mg/L NO ₃ -N; 1.0 - 133 NO ₃

YSI	YSI		
Model	Item		
No	No	Description	Notes
NO2-2 TC	251994Y	Nitrite TC, vial reagent, pack of 24	.03-.6 mg/l NO ₂ -N and 0.1 - 1.97 mg/l NO ₂ ; 0.3-3.0 mg/L NO ₂ -N and 0.99 - 9.85 mg/l NO ₂
NH4-3 TC (HR)	251998Y	Nitrogen, Ammonia HR, vial reagent for up to 49 tests	0.4 - 50 mg/L NH ₄ -N or 0.5 - 64.4 NH ₄ ; NH ₃ -N & NH ₃ can be calculated with pHotoFlex pH and connected pH/temp external probe, range is temp and pH dependent. pHotoFlex STD can calculate NH3 via multiplier.
NH4-2 TC (LR)	251997Y	Nitrogen, Ammonia LR, vial reagent for up to 49 tests	0.03 - 3.2 mg/l NH ₄ or 0.02 - 2.5 mg/l NH ₄ -N; NH ₃ -N & NH ₃ can be calculated with pHotoFlex pH and connected pH/temp external probe, range is temp and pH dependent. PHotoFlex STD can calculate NH3 via multiplier.
Ntot2 TC (HR)	251996Y	Nitrogen, Total, vial reagent pack, pack of 50 for up to 49 tests	10-150 mg/l N, requires thermal reactor
Ntot1 TC (LR)	251995Y	Nitrogen, Total, vial reagent, pack of 50 for 25 tests for up to 49 tests	0.5-25 mg/l N, requires thermal reactor
PO4-4 TC	251987Y	Phosphorous and Acid Hydolyzable, Total, vial reagent, pack of 50	0.06-3.5 PO ₄ or 0.02-1.141 PO ₄ -P, requires thermal reactor
PO4-2 TC	251989Y	Phosphorous, Reactive (Orthophosphate), vial reagent, pack of 50	0.06 - 5 mg/l PO ₄ or 0.02 - 1.63 PO ₄ -P
PO4-3 TC	251988Y	Phosphorous, Total, vial reagent, pack of 50	0.06-3.4 PO ₄ or 0.02 - 1.141 mg/l PO ₄ -P. Requires thermal reactor
Reagents - Tablets			
CI2T1 TT (LR)	251600Y	DPD No. 1 LR, tablet reagent, pack of 100	0.01-6.0 mg/l, not used with pHotoFlex
CI2T2 TT (LR)	251601Y	DPD No. 3 LR, tablet reagent, pack of 100	0.01-6.0 mg/l, not used with pHotoFlex
CI2T3 TT (HR)	251602Y	DPD No. 1 HR, tablet reagent, pack of 100	0.1-10 mg/l, not used with pHotoFlex
CI2T4 TT (HR)	251603Y	DPD No. 3 HR, tablet reagent, pack of 100	0.1-10 mg/l, not used with pHotoFlex
Reagent - liquids			
N2H41 TR	251416Y	Hydrazine, liquid reagent, 100ml for 50 tests	
Mn-2 A1	251417A1	Rochelle Salt, liquid reagent, 30 ml, number of tests varies with hardness concentration	Used with LR Manganese if sample has 300 mg/L CaCO3 hardness
Mn-2 A2	251417A2	Rochelle Salt, liquid reagent, 500 ml, number of tests varies with hardness concentration	Used with LR Manganese if sample has 300 mg/L CaCO3 hardness
Reagent - Replacement liquids			

YSI	YSI		
Model	Item		
No	No	Description	Notes
Mn-2 RP4	251417RP4Y	Alkaline-Cyanide, liquid reagent, 100 ml	ea
Mn-2 RP5	251417RP5Y	Alkaline-Cyanide, liquid reagent, 500 ml	ea
Mn-2 RP1	251417RP1Y	Alkaline-Cyanide, liquid reagent, 60 ml for 50 tests	ea
DEHA1 RP2	251421RP2Y	DEHA 2, liquid reagent, 100 ml for 400 tests	ea
Al-1 RP3	251400RP3Y	ECR Masking, liquid reagent, 25 ml	Part of Aluminum Set 251400Y
Si-1 RP3	251411RP3Y	Molybdate 3, liquid reagent, 50 ml	ea
Mn-2 RP7	251417RP7Y	PAN Indicator, liquid reagent, 0.1 %, 500 ml	ea
Mn-2 RP3	251417RP3Y	PAN Indicator, liquid reagent, 0.1%, 60 ml for 50 tests	ea
Mn-2 RP6	251417RP6Y	PAN Indicator, liquid reagent, 0.1 %, 100 ml	ea
PO4-4 RP4	251987RP4Y	Sodium Hydroxide, liquid reagent, 1.00 N, 100 ml, 50 tests	ea
PO4-4 RP3	251987RP3Y	Sodium Hydroxide, liquid reagent, 1.54 N, 100 ml, 50 tests	ea

YSI Inc. 2019 OWQ_WQS_ProDSS Price List				
 a xylem brand				Version 4
				North America Dealer Price List Drop Ship
				PHONE (937)767-7241
				TOLL FREE WITHIN UNITED STATES (800)765-4974
				FAX (937)767-1058
				Email: orders@ysi.com
DISCONTINUED PRODUCTS				
YSI Model No	YSI Item No	Description	Used With	Notes
DISCONTINUED PRIOR TO DECEMBER 31, 2018				
170	605170	Electrode Stand	All EcoSense® pH/ORP Electrodes	
5901	059112	Power Supply, 115V/ 60 Hz	50B, 52, 59	Discontinued October 2017
5732	073053	Stirrer Adapter	5905, Model 58 only	
4010-2	1FD460Y	MultiLab IDS Two Channel Benchtop Instrument with memory and data transfer via USB. Includes two channel instrument with color display, universal AC power supply, electrode stand, USB cable and PC software.	IDS Probes	With electrode stand, IDS sensors ordered separately. To be discontinued July 2018.
4010-3	1FD470Y	MultiLab IDS Three Channel Benchtop Instrument with memory and data transfer via USB. Includes three channel instrument with color display, universal AC power supply, electrode stand, USB cable and PC software	IDS Probes	With electrode stand, IDS sensors ordered separately. To be discontinued July 2018.
IDS 4210	103790Y	Combination ORP, glass, refillable (3 mol KCl), digital, double junction probe, 1.5 meter cable	MultiLab Instruments	Refillable reference
2019 DISCONTINUATIONS (AS OF DECEMBER 31, 2018, OR MORE RECENTLY)				
ProODO	626281	Optical Dissolved Oxygen Digital Handheld	ProODO cable/probes assemblies and ProOBOD	See ProDigital Tab, ProSolo handheld is direct replacement
ODO-40	626250-40	ODO Digital probe assy with 40 meter cable	ProODO	See ProDigital Tab for available ProODO cable lengths
ODO-60	626250-60	ODO Digital probe assy with 60 meter cable	ProODO	See ProDigital Tab for available ProODO cable lengths
ODO Field Kit-4	603192	ProODO ODO 4 Meter		Original included ProODO instrument, ODO-4 cable and 603162 carrying case. See ProSolo replacement kit, item 626663 on ProDigital tab.
ODO Field Kit-10	603193	ProODO ODO 10 Meter		Original included ProODO instrument, ODO-10 field probe/cable and 603162 carrying case. See ProSolo replacement kit, item 626664 on ProDigital tab.
ODO Lab/Field-4 US	603194	ProODO Lab Field Kit 4 Meter US		Includes ProODO, 626400 ProOBOD, ODO-4 field probe/cable, lab dock, 5518 USB power supply for instrument's communication saddle and 603162 carrying case.
ODO Lab/Field-4 INT	603199	ProODO Lab Field Kit 4 Meter International		Includes ProODO, 626401 ProOBOD, ODO-4 field probe/cable, lab dock, 5519 USB power supply for instrument's communication saddle and 603162 carrying case.
OBOD Kit US	603195	ProODO BOD US Kit		Includes ProODO instrument, 626400 ProOBOD, lab dock and 5518 USB power supply,
OBOD Kit INT	603196	ProODO BOD International Kit		Includes ProODO instrument, 626401 ProOBOD, lab dock and 5519 USB power supply,

				YSI Inc. 2019 OWQ_WQS_ProDSS Price List
				Version 4
				North America Dealer Price List Drop Ship
				PHONE (937)767-7241
				TOLL FREE WITHIN UNITED STATES (800)765-4974
				FAX (937)767-1058
				Email: orders@ysi.com
DISCONTINUED PRODUCTS				
YSI	YSI			
Model	Item		Used	
No	No	Description	With	Notes
OBOD Kit US ADV	603197	ProODO BOD US Kit		Includes ProODO instrument, 626400 ProOBOD, lab dock, BOD Analyst Pro PC software and 5518 USB power supply.
OBOD Kit INT ADV	603198	ProODO BOD International Kit		Includes ProODO instrument, 626401 ProOBOD, lab dock, BOD Analyst Pro PC software and 5519 USB power supply.