

<b>EcoSense® Products</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
<b>ODO200 Optical Dissolved Oxygen Instruments &amp; Kits - uses optical DO probe</b>		
ODO200	606329	EcoSense Optical Dissolved Oxygen and Temp Instrument
ODO200CC-01	606324	EcoSense Kit with ODO200, 1M Probe and Case
ODO200CC-04	606325	EcoSense Kit with ODO200, 4M Probe and Case
ODO200CC-10	606305	EcoSense Kit with ODO200, 10M Probe and Case
<b>ODO200M Optical Dissolved Oxygen Instruments &amp; Kits - uses optical DO probe</b>		
ODO200M	601023	EcoSense Optical Dissolved Oxygen and Temp Instrument
ODO200MCC-01	601024	EcoSense Kit with ODO200, 1M Probe and Case
ODO200MCC-04	601025	EcoSense Kit with ODO200, 4M Probe and Case
ODO200MCC-10	601026	EcoSense Kit with ODO200, 10M Probe and Case
<b>Optical Dissolved Oxygen Probes and Cables - used with ODO200 and ODO200M instruments</b>		
EcoODO-01	606327	EcoSense Optical DO and Temp Field Probe, 1M Cable
EcoODO-04	606328	EcoSense Optical DO and Temp Field Probe, 4M Cable
EcoODO-10	606304	EcoSense Optical DO and Temp Field Probe, 10M Cable
ODO200-CAP	606326	Sensor Cap Kit, EcoSense ODO200
282	606330	Carrying Case, Hard Plastic w/Form Fitted Foam Insert 12.5x9.5x3.7
<b>DO200A Dissolved Oxygen Instruments &amp; Kits - membrane-style electrochemical instruments</b>		
DO200A	606077	Dissolved Oxygen and Temp Instrument Only
DO200ACC-01	606071	Kit, DO200A, 1M Probe/Cable and Carrying Case
DO200ACC-04	606072	Kit, DO200A, 4M Probe/Cable and Carrying Case
DO200ACC-10	606040	Kit, DO200A, 10M Probe/Cable and Carrying Case
<b>DO200M Dissolved Oxygen Instruments &amp; Kits - membrane-style electrochemical instruments</b>		
DO200M	601027	Dissolved Oxygen and Temp Instrument Only
DO200MCC-01	601028	EcoSense Kit, DO200M, 1M Probe/Cable and Carrying Case
DO200MCC-04	601029	EcoSense Kit, DO200M, 4M Probe/Cable and Carrying Case
DO200MCC-10	601030	EcoSense Kit, DO200M, 10M Probe/Cable and Carrying Case
<b>Dissolved Oxygen Probes &amp; Cables - used with DO200A and DO200M instruments</b>		
200-1	606037	DO and Temp Field Probe and 1M Cable
200-4	605352	DO and Temp Field Probe and 4M Cable
200-10	605353	DO and Temp Field Probe and 10M Cable
200-BOD	609200	Stirring BOD Probe, 115V, 5 ft.
200-BOD-230V	609201	Stirring BOD Probe, 230V
<b>EcoSense Conductivity, Salinity, TDS Instrument and Pens</b>		
<b>EC300A Meter and Kits</b>		

EC300A	606079	Conductivity,TDS, Salinity,Temp Instrument Only
EC300ACC-01	606068	Kit, EC300A, 1M Probe/Cable and Carrying Case
EC300ACC-04	606069	Kit, EC300A, 4M Probe/Cable and Carrying Case
EC300ACC-10	606047	Kit, EC300A, 10M Probe/Cable and Carrying Case
<b>EC300M Meter and Kits</b>		
EC300M	601034	Conductivity,TDS, Salinity,Temp Instrument Only
EC300MCC-01	601035	Kit, EC300M, 1M Probe/Cable and Carrying Case
EC300MCC-04	601036	Kit, EC300M, 4M Probe/Cable and Carrying Case
EC300MCC-10	601037	Kit, EC300M, 10M Probe/Cable and Carrying Case
<b>Conductivity Probes &amp; Cables for use with EC300A and EC300M</b>		
300-1	606044	Conductivity/Temp Probe and 1M Cable
300-4	605395	Conductivity/Temp Probe and 4M Cable
300-10	605396	Conductivity/Temp Probe and 10M Cable
<b>EC30A Pen</b>		
EC30A	606121	EC30A Conductivity, TDS, Temperature Pen Tester
606114	606114	Sensor Kit, EC30A, Grey
<b>EcoSense pH/ORP/MV Instrument and Pens</b>		
<b>pH100A Meter and Kits</b>		
pH100A	606075	pH, mV, Temp Instrument Only
pH100CCA-01	606067	pH100A, 1M Probe/Cable and Carrying Case
pH100CCA-04	606033	pH100A, 4M Probe/Cable and Carrying Case
<b>pH100M Meter and Kits</b>		
pH100M	601031	pH, mV, Temp Instrument Only
pH100CCM-01	601032	pH100M, 1M Probe/Cable and Carrying Case
pH100CCM-04	601033	pH100M, 4M Probe/Cable and Carrying Case
<b>EcoSense pH, ORP and Temperature Probes &amp; Cables for use with pH100A and pH100M meters</b>		
100-1	605377	Waterproof pH/Temp Field Probe and 1M Cable
100-4	605378	Waterproof pH/Temp Field Probe and 4M Cable
110-1	605374	pH Electrode and 1M Cable - Laboratory-Grade
111-1	605080	pH Electrode, 1M Cable Piercing Double Junction
112-1	605081	pH Electrode, 1M Flat Glass Double Junction
115-1	605376	ORP Electrode and 1M Cable Laboratory-Grade
130-1	605375	Temp Probe and 1 M Cable
<b>pH/ORP/mV Pens</b>		
pH10A	pH10	pH Temperature Pen Tester
ORP15A	ORP15	ORP Temperature Pen Tester
<b>pH and ORP Replacement Electrodes for Pen Testers</b>		
605113	605113	Electrode Kit, pH10, Blue
606110	606110	Electrode Kit, pH10A, Grey
116	605116	Electrode, Double Junction, PH10
605123	605123	Electrode Kit, ORP15, Blue

606112	606112	Electrode Kit, ORP15A, Grey
<b>EcoSense pH, Conductivity and Temperature Pen</b>		
pH/EC1030A	606180	pH/Conductivity/TDS/Temperature Pen Tester, includes batteries
606181	606181	pH/Conductivity electrode kit, pH/EC1030A
<b>EcoSense pH1000A Benchtop Lab Instrument and Instrument Kits</b>		
pH1000A	601100	pH1000A pH/mv/Temperature benchtop laboratory instrument, includes 110-220V international AC power supply, batteries
pH1000A-01 Kit	601104	pH1000A pH/mv/Temperature benchtop laboratory instrument and electrode stand kit, includes 110-220V international AC power supply, batteries
pH1000A-02 Kit	601305	pH1000A pH/mv/Temperature benchtop laboratory instrument with 1102 pH/temp lab electrode and electrode stand, includes 110-220V international AC power supply, batteries
pH1000A-03 Kit	601306	pH1000A pH/mv/Temperature benchtop laboratory instrument with 1102 pH/temp lab electrode, includes 110-220V international AC power supply, batteries
<b>EcoSense pH1000A Electrodes and Accessories</b>		
1101	601101	1101 pH/mv electrode and 1M cable
1102	601102	1102 pH/mv/temperature lab electrode and 1M cable
1103	601103	1103 temperature probe and 1M cable
601112	601112	110-220V Power supply, pH10000A
601113	601113	Laboratory electrode stand
<b>EcoSense® pH Accessories</b>		
605118	605118	RP, Battery Kit, Pen
<b>EcoSense® Products Carrying Cases</b>		
180A	606031	Carrying Case, Hard Plastic w/Form Fitted Foam Insert 12.5x9.5x3.7
280A	606036	Carrying Case, Hard Plastic w/Form Fitted Foam Insert 12.5x9.5x3.7
480	605381	Carrying Case, Form-fitted, Clear & Black Vinyl (w/Shoulder Strap)
485	605139	485 Carrying Case, Soft Sided
580	605129	Carrying Case, Pens, Soft-sided

<b>PROSERIES</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
<b>PROSERIES INSTRUMENTS</b>		
ProQuatro	606950	Pro Quatro Handheld
Pro10	6050010	pH or ORP (mV) and Temperature Handheld instrument
Pro20	6050020	Dissolved Oxygen and Temperature Handheld
Pro30	6050030	Conductivity, Salinity, TDS and Temperature Handheld
Pro1030	6051030	pH or ORP (mV) and Conductivity, Salinity, TDS and Temperature Handheld
Pro1020	6051020	Dissolved Oxygen, pH or mV (ORP), and Temperature Handheld
Pro2030	6052030	Dissolved Oxygen/Conductivity/Salinity Temperature Handheld
<b>PRO 20i - Instrument with Integral Cable</b>		
Pro20i-1 P Kit	607130	Pro20i Dissolved Oxygen and Temperature Handheld with 1-meter integral (non-detachable cable) and 2003 Polarographic sensor kit
Pro20i-1 G Kit	607131	Pro20i Dissolved Oxygen and Temperature Handheld with 1-meter integral (non-detachable cable) and 2002 Galvanic sensor kit
Pro20i-4 P Kit	607125	Pro20i Dissolved Oxygen and Temperature Handheld with 4-meter integral (non-detachable cable) and 2003 Polarographic sensor kit
Pro20i-4 G Kit	607129	Pro20i Dissolved Oxygen and Temperature Handheld with 4-meter integral (non-detachable cable) and 2002 Galvanic sensor kit
Pro20i-10 P Kit	607132	Pro20i Dissolved Oxygen and Temperature Handheld with 10-meter integral (non-detachable cable) and 2003 Polarographic sensor kit
Pro20i-10 G Kit	607133	Pro20i Dissolved Oxygen and Temperature Handheld with 10-meter integral (non-detachable cable) and 2002 Galvanic sensor kit
<b>CABLE/PROBE ASSEMBLIES</b>		
1007-1	605107	pH/Temp single junction combination electrode with 1-meter cable w/MS connector

<b>PROSERIES</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
1007-4	605177	pH/Temp single junction combination electrode with 4-meter cable w/MS connector
1008-1	605108	ORP/Temp single junction combination electrode with 1-meter cable w/MS connector
1008-4	605178	ORP/Temp single junction combination electrode with 4-meter cable w/MS connector
1009-1	605109	pH/ORP/Temp single junction combination electrode with 1-meter cable w/MS connector
1009-4	605179	pH/ORP/Temp single junction combination electrode with 4-meter cable w/MS connector
10-1	60510-1	ISE/Temp 1-meter cable assembly
10-4	60510-4	ISE/Temp 4-meter cable assembly
10-10	60510-10	ISE/Temp 10-meter cable assembly
10-20	60510-20	ISE/Temp 20-meter cable assembly
10-30	60510-30	ISE/Temp 30-meter field assembly
ProBOD	605780	DO/Temp 115V stirring BOD probe with 1-meter cable assembly
20-1	60520-1	DO/Temp 1-meter cable assembly
20-4	60520-4	DO/Temp 4-meter cable assembly
20-10	60520-10	DO/Temp 10-meter cable assembly
20-20	60520-20	DO/Temp 20-meter cable assembly
20-30	60520-30	DO/Temp 30-meter cable assembly
20-100	60520-100	DO/Temp 100-meter cable assembly
20-X	60520-X	DO/Temp cable assembly \$420 List + \$55 for 10 meter increments up to 100 meters (this is a special order only)
30-1	60530-1	Cond/Temp 1-meter cable assembly
30-4	60530-4	Cond/Temp 4-meter cable assembly
30-10	60530-10	Cond/Temp 10-meter cable assembly
30-20	60530-20	Cond/Temp 20-meter cable assembly
30-30	60530-30	Cond/Temp 30-meter cable assembly
1010-1	6051010-1	Dual ISE/Temp 1-meter cable assembly
1010-4	6051010-4	Dual ISE/Temp 4-meter cable assembly
1010-10	6051010-10	Dual ISE/Temp 10-meter cable assembly

<b>PROSERIES</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
1010-20	6051010-20	Dual ISE/Temp 20-meter cable assembly
1010-30	6051010-30	Dual ISE/Temp 30-meter cable assembly
1020-1	6051020-1	DO/ISE/Temp 1-meter cable assembly
1020-4	6051020-4	DO/ISE/Temp 4-meter cable assembly
1020-10	6051020-10	DO/ISE/Temp 10-meter cable assembly
1020-20	6051020-20	DO/ISE/Temp 20-meter cable assembly
1020-30	6051020-30	DO/ISE/Temp 30-meter cable assembly
1030-1	6051030-1	ISE/Cond/Temp 1-meter cable assembly
1030-4	6051030-4	ISE/Cond/Temp 4-meter cable assembly
1030-10	6051030-10	ISE/Cond/Temp 10-meter cable assembly
1030-20	6051030-20	ISE/Cond/Temp 20-meter cable assembly
1030-30	6051030-30	ISE/Cond/Temp 30-meter cable assembly
2030-1	6052030-1	DO/Cond/Temp 1-meter cable assembly
2030-4	6052030-4	DO/Cond/Temp 4-meter cable assembly
2030-10	6052030-10	DO/Cond/Temp 10-meter cable assembly
2030-20	6052030-20	DO/Cond/Temp 20-meter cable assembly
2030-30	6052030-30	DO/Cond/Temp 30-meter cable assembly
10102030-1	605790-1	Quatro - Dual ISE/Cond/DO/Temp cable assy
10102030-4	605790-4	Quatro - Dual ISE/Cond/DO/Temp cable assy
10102030-10	605790-10	Quatro - Dual ISE/Cond/DO/Temp cable assy
10102030-20	605790-20	Quatro - Dual ISE/Cond/DO/Temp cable assy
10102030-30	605790-30	Quatro - Dual ISE/Cond/DO/Temp cable assy

<b>PROSERIES</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
ODO-1	626250-1	ODO Digital probe assy with 1 meter cable
ODO-4	626250-4	ODO Digital probe assy with 4 meter cable
ODO-10	626250-10	ODO Digital probe assy with 10 meter cable
ODO-20	626250-20	ODO Digital probe assy with 20 meter cable
ODO-30	626250-30	ODO Digital probe assy with 30 meter cable
ODO-50	626250-50	ODO Digital probe assy with 50 meter cable
ODO-100	626250-100	ODO Digital probe assy with 100 meter cable
ODO-X	626250-X	ODO Digital probe assy \$725 List + \$95 for 10 meter increments up to 100 meters (this is a special order only)

<b>PROSERIES</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
<b>SENSORS</b>		
2002	605202	Galvanic DO Sensor
2003	605203	Polarographic DO Sensor
2003B	607203	Polarographic 2003 DO Sensor with Blue, 2.0 PE membrane kit
1001	605101	pH Sensor
1002	605102	ORP Sensor
1003	605103	pH/ORP Sensor
1004	605104	Ammonium ISE, NH4+
1005	605105	Chloride ISE
1006	605106	Nitrate ISE
5560	005560	Cond, Temp Replaceable Probe
1001A	605323	1001A Amplified pH Sensor
1001A Kit	605216	1001A Amplified pH Sensor Kit*
1003A	605324	1003A Amplified pH/ORP Combo Sensor
	655575	Guard extension kit, Pro Series, 556
<b>PROSERIES KITS</b>		
<b>ProQuatro Kits</b>		
ProQuatro-4 P PH	606966	ProQuatro Polarographic DO pH Quatro 4 Meter
PP Quatro-4 P PH/ORP	606967	ProQuatro Polarographic DO pH ORP Quatro 4 Meter
PP Quatro-4 G PH	606968	ProQuatro Galvanic DO pH Quatro 4 Meter
PP Quatro-4 G PH/ORP	606969	ProQuatro Galvanic DO pH ORP Quatro 4 Meter
<b>Pro20 Kits</b>		
P20 BOD US	603168	Pro20 BOD Kit
P20 BOD INT	603222	Pro20 BOD Kit
P20 DOLF-4 P	603169	Pro20 Lab Field Kit 4 Meter
P20 20-4 G	603170	Pro20 Field Galvanic DO 4 Meter
P20 20-4 P	603171	Pro20 Field Pol DO 4 Meter



<b>PROSERIES</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
P20 20-10 G	603172	Pro20 Field Galvanic DO 10 Meter
P20 20-10 P	603173	Pro20 Field Pol DO 10 Meter
<b>Pro2030 Kits</b>		
P2030 2030-4 P	603174	Pro2030 Field Pol DO 4 Meter
P2030 2030-4 G	603175	Pro2030 Field Galvanic DO 4 Meter
P2030 2030-10 P	603176	Pro2030 Field Pol DO 10 Meter
P2030 2030-10 G	603177	Pro2030 Field Galvanic DO 10 Meter
<b>ACCESSORIES</b>		
3059	603059	Flow Cell, Standard, 203 mL
3077	603077	Flow Cell Kit, 1 or 2 Port Cables
3078	603078	Flow Cell Adaptor-Single Port
3056	603056	Flow Cell Mounting Spike
6850	606850	Flow Cell Quatro
5515	605515	Data Manager Desktop Software
5604	605404	ProComm II Saddle Communications Kit
5518	605209	USB Power Supply, US
5519	605210	USB Power Supply, International
	626444	Pro Series Lab Dock
6260	626600	ProOBOD Power Supply, US
6261	626601	ProOBOD Power Supply, International
3075	603075	Carrying Case, Soft Sided
3074	603074	Carrying Case, Hard Sided
6262	603162	Carrying Case, Soft Sided, Small
3069	603069	Belt Clip
4654	063507	Tripod Clamp
5745	605745	Maintenance Kit
	605980	Maintenance Kit, Quatro
038213	038213	Brush, Tube Cleaner

<b>PROSERIES</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
601205	601205	Grease, o-ring ( size is a 2cc tube)
3062	603062	Cable Management Kit
5978	605978	Weight, Probe/Cable, 4.9 oz
	626918	Weight, 1 lb
691	063020	Weight, Probe/Cable, 51 oz, 6"
3070	603070	Shoulder Strap

<b>PRODIGITAL</b>		
<b>YSI Model No.</b>	<b>YSI Item Number</b>	<b>Description</b>
<b>ProDigital Handheld Instruments</b>		
ProSolo	626650	ProSolo Handheld
ProSwap-1	626700-1	ProSwap Handheld, No GPS
ProSwap-2	626700-2	ProSwap Handheld with GPS
ProDSS-1	626870-1	ProDSS Handheld, No GPS
ProDSS-2	626870-2	ProDSS Handheld with GPS
<b>ProDigital ODO/T Probe Assemblies</b>		
ODO/T-1 m	627200-1	ODO/T probe assembly, 1 m
ODO/T-4 m	627200-4	ODO/T probe assembly, 4 m
ODO/T-10 m	627200-10	ODO/T probe assembly, 10 m
ODO/T-20 m	627200-20	ODO/T probe assembly, 20 m
ODO/T-30 m	627200-30	ODO/T probe assembly, 30 m
ODO/T-50 m	627200-50	ODO/T probe assembly, 50 m
ODO/T-100 m	627200-100	ODO/T probe assembly, 100 m
<b>ProOBOD Sensors</b>		
ProOBOD-US	626400	ProOBOD Probe, US
ProOBOD-INT	626401	ProOBOD Probe, International
<b>ProDigital ODO/CT Probe Assemblies</b>		
ODO/CT-1 m	627150-1	ODO/CT probe assembly, 1 m
ODO/CT-4 m	627150-4	ODO/CT probe assembly, 4 m
ODO/CT-10 m	627150-10	ODO/CT probe assembly, 10 m
ODO/CT-20 m	627150-20	ODO/CT probe assembly, 20 m
ODO/CT-30 m	627150-30	ODO/CT probe assembly, 30 m
ODO/CT-50 m	627150-50	ODO/CT probe assembly, 50 m
ODO/CT-100 m	627150-100	ODO/CT probe assembly, 100 m
<b>ProSwap 1-port Cable Assemblies--AUTHORIZED DEALERS ONLY</b>		
	626750-1	ProSwap 1-port cable assembly, no depth, 1m
	626750-4	ProSwap 1-port cable assembly, no depth, 4m
	626750-10	ProSwap 1-port cable assembly, no depth, 10m
	626750-20	ProSwap 1-port cable assembly, no depth, 20m
	626750-30	ProSwap 1-port cable assembly, no depth, 30m
	656750-50	ProSwap 1-port cable assembly, no depth, 50m
	626750-100	ProSwap 1-port cable assembly, no depth, 100m

<b>PRODIGITAL</b>		
<b>YSI Model No.</b>	<b>YSI Item Number</b>	<b>Description</b>
	626760-1	ProSwap 1-port cable assembly, shallow depth, 1m
	626760-4	ProSwap 1-port cable assembly, shallow depth, 4m
	626760-10	ProSwap 1-port cable assembly, shallow depth, 10m
	626770-20	ProSwap 1-port cable assembly, medium depth, 20m
	626770-30	ProSwap 1-port cable assembly, medium depth, 30m
	626770-50	ProSwap 1-port cable assembly, medium depth, 50m
	626770-100	ProSwap 1-port cable assembly, medium depth, 100m
<b>ProDSS 4-port Cable Assemblies-- ProDSS AUTHORIZED DEALERS ONLY</b>		
6909-1	626909-1	DSS-1 Meter 4 port Cable Assembly, No Depth
6909-4	626909-4	DSS-4 Meter 4 port Cable Assembly, No Depth
6909-10	626909-10	DSS-10 Meter 4 port Cable Assembly, No Depth
6909-20	626909-20	DSS-20 Meter 4 port Cable Assembly, No Depth
6909-30	626909-30	DSS-30 Meter 4 port Cable Assembly, No Depth
6909-40	626909-40	DSS-40 Meter 4 port Cable Assembly, No Depth
6909-50	626909-50	DSS-50 Meter 4 port Cable Assembly, No Depth
6909-60	626909-60	DSS-60 Meter 4 port Cable Assembly, No Depth
6909-70	626909-70	DSS-70 Meter 4 port Cable Assembly, No Depth
6909-80	626909-80	DSS-80 Meter 4 port Cable Assembly, No Depth
6909-90	626909-90	DSS-90 Meter 4 port Cable Assembly, No Depth
6909-100	626909-100	DSS-100 Meter 4 port Cable Assembly, No Depth
6910-1	626910-1	DSS-1 Meter 4 port Cable Assembly, With Depth
6910-4	626910-4	DSS-4 Meter 4 port Cable Assembly, With Depth
6910-10	626910-10	DSS-10 Meter 4 port Cable Assembly, With Depth
6911-20	626911-20	DSS-20 Meter 4 port Cable Assembly, With Depth
6911-30	626911-30	DSS-30 Meter 4 port Cable Assembly, With Depth
6911-40	626911-40	DSS-40 Meter 4 port Cable Assembly, With Depth
6911-50	626911-50	DSS-50 Meter 4 port Cable Assembly, With Depth
6911-60	626911-60	DSS-60 Meter 4 port Cable Assembly, With Depth
6911-70	626911-70	DSS-70 Meter 4 port Cable Assembly, With Depth
6911-80	626911-80	DSS-80 Meter 4 port Cable Assembly, With Depth
6911-90	626911-90	DSS-90 Meter 4 port Cable Assembly, With Depth
6911-100	626911-100	DSS-100 Meter 4 port Cable Assembly, With Depth
<b>ProDSS Smart Sensors--ProDSS AUTHORIZED DEALERS ONLY</b>		
6900	626900	ProDSS ODO Optical Dissolved Oxygen Sensor
6902	626902	ProDSS Conductivity and Temperature Sensor
6901	626901	ProDSS Turbidity Sensor
6903	626903	ProDSS pH Sensor with Module
6904	626904	ProDSS pH/ORP Sensor with Module
6906	626906	ProDSS Ammonium Sensor with Module
6905	626905	ProDSS Nitrate Sensor with Module
6907	626907	ProDSS Chloride Sensor with Module
6210	626210	ProDSS Total Algae-Phycocyanin (TAL-PC) Sensor (fresh water applications)

<b>PRODIGITAL</b>		
<b>YSI Model No.</b>	<b>YSI Item Number</b>	<b>Description</b>
6211	626211	ProDSS Total Algae-Phycoerythrin (TAL-PE) Sensor (salt water applications)
<b>ProDigital Replacement Modules &amp; ODO Caps</b>		
6963	626963	Replacement pH Module
6964	626964	Replacement pH/ORP Modules
6966	626966	Replacement Ammonium Modules
6965	626965	Replacement Nitrate Modules
6967	626967	Replacement Chloride Modules
6890	626890	Replacement DSS ODO Sensor Cap
	627180	Replacement ProDigital ODO Extended Warranty Sensor Cap
OBOD-CAP	626482	Replacement OBOD Sensor Cap Kit
<b>ProDigital Accessories</b>		
9080	599080	Flow Cell
3056	603056	Flow Cell Mounting Spike
	626946	Large Hard Sided Carrying Case - 19 x 14 x 8 inches
	626945	Small Hard Sided Carrying Case - 18 x 13 x 7 inches
627195	627195	Calibration cup for ProDigital ODO/CT probe assemblies
3078	603078	Flow Cell Adaptor-Single Port
	603162	Small, soft-sided carrying case
3075	603075	Large, soft-sided carrying case
	626918	Weight, 1 lb
	605978	Weight, 4.9 oz
	626942	Car charger adapter, USB, 12VDC
4654	063507	Tripod Clamp
3070	603070	Shoulder strap
3069	603069	Belt Clip
<b>ProDSS Replacement Parts--AUTHORIZED DEALERS ONLY</b>		
	626940	ProDSS Battery Charger Kit, US, includes AC switching power supply and 6 ft USB cable
	626941	ProDSS Battery Charger Kit, International, includes AC switching power supply, 6 ft USB cable and outlet adapters
	626991	USB cable, 6 ft
	626992	USB cable, 6 in
	626846	ProDSS Replacement Battery kit
	626919	Probe Guard Kit
	626969	ProDSS USB Flash Drive, user manuals and KorDSS
	599786	Calibration/storage cup
	626990	Maintenance kit, ProDSS 4-port cable

<b>PRODIGITAL</b>		
<b>YSI Model No.</b>	<b>YSI Item Number</b>	<b>Description</b>
3062	603062	Cable management kit
<b>ProSolo Kits</b>		
ProSolo ODO/T Kit, 4 m	626663	ProSolo handheld (626650), ODO/T probe assembly, 4 m (627200-4), soft-sided carrying case (603162)
ProSolo ODO/T Kit, 10 m	626664	ProSolo handheld (item 626650), ODO/T probe assembly, 10 m (627200-10), soft-sided carrying case (item 603075)
ProSolo ODO/CT Kit, 4 m	626660	ProSolo handheld (626650), ODO/CT probe assembly, 4 m (627150-4), soft-sided carrying case (603075)
ProSolo ODO/CT Kit, 10 m	626661	ProSolo handheld (626650), ODO/T probe assembly, 4 m (627150-10), soft-sided carrying case (603075)
<b>ProDSS Factory Service Plans--YSI REPAIR CENTER ONLY</b>		
	999041	1 Year ProDSS Factory Service Plan
	999042	2 Year ProDSS Factory Service Plan
	999043	3 Year ProDSS Factory Service Plan

YSI Model No	YSI Item No	Description
<b>ProSample Portable Automated Samplers</b>		
ProSample P	630141	Portable sampler with plastic housing, peristaltic pump, microprocessor control, battery operated 12V/7.5Ah. Includes battery, two peristaltic pump tubes, USB cable, Getting Started Guide, and a 5 meter suction hose with screw connection and sinker weight.
ProSample P-12	630111	Portable sampler with plastic housing, peristaltic pump, microprocessor control, battery operated 12V/7.5Ah, and SDI-12 connectivity. Includes battery, two peristaltic pump tubes, USB cable, Getting Started Guide, and a 5 meter suction hose with screw connection and sinker weight.
ProSample PM	630140	Mini portable sampler with plastic housing, peristaltic pump, microprocessor control, battery operated 12V/7.5Ah. Includes 10L PE composite sampling bottle with lid, battery, two peristaltic pump tubes, USB cable, Getting Started Guide, and a 5 meter suction hose with screw connection and sinker weight.
ProSample PM-12	630110	Mini portable sampler with plastic housing, peristaltic pump, microprocessor control, battery operated 12V/7.5Ah, and SDI-12 connectivity. Includes 10L PE composite sampling bottle with lid, battery, two peristaltic pump tubes, USB cable, Getting Started Guide, and a 5 meter suction hose with screw connection and sinker weight.
<b>ProSample Kits</b>		
	630156	Includes ProSample P (630141) with 5 meter suction hose, 26L (PE) composite bottle (630118), CEC compliant battery charger (630137), and 8 x 8 mm strainer (0030051).
	630157	Includes ProSample P (630141) with 5 meter suction hose, set of (24) 1L bottles (630134), distributor arm (630112), CEC compliant battery charger (630137), and 8 x 8 mm strainer (0030051).
	630158	Includes ProSample PM (630140) with 5 meter suction hose and 10L composite bottle, CEC compliant battery charger (630137), and 8 x 8 mm strainer (0030051)
<b>Bottles and Distributor arm for P and P-12 Models</b>		
	630134	Set of (24) 1L bottles (PE) with lids
	630135	Set of (8) 2L bottles (PE) with lids and fixing plate
	630136	Set of (4) 4L bottles (PE) with lids and fixing plate
	630152	Set of (24) 350mL bottles (glass) with lids and fixing plate
	630142	Set of (12) 950 mL bottles (glass) with lids and fixing plate
	630143	Set of (8) 2L bottles (glass) with lids and fixing plate
	630118	26L (PE) composite bottle with lid
	630112	Distributor arm for 24 x 1L PE, 8 x 2L glass, 12 x 950 mL glass, 24 x 350mL glass; distributor tube (0901064) is pre-installed
	630113	Distributor arm for 4 x 4L PE and 8 x 2L PE; distributor tube (0901064) is pre-installed
<b>Flow Signal and SDI-12 Cables</b>		

	630147	10 meter flow signal cable with open cable end for wiring to a digital or analog device, as well as non-SDI-12 event connections (i.e. a relay)
	630146	10 meter SDI-12 cable with open cable end for wiring to an SDI-12 device (e.g. EXO1 and EXO2 with signal output adapter)
	630145-02	2 meter SDI-12 cable with 6-pin female wet-mate connector for direct connection to YSI EXO3 sonde
	630145-04	4 meter SDI-12 cable with 6-pin female wet-mate connector for direct connection to YSI EXO3 sonde
	630145-10	10 meter SDI-12 cable with 6-pin female wet-mate connector for direct connection to YSI EXO3 sonde
	630145-15	15 meter SDI-12 cable with 6-pin female wet-mate connector for direct connection to YSI EXO3 sonde
	630145-33	33 meter SDI-12 cable with 6-pin female wet-mate connector for direct connection to YSI EXO3 sonde
	630155	Cable for connection of ProSample to external 12 V DC source, 2.5 m length
<b>Battery Chargers</b>		
	630137	Battery charger, IP-67 (waterproof) rated, for US customers, CEC compliant
	630122	Battery charger, IP-67 (waterproof) rated, for non-US customers, does not include international adapters
	630144	Battery charger, not IP-67 (waterproof) rated, for non-US customers, does not include international adapters
	630153	International adapter kit
<b>ProSample Accessories</b>		
	0030051	Strainer 8 x 8 mm
	0901025	Strainer 2 x 2 mm
	0069810	Y-Cable for continuous connection of the ProSample battery to AC power. Only recommended if AC power source near location of ProSample. This allows the battery to receive continuous charge.
	0901074	Lockable latches - Qty of 3
	0901072	Suspension harness for ProSample PM and ProSample PM-12
	0901073	Suspension harness for ProSample P and ProSample P-12
	0900045	Suspension bar for harness
	0901097	Transport trolley
<b>Replacement Parts</b>		
	630132-05	5 meter suction hose with screw connection and sinker weight
	630132-10	10 meter suction hose with screw connection and sinker weight
	630132-20	20 meter suction hose with screw connection and sinker weight
	630125	SDI-12 connector to ProSample, no cable included
	0050598	Stainless steel sinker weight, length 180 mm
	0069793	USB cable - USB2.0 to USB Mini
	0901055	Battery pack, 7.5Ah with connection cable and fuse holder



	0060589	Desiccant cartridge
	630119	Fuse T 8A 5x20
	630120	Fuse 2A
	0901101	Battery retaining band
	0901062	Peristaltic pump tube
	0901063	Intermediate tube; does not include the 630126 adapter that allows connection of the suction hose
	0901064	Distributor tube
	630126	Adapter, male 3/4inch-14BSPP to barbed 10mm ID; this adapter is installed at the end of intermediate tube and allows for connection of the intermediate tube to the suction hose
	630127	Adapter, female 3/4inch-14BSPP to barbed 3/8 inch ID; this adapter is installed at the end of the suction hose and allows for connection of the suction hose to the intermediate tube
	0050695-VA	Tube connector V2A (stainless steel); 1 piece
	0050695-PTFE	Tube connector PTFE; 1 piece
	0060584	Replacement bottle, 1L, PE
	630150	Replacement cap for 1L bottle
	0060636	Replacement bottle, 2L, PE
	0060634	Replacement bottle, 4L, PE
	0030052	Replacement bottle, 350mL, Glass
	0060628	Replacement cap for 350mL bottle, PE white
	0030054	Replacement bottle, 950mL, Glass
	0060640	Replacement cap for 950mL bottle, PE white
	0030013	Replacement bottle for 2L, Glass
	0060161	Replacement cap for 2L, PE white
	630151	Replacement 10L (PE) bottle with lid

<b>PRODIGITAL</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
<b>ODO RTU (ODO/T Probe Assemblies)</b>		
ODORTU-1 m	627350-1	ODO RTU probe assembly, 1 m
ODORTU-4 m	627350-4	ODO RTU probe assembly, 4 m
ODORTU-10 m	627350-10	ODO RTU probe assembly, 10 m
ODORTU-20 m	627350-20	ODO RTU probe assembly, 20 m
ODORTU-30 m	627350-30	ODO RTU probe assembly, 30 m
ODORTU-50 m	627350-50	ODO RTU probe assembly, 50 m
ODORTU-100 m	627350-100	ODO RTU probe assembly, 100 m
<b>ODO RTU w/ Conductivity (ODO/CT Probe Assemblies)</b>		
ODORTU/CT -1 m	627370-1	ODO RTU probe assembly with conductivity , 1 m
ODORTU/CT-4 m	627370-4	ODO RTU probe assembly with conductivity, 4 m
ODORTU/CT-10 m	627370-10	ODO RTU probe assembly with conductivity, 10 m
ODORTU/CT-20 m	627370-20	ODO RTU probe assembly with conductivity, 20 m
ODORTU/CT-30 m	627370-30	ODO RTU probe assembly with conductivity, 30 m
ODORTU/CT-50 m	627370-50	ODO RTU probe assembly with conductivity, 50 m
ODORTU/CT-100 m	627370-100	ODO RTU probe assembly with conductivity, 100 m

<b>LAB &amp; FIELD SAMPLING PRODUCTS</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
<b>YSI 550A DO Dissolved Oxygen</b>		
559	655900	DO Replaceable Probe
<b>556 Cables &amp; Probes</b>		
5564	005564	pH Kit
5565	005565	pH/ORP Kit
5564A	655564	5564A Amplified pH Sensor
5564A Kit	655561	5564A Amplified pH Sensor Kit*
5565A	655565	5565A Amplified pH/ORP Combo Sensor
5565A Kit	655562	5565A Amplified pH/ORP Combo Sensor Kit*
	655575	Guard extension kit, Pro Series, 556
5563-10	5563-10	10 m cable and DO/Temp/Cond
5563-20	5563-20	20 m cable and DO/Temp/Cond
5563-4	5563-4	4 m cable and DO/Temp/Cond
<b>556 Accessories</b>		
695	069582	Transport Calibration Cup, Clear
5083	005083	Flow Cell
5084	655293	Maintenance Kit
5511	005511	Maintenance Kit
5560	005560	Cond, Temp Replaceable Probe
<b>Dissolved Oxygen Probes &amp; Cables</b>		
5010	050102	BOD Probe, Self-Stirring, 5 ft.
5010-J	050103	BOD Probe, Self-Stirring, 5 ft.
5010-K	050104	BOD Probe, Self-Stirring, 5 ft.
5010-L	050105	BOD Probe, Self-Stirring, 5 ft.
5010-W	050113	BOD Probe, Wine Bottle Probe, Self-Stirring, 5 ft.
5718	005718	Field Probe/Cable Assembly, 12 ft.
5739	057087	Requires 5740 or 5795 Cable
070786	070786	O-Ring Bulk Pack, 25 each
5750	098088	BOD Probe, Non-Stirring, 6 ft.
5905-115V	059800	BOD Probe, Self-Stirring, 5 ft.
5905-230V	059854	BOD Probe, Self-Stirring, 5 ft.
5905-J	059920	BOD Probe, Self-Stirring, 5 ft.
5905-K	059930	BOD Probe, Self-Stirring, 5 ft.
5905-L	059909	BOD Probe, Self-Stirring, 5 ft.
5905-W	059940	BOD Probe, Wine Bottle Probe, Self-Stirring, 5 ft.
<b>Lab pH Probes and Accessories</b>		
1201	601201	pH Electrode, Lab, 1M
1202	601202	Temperature Probe, Stainless Steel
1203	601203	pH/ATC Temp Combination Probe, Lab, 1M
115-1	605376	ORP Electrode, Lab, 1M Cable

<b>LAB &amp; FIELD SAMPLING PRODUCTS</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
1209	601209	AC Adaptor, Universal
<b>Lab &amp; Field Sampling Product Accessories</b>		
3140	086511	Platinizing Solution, 2oz
3220	086522-4	Temperature Probe
4654	063507	Tripod Clamp
59160	059160	Label Set, Bar Code (1000 labels)
<b>Power Supplies</b>		
5117	005117	Power Supply, 115V/ 60 Hz
5401	013010	Power Supply, 115V/ 60 Hz
5734	073035	Power Supply, 115V/ 60 Hz
<b>Manuals - Note: Manuals may be downloaded from the ysi website without charge. Go to <a href="http://www.ysi.com">www.ysi.com</a></b>		

<b>Membranes &amp; Solutions</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
<b>Dissolved Oxygen Membranes/Probe Kits</b>		
5238	052380	Probe Reconditioning Kit (400 grit sanding discs and sanding tool)
5511	005511	Maintenance Kit
5680	060745	Probe Reconditioning Kit
5685	005685	Half Sens. Membrane Kit, includes 30 membranes, electrolyte, 2 o-rings (2 mil Stretch membrane)
5775	098094	Membrane Kit, Standard, includes 30 membranes, electrolyte, 2 o-rings (1 mil Stretch membrane)
5776	098095	Membrane Kit, High Sensitivity, includes 30 membranes, electrolyte, 2 o-rings (0.5 mil Stretch membrane)
5793	066155	Membranes, 10-Pack, includes 150 membranes, Standard (1 mil Stretch membrane)
5794	066156	Membranes, 10-Pack, includes 150 membranes, High-Sens (0.5 mil Stretch membrane)
5906	059880	Cap Membrane Kit 1.00 Mil Teflon (6 each), includes electrolyte (black cap)
5908	605306	Cap Membrane Kit 1.25 Mil PE (6 each), includes electrolyte (yellow cap)
5909	605307	Cap Membrane Kit 2.00 Mil PE(6 each), includes electrolyte (blue cap)
5912	605912	Cap Membrane Kit 1.00 Mil Teflon (6 each), includes electrolyte (black cap)
5913	605913	Cap Membrane Kit 1.25 Mil PE (6 each), includes electrolyte (yellow cap)
5914	605914	Cap Membrane Kit 2.00 Mil PE(6 each), includes electrolyte (blue cap)
ODO-CAP	626320	Replacement ODO Sensor Cap Kit
5945	098400	O-Ring Kit
5986	098405	Diaphragm Kit
Cap Membrane; uses Na <sub>2</sub> SO <sub>4</sub> .KCl solution		
Stretch Membrane; uses KCl electrolyte solution (used with 5685, 5775, 5776)		
where mil = .001 inches (1/1000 of an inch thickness)		
<b>Calibrator Solutions/Standards</b>		
3161	065270	Conductivity Calibrator, 1,000 umhos/cm (quart)
3163	065272	Conductivity Calibrator, 10,000 umhos/cm (quart)
3165	065274	Conductivity Calibrator, 100,000 umhos/cm (quart)
3167	060907	Conductivity Calibrator, 1,000 umhos/cm (8 ea, pint)
3160	060906	Conductivity Calibrator Solution 1413 umhos/CM, +/- 1% (.01 MOLAR KCL) (8 ea, pint)
3168	060911	Conductivity Calibrator, 10,000 umhos/cm (8 ea, pint)
3169	060660	Conductivity Calibrator, 50,000 umhos/cm (8 ea, pint)
3682	061320	Zobell Solution, ORP Calibrator 125 mL
	061321	Zobell Solution, ORP Calibrator 250 mL
	061322	Zobell Solution, ORP Calibrator 500 mL
3821	003821	pH 4 Buffer (box of 6 pints)
3822	003822	pH 7 Buffer (box of 6 pints)

Membranes & Solutions		
YSI Model Number	YSI Item Number	Description
3823	003823	pH 10 Buffer (box of 6 pints)
3824	603824	pH Buffer, Assorted Case
3841	003841	Ammonium Cal Solution, 1 mg/L (500mL)
3842	003842	Ammonium Cal Solution, 10 mg/L (500mL)
3843	003843	Ammonium Cal Solution, 100 mg/L (500mL)
5580	005580	5580 Confidence Solution (case of 6 pints)
6072	607200	Turbidity Std. - 12.7 NTU (6136), 12.4 NTU (EXO & ProDSS) - 1 Gallon
6073G	607300	Turbidity Std. - 126 NTU (6136), 124 NTU (EXO & ProDSS), - 1 Gallon
6074	607400	Turbidity Std. - 1000 NTU (6136), 1010 NTU (EXO & ProDSS) - 1 Gallon
6080	608000	Turbidity Std. - 0 NTU (All turbidity sensors) - 1 Gallon
3885	003885	Nitrate Standard, 1 mg/L (500mL)
3886	003886	Nitrate Standard, 10 mg/L (500mL)
3887	003887	Nitrate Standard, 100 mg/L (500mL)

<b>Photometry</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
<b>Photometers</b>		
YPT980	YPT980	Photometer 9800 Kit (includes carrying case)
<b>Instrument Accessories</b>		
YPT287	YPT287	9800 Carrying Case
YPT986	YPT986	USB Cable, Type A to C
<b>Photometry Accessories</b>		
YPT805	YPT805	9800 Photometer Check Standards
YPT988	YPT988	Round Test Tubes with Caps, 5 ea. (9800 only)
YPT983	YPT983	Polishing Cloth
YPT989	YPT989	Reagent Box
YPT370	YPT370	20 ml Syringe Luer, 1 ea.
YPT502	YPT502	Crush/Stir Rod, 10 ea.
YPT500	YPT500	DE-ION Pack, up to 5 liters, 1 ea.
YPT512	YPT512	Dilution Tube, 1 ea.
YPT606	YPT606	Filter Holder Luer, 1 ea.
YPT600	YPT600	Filtration Set Luer/GFB, 1 ea.
YPT603	YPT603	GFB filters, 50 ea.
YPT526	YPT526	Nitrate Tube, 1 ea.
YPT671	YPT671	Plastic Tweezers
YPT595	YPT595	Round Test Tube with Cap, 5 ea.
YPT361	YPT361	Syringe, 1ml, 1 ea.
YPT663	YPT663	Test Tube Brush, 1 ea.
YPT501	YPT501	Test Tube Rack
<b>Photometry Reagent Starter Kits (Includes reagents, instructions and accessories for 50 tests)</b>		
YPM188	YPM188	Alkalinity, Total
YPM166	YPM166	Aluminum
YPM152	YPM152	Ammonia
YAT1707	YAT1707	Ammonia Conditioning Reagent, 50 tests
YPM252	YPM252	Calcium Hardness
YPM268	YPM268	Chloride
YPM052	YPM052	Chlorine Dioxide (DPD Glycine Method)
YPM011	YPM011	Chlorine DPD-Free
YPM031	YPM031	Chlorine DPD-Free, Combined and Total
YPM162	YPM162	Chlorine HR
YPM281	YPM281	Chromium, hexavalent
YPM186	YPM186	Copper
YPM179	YPM179	Fluoride
YPM254	YPM254	Hardness

<b>Photometry</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
YPM155	YPM155	Iron LR
YPM292	YPM292	Iron MR
YPM193	YPM193	Magnesium
YPM173	YPM173	Manganese
YPM284	YPM284	Nickel
YPM163	YPM163	Nitrate
YPM109	YPM109	Nitrite-N
YPM260	YPM260	Nitrite-NaNO2
YPM056	YPM056	Ozone
YPM130	YPM130	pH (Phenol Red)
YPM114	YPM114	Phosphate HR
YPM177	YPM177	Phosphate LR
YPM189	YPM189	Potassium
YPM181	YPM181	Silica
YPM290	YPM290	Silica HR
YPM154	YPM154	Sulfate
YPM168	YPM168	Sulfide
YPM266	YPM266	Sulfite
YPM269	YPM269	Turbidity (Includes Color)
YPM148	YPM148	Zinc
<b>Photometry Replacement Reagents</b>		
<b>(250 tests per pack, except as noted)</b>		
YAP188	YAP188	Alkalinity, Total
YAP250	YAP250	Alkalinity-Methol orange
YAP251	YAP251	Alkalinity-Phenolphthalein
YAP166	YAP166	Aluminum
YAP152	YAP152	Ammonia
YAP060	YAP060	Bromine
YAP252	YAP252	Calcium Hardness
YAP268	YAP268	Chloride
YAP052	YAP052	Chlorine Dioxide (DPD Glycine Method)
YAP041	YAP041	Chlorine DPD4
YAP011	YAP011	Chlorine DPD-Free
YAP031	YAP031	Chlorine DPD-Free, Combined and Total
YAP021	YAP021	Chlorine DPD-Free, Monochloramine & Dichloramine
YAP281	YAP281	Chromium, hexavalent
YAP186	YAP186	Copper



Photometry		
YSI Model Number	YSI Item Number	Description
YAP187	YAP187	Copper (free)
YAP087	YAP087	Cyanuric Acid
YAP179	YAP179	Fluoride, 200 tests per pack
YAP254	YAP254	Hardness
YAP156	YAP156	Iron HR
YAP155	YAP155	Iron LR
YAP292	YAP292	Iron MR
YAP193	YAP193	Magnesium
YAP173	YAP173	Manganese
YAP284	YAP284	Nickel
YAP163	YAP163	Nitrate, 200 test per pack (Nitratetest)
YAP109	YAP109	Nitrite-N (Nitracol)
YAP260	YAP260	Nitrite-NaNO <sub>2</sub> (Nitraphot)
YAP056	YAP056	Ozone
YAP130	YAP130	pH (Phenol Red)
YAP114	YAP114	Phosphate HR
YAP177	YAP177	Phosphate LR, 200 tests per pack
YAP189	YAP189	Potassium
YAP290	YAP290	Silica HR
YAP181	YAP181	Silica, 200 tests per pack
YAP154	YAP154	Sulfate
YAP168	YAP168	Sulfide, 200 tests per pack
YAP266	YAP266	Sulfite
YAP148	YAP148	Zinc

Colorimeters		
YSI Model Number	YSI Item Number	Description
<b>Colorimeters</b>		
pHotoFlex STD	251105Y	pHotoFlex STD LED colorimeter with 6 wavelengths, 35 pre-defined tests, 50 user-defined tests and 100 data set memory.
pHotoFlex pH	251100Y	pHotoFlex pH LED filter colorimeter with 6 wavelengths, 38 pre-defined tests, 100 user-defined tests with BNC connector for pH probe and 1000 data set memory.
pHotoFlex pH/SET	251200Y	pHotoFlex pH/SET. LED filter colorimeter with 6 wave lengths, BNC connector for pH probe in a field case with field tray, stand and vials; pH electrode, 2 each 10 ml and 2 ml syringe. Accessories: empty cuvettes 16+28 mm, cleaning tissues, stand, 2 empty buffer bottles, beaker, screw driver, PC-software LSdata, RS232 PC cable.
pHotoFlex STD/SET	251205Y	pHotoFlex STD/SET. LED colorimeter with 6 wave lengths, in a field case with field tray to hold instrument, stand and vials, 2 ea 10 ml and 2 ml syringe. Accessories: empty cuvettes 16+28 mm, cleaning tissues, stand, 2 empty bottles, beaker, screw driver, PC-software LSdata, RS232 PC cable.
900	250900Y	Model 900 Free and Total Chlorine Colorimeter, includes: instrument, manual, 100 free and 100 total chlorine DPD powder packets (251414Y and 251401Y), carrying case, batteries, cleaning brush. screw driver and (3) 10 ml cuvettes, 24 mm Ø and (2) 5 ml cuvettes, 10 mm
910	250910Y	Model 910 COD Colorimeter, includes: manual, instrument, carrying case, batteries, screw driver, 3 ml syringe and 1 ml syringe
<b>Thermal Reactors</b>		
CR 2200	1P21-2Y	Thermoreactor for COD and thermal digestions for up to 12 test tubes, with 3 reactors temperatures and 8 fixed programs. 115 V version.
CR 3200	1P22-2Y	Thermoreactor for COD and thermal digestions, up to 24 reaction cuvettes, 8 user defined/8 fixed programs, selectable temperature. 115 V version.
CR 4200	1P23-2Y	Thermoreactor for COD and thermal digestions, 2 different temperature blocks for up to 12 reaction cuvettes each, 8 user defined/8 fixed programs, selectable temperature. 115 V version.
<b>Thermal Reactor Accessories</b>		
TFK CR	250100Y	External temperature sensor for CR 3200 and CR 4200 thermoreactors.
AK CR/P	250101Y	Printer connection cable for CR 3200 and CR 4200 thermoreactors.
AK CR/PC	250102Y	RS 232 PC connection cable for CR 3200 and CR 4200 thermoreactors.
<b>Colorimeter Accessories</b>		
Data Hub	200900Y	900 Data Hub for 900 and 910 colorimeters
LSdata Flex/430	199163Y	photoFlex GLP compliant PC software for data management and transfer.
FC pHotoFlex	251304Y	Field case with field tray to hold pHotoFlex, stand and cuvettes. Additional space to hold accessories and pipette.
RB Flex/430	251300Y	Rechargeable battery with universal plug for all pHotoFlex pH models.
LS Flex/430	251301Y	LabStation for pHotoFlex series includes data management software, rechargeable batteries and universal plug, RS 232 interface. Loading function; barcode reader use optional.
LK28-Set	251302Y	12 pHotoFlex replacement vials, 28 x 60 mm.
AK 540/B	902842Y	PC interface cable for connecting pHotoFlex to a PC via RS 232 interface.
AK Labor	902758Y	PC interface cable for connecting Lab Station with a pHotoFlex to a PC via RS 232 interface.
ADA USB	902881Y	RS232 serial to USB adapter for pHotoFlex colorimeters (requires instrument RS 232 cable)
Sentix® 42	103637Y	photoFlex pH electrode, integrated temperature sensor BNC plug and banana plug, 3.3 ft (1 m) cable
251399	251399Y	Secondary Reference Standard Set, Chlorine
YREP3-90001015	YREP3-90001015	Replacement light shield, photoFlex STD
YREP3-90001004	YREP3-90001004	Replacement light shield, photoFlex pH
ADA-16/900	251394Y	Replacement COD tube adapter, 16 mm, 910 colorimeter
SC-24	251393Y	Sample cuvettes, 24 mm, pack of 12, 900 colorimeter
SL-Ci2 1.5 mg/L	251392Y	Primary Chlorine Standard, 1.5 mg/L, 100 mL, 900 colorimeter
<b>Reagents, Powder Packs</b>		
Al-1 TP	251400Y	Aluminum, powder pack reagent set with 25 ml ECR Masking liquid reagent, 100 tests
Ci2-1 TP	251401Y	DPD, Chlorine, free, powder pack reagent, 10 ml, pack of 100
Ci2-2 TP	251402Y	DPD, Chlorine, free, powder pack reagent, 25 ml, pack of 100

Colorimeters		
YSI Model Number	YSI Item Number	Description
<b>Colorimeters</b>		
CI2-3 TP	251414Y	DPD, Chlorine, total, powder pack reagent, 10 ml, pack of 100
CI2-4 TP	251415Y	DPD, Chlorine, total, powder pack reagent, 25 ml, pack of 100
Cu-1 TP	251403Y	Copper, powder pack reagent, pack of 100
CI2-1 TP LP	251401LP1Y	DPD, Chlorine, free 10 ml, powder pack reagent, pack of 1000
CI2-2 TP LP	251402LP1Y	DPD, Chlorine, free 25 ml, powder pack reagent, pack of 1000
CI2-F5F	251398Y	DPD, Chlorine, free, powder pack reagent, 5 ml, pack of 100
CI2-F5F LP	251398LPY	DPD, Chlorine, free, powder pack reagent, 5 ml, pack of 1000
CI2-3 TP LP	251414LP1Y	DPD, Chlorine, total, powder pack reagent, 10 ml, pack of 1000
CI2-4 TP LP	251415LP1Y	DPD, Chlorine, total, powder pack reagent, 25 ml, pack of 1000
CI2-F5T	251397Y	DPD, Chlorine, total, powder pack reagent, 5 ml, pack of 100
CI2-F5T LP	251397LPY	DPD, Chlorine, total, powder pack reagent, 5 ml, pack of 1000
Fe-1 TP	251404Y	Iron, total, LR, powder pack reagent, pack of 100
Fe-2 TP	251405Y	Iron, total, powder pack reagent, pack of 100
Fe-2 TP LP	251405LPY	Iron, total, powder pack reagent, pack of 1000
Mn-1 TP	251406Y	Manganese HR, powder pack reagent, pack of 100
Mn-2 TP	251417Y	Manganese LR, powder pack reagent, pack of 50
Mo-1 TP	251407Y	Molybdate, powder pack reagent, 10 ml, pack of 100
Mo-2 TP	251418Y	Molybdate, powder pack reagent set, 25 ml, 100 tests
NO2-1 TP	251409Y	Nitrite, LR, powder pack reagent, 10 ml, pack of 100
NO2-3 TP	251420Y	Nitrite, LR, powder pack reagent, 25 ml, pack of 100
NH4-1 TP	251408Y	Nitrogen, Ammonia, powder pack reagent, pack of 100
DEHA1 TP	251421Y	Oxygen Scavenger, powder pack reagent, pack of 100
PO4-1 TP	251410Y	Phosphate (Orthophosphate), powder pack reagent, pack of 100
PO4-1 TP LP	251410LPY	Phosphate (Orthophosphate), powder pack reagent, pack of 1000
Potassium Iodide TP	251396Y	Potassium Iodide, powder packs, pack of 100
Si-2 TP (HR)	251412Y	Silica, HR, powder pack reagent, pack of 100
Si-1 TP (LR)	251411Y	Silica, LR, powder pack reagent, pack of 100
Si-3 TP	251422Y	Silica, UHR, powder pack reagent, pack of 100
Sulfamic Acid TP	251395Y	Sulfamic Acid, powder pack reagent, 10 mL, pack of 100
SO4-1 TP	251413Y	Sulfate, powder pack reagent, 10 ml, pack of 100
SO4-2 TP	251423Y	Sulfate, powder pack reagent, 25 ml, pack of 100
<b>Reagent - Replacement Powder Packs</b>		
Si-1 RP1	251411RP1Y	Amino Acid F, powder pack reagent, 10 mL, pack of 100
NH4-2 RP1	251997RP1Y	Ammonia Cyanurate, powder pack reagent, 5 mL, pack of 50
NH4-1 RP2	251408RP2Y	Ammonia Salicylate, powder pack reagent, 10 mL, pack of 100
NH4-2 RP2	251997RP2Y	Ammonia Salicylate, powder pack reagent, 5 mL, pack of 50
NH4-1 RP1	251408RP1Y	Ammonia Cyanurate, powder pack reagent, 10 mL, pack of 100

Colorimeters		
YSI Model Number	YSI Item Number	Description
<b>Colorimeters</b>		
Mn-2 RP2	251417RP2Y	Ascorbic Acid, powder pack reagent, pack of 100
Si-1 RP2	251411RP2Y	Citric Acid, powder pack reagent, 10 mL, pack of 100
Al-1 RP1	251400RP1Y	ECR, powder pack reagent, pack of 100
Al-1 RP2	251400RP2Y	Hexamethylenetetramine Buffer, reagent powder packs, 20 mL, pack of 100
Mn-1 RP1	251406RP1Y	Manganese Citrate Buffer, powder pack reagent, 10 mL, pack of 100
Mo-1 RP1	251407RP1Y	Molybdate HR1, powder pack reagent, 10 mL, pack of 100
Mo-2 RP1	251418RP1Y	Molybdate HR1, powder pack reagent, 25 mL, pack of 100
Mo-1 RP2	251407RP2Y	Molybdate HR2, powder pack reagent, 10 mL, pack of 100
Mo-2 RP2	251418RP2Y	Molybdate HR2, powder pack reagent, 25 mL, pack of 100
Mo-1 RP3	251407RP3Y	Molybdate HR3, powder pack reagent, 10 mL, pack of 100
Mo-2 RP3	251418RP3Y	Molybdate HR3, powder pack reagent, 25 mL, pack of 100
DEHA1 RP1	251421RP1Y	Oxygen Scavenger, DEHA 1, powder pack reagent, pack of 100
PO4-4 RP1	251987RP1Y	Phosphate 3, powder pack reagent, 10 mL, pack of 50
PO4-4 RP2	251987RP2Y	Potassium Persulfate, powder pack reagent, pack of 50
Si-2 RP1	251412RP1Y	Silica HR Acid, powder pack reagent, 10 mL, pack of 100
Si-3 RP1	251422RP1Y	Silica HR Acid, powder pack reagent, 25 mL, pack of 100
Si-2 RP2	251412RP2Y	Silica HR Citric Acid, powder pack reagent, 10 mL, pack of 100
Si-3 RP2	251422RP2Y	Silica HR Citric Acid, powder pack reagent, 25 mL, pack of 100
Si-3 RP3	251422RP3Y	Silica HR Molybdate, powder pack reagent 25 mL, pack of 100.
Si-2 RP3	251412RP3Y	Silica HR Molybdate, powder pack reagent, 10 mL, pack of 100
Mn-1 RP2	251406RP2Y	Sodium Periodate, powder pack reagent, 10 mL, pack of 100
Ntot-2 RP1	251996RP2Y	Total Nitrogen Persulfate, powder pack reagent, 10 mL, pack of 50
<b>Reagents - Vials/Cuvettes</b>		
	251985Y	COD, MR, Hg Free, vial reagent, pack of 25
COD2 TC (MR)	251991LPY	COD, MR, vial reagent, pack of 150
COD3-F TC (HR)	251984Y	COD, HR, Hg Free, vial reagent, pack of 25
COD3 TC (HR)	251992LPY	COD, HR, vial reagent, pack of 150
COD1-F TC (LR)	251986Y	COD, LR, Hg Free, vial reagent, pack of 25
COD1 TC (LR)	251990LPY	COD, LR, vial reagent, pack of 150
COD2 TC (MR)	251991Y	COD, vial reagent, MR, pack of 25
COD3 TC (HR)	251992Y	COD, vial reagent, HR, pack of 25
COD1 TC (LR)	251990Y	COD, vial reagent, LR, pack of 25
NO3-1 TC	251993Y	Nitrate, vial reagent, pack of 50 for up to 49 tests.
NO2-2 TC	251994Y	Nitrite TC, vial reagent, pack of 24
NH4-3 TC (HR)	251998Y	Nitrogen, Ammonia HR, vial reagent for up to 49 tests
NH4-2 TC (LR)	251997Y	Nitrogen, Ammonia LR, vial reagent for up to 49 tests
Ntot2 TC (HR)	251996Y	Nitrogen, Total, vial reagent pack, pack of 50 for up to 49 tests
Ntot1 TC (LR)	251995Y	Nitrogen, Total, vial reagent, pack of 50 for 25 tests for up to 49 tests

<b>Colorimeters</b>		
<b>YSI Model Number</b>	<b>YSI Item Number</b>	<b>Description</b>
<b>Colorimeters</b>		
PO4-4 TC	251987Y	Phosphorous and Acid Hydolyzable, Total, vial reagent, pack of 50
PO4-2 TC	251989Y	Phosphorous, Reactive (Orthophosphate), vial reagent, pack of 50
PO4-3 TC	251988Y	Phosphorous, Total, vial reagent, pack of 50
<b>Reagents - Tablets</b>		
CI2T1 TT (LR)	251600Y	DPD No. 1 LR, tablet reagent, pack of 100
CI2T2 TT (LR)	251601Y	DPD No. 3 LR, tablet reagent, pack of 100
CI2T3 TT (HR)	251602Y	DPD No. 1 HR, tablet reagent, pack of 100
CI2T4 TT (HR)	251603Y	DPD No. 3 HR, tablet reagent, pack of 100
<b>Reagent - liquids</b>		
N2H41 TR	251416Y	Hydrazine, liquid reagent, 100ml for 50 tests
Mn-2 A1	251417A1	Rochelle Salt, liquid reagent, 30 ml, number of tests varies with hardness concentration
Mn-2 A2	251417A2	Rochelle Salt, liquid reagent, 500 ml, number of tests varies with hardness concentration
<b>Reagent - Replacement liquids</b>		
Mn-2 RP4	251417RP4Y	Alkaline-Cyanide, liquid reagent, 100 ml
Mn-2 RP5	251417RP5Y	Alkaline-Cyanide, liquid reagent, 500 ml
Mn-2 RP1	251417RP1Y	Alkaline-Cyanide, liquid reagent, 60 ml for 50 tests
DEHA1 RP2	251421RP2Y	DEHA 2, liquid reagent, 100 ml for 400 tests
Al-1 RP3	251400RP3Y	ECR Masking, liquid reagent, 25 ml
Si-1 RP3	251411RP3Y	Molybdate 3, liquid reagent, 50 ml
Mn-2 RP7	251417RP7Y	PAN Indicator, liquid reagent, 0.1 %, 500 ml
Mn-2 RP3	251417RP3Y	PAN Indicator, liquid reagent, 0.1%, 60 ml for 50 tests
Mn-2 RP6	251417RP6Y	PAN Indicator, liquid reagent, 0.1 %, 100 ml
PO4-4 RP4	251987RP4Y	Sodium Hydroxide, liquid reagent, 1.00 N, 100 ml, 50 tests
PO4-4 RP3	251987RP3Y	Sodium Hydroxide, liquid reagent, 1.54 N, 100 ml, 50 tests

<b>MultiLab</b>		
<b>YSI Model#</b>	<b>Cat#</b>	<b>Description</b>
<b>MultiLab IDS Instruments</b>		
4010-1W	1FD350Y	MultiLab IDS One Channel Benchtop Instrument with barometer, memory, and data transfer via USB. Includes single channel instrument, universal AC power supply, electrode stand, USB cable and PC software.
4010P-1W	1FD350PY	MultiLab 4010P-1 IDS digital multiparameter single channel benchtop instrument with integrated thermal printer, barometer, memory, and data transfer via USB. Includes single channel instrument with printer, universal AC power supply, electrode stand, USB cable and PC software.
4010-2W	1FD560Y	MultiLab IDS Two Channel Benchtop Instrument with barometer, memory, data transfer via USB, and OUR/SOUR software. Includes two channel instrument with color display, universal AC power supply, electrode stand, USB cable and PC software.
4010-3W	1FD570Y	MultiLab IDS Three Channel Benchtop Instrument with barometer, memory, data transfer via USB, and OUR/SOUR software. Includes three channel instrument with color display, universal AC power supply, electrode stand, USB cable and PC software
<b>MultiLab IDS Kits</b>		
MultiLab BOD Lab Kit	626570	BOD Lab Kit, 4010-1W One Channel Benchtop instrument with OBOD probe
MultiLab pH Lab Kit	626572	pH Lab Kit, 4010-1W One Channel benchtop instrument with combination pH and temperature dual junction pH probe
MultiLab BOD/pH Lab Kit	626573	BOD/pH Lab kit, 4010-2W Two channel benchtop instrument with OBOD probe and with combination pH and temperature dual junction probe
<b>IDS Probes and Sensors</b>		
IDS ProOBOD	626500	Optical self stirring BOD probe with temperature sensor, digital
IDS ProOBOD-5	626500-5	Optical self stirring BOD probe with temperature sensor, digital, with 5 m cable
IDS 4100 ProBOD	300310	Polarographic self stirring BOD probe with temperature sensor, digital, includes 5908 membrane kit
IDS 4110	103740Y	Combination pH and temperature, plastic, gel filled, digital, double junction probe, 1.5 meter cable
IDS 4110-3	103741Y	Combination pH and temperature, plastic, gel filled, digital, double junction probe, 3 meter cable
IDS 4120	103750Y	Combination pH and temperature, plastic, refillable (3 mol KCl), digital, double junction probe, 1.5 meter cable

YSI Model#	Cat#	Description
IDS 4130	103780Y	Combination pH and temperature, glass, refillable (3 mol KCL), digital, double junction probe, 1.5 meter cable
IDS 4211	103791Y	Combination ORP/Temperature, glass, refillable (3 mol KCl), digital, double junction probe, 1.5 meter cable
IDS 4310	301710Y	Conductivity and temperature, epoxy body, 4-graphite electrodes, digital probe, 1.5 meter cable, K= 0.475 cm-1
IDS 4310-3	301711Y	Conductivity and temperature, epoxy body, 4-graphite electrodes, digital probe, 3 meter cable, K= 0.475 cm-1
IDS 4320	301720Y	Conductivity and temperature, stainless steel body, 2-electrodes, digital probe, 1.5 meter cable, K = 0.1 cm-1
IDS 4410	201300Y	Fluorescent dissolved oxygen (FDO) probe with temperature sensor, digital, 1.5 meter cable
IDS 4410-3	201301Y	Fluorescent dissolved oxygen (FDO) probe with temperature sensor, digital, 3 meter cable
<b>Wireless IDS Probes and Sensors</b>		
IDS 4110W	103760Y	Combination pH and temperature, plastic, gel filled, digital, double junction probe, wireless
IDS 4120W	103761Y	Combination pH and temperature, plastic, refillable (3 mol KCl), digital, double junction probe, wireless
IDS 4130W	103762Y	Combination pH and temperature, glass, refillable (3 mol KCL), digital, double junction probe, wireless
IDS 4210W	103763Y	Combination ORP, glass, refillable (3 mol KCl), digital, double junction probe, wireless
IDS 4310W	301716Y	Conductivity and temperature, epoxy body, 4-graphite electrodes, digital probe, K= 0.475 cm-1, wireless
IDS 4320W	301722Y	Conductivity and temperature, stainless steel body, 2-electrodes, digital probe, K = 0.1 cm-1, wireless
IDS 4410W	201306Y	Fluorescent dissolved oxygen (FDO) probe with temperature sensor, digital, wireless
<b>Wireless Sensor Accessories</b>		
IDS WA-S	108141Y	WA-S wireless sensor module for wireless MultiLab IDS sensors
IDS WA-M	108142Y	WA-M wireless meter module
IDS WA-S Charger	108143Y	Charger for WA-S wireless sensor module
IDS WA Kit	108144Y	MultiLab Wireless module kit. Includes WA-S wireless sensor module, WA-M wireless meter module, one charger for WA-S modules, and USB power supply
<b>Cable Adapters for Wireless Sensors</b>		
YSI IDS Cable - 1.5 m	903850Y	Cable (1.5 meter) for wireless MultiLab sensor; connects any wireless MultiLab sensor directly to the instrument.
YSI IDS Cable - 3 m	903851Y	Cable (3 meters) for wireless MultiLab sensor; connects any wireless MultiLab sensor directly to the instrument.

YSI Model#	Cat#	Description
<b>MultiLab IDS Accessories</b>		
YSI 4011 Adapter	902873Y	Cable for connecting YSI 5010 BOD probe to MultiLab
	108160Y	MultiLab OBOD/BOD probe power stirrer adapter; input for up to 3 stirrers
QSC Kit	109830Y	Calibration kit for IDS pH electrodes; 3 ampules: 4.01, 6.86, 9.18
4010-2/3 DIN	108131Y	DIN pH adapter for 4010-2/3
4010-2/3 BNC	108132Y	BNC pH adapter for 4010-2/3
	902867Y	Universal power supply
	109813Y	Stand + holder for 4010-X
USB A – Mini B Cable	605611	USB cable for connecting instrument with USB-Mini B to a Computer
	626473	UK Style BOD bottle funnel adaptor
250115Y	250115Y	Printer paper for MultiLab 4010P-1, TruLab 1310P, and TruLab 1320P built in printers, replacement, 1 roll
KCI-250	109705Y	3M KCI solution for refillable lab pH probes
OBOD-CAP	626482	Replacement OBOD Sensor Cap Kit
YSI SC-FDO 4410	201310Y	FDO Replacement Cap for MultiLab FDO Sensor



<b>TruLab Benchtop Laboratory Instruments and Sensors</b>		
<b>YSI Model#</b>	<b>Cat#</b>	<b>Description</b>
<b>TruLab Instruments</b>		
TruLab pH 1110	1AA120Y	TruLab 1110 pH/mV single channel benchtop instrument with BNC and two banana plug connectors. Includes instrument, universal AC power supply and electrode stand.
TruLab pH 1310	1AA320Y	TruLab 1310 pH/mV single channel benchtop instrument with BNC and two banana plug connectors, data storage and data transfer via USB. Includes instrument, universal AC power supply, electrode stand, USB cable and PC software.
TruLab pH 1310P	1AA320PY	TruLab 1310P pH/mV single channel benchtop instrument with BNC and two banana plug connectors, data storage, data transfer via USB and integrated thermal printer. Includes instrument with printer, universal AC power supply, electrode stand, USB cable and PC software.
TruLab pH/ISE 1320	1GA340Y	TruLab 1320 pH/mV/ISE dual channel benchtop meter instrument with two BNC and 4 banana plug connectors, data storage and data transfer via USB. Includes two channel instrument, universal AC power supply, electrode stand, USB cable and PC software.
TruLab pH/ISE 1320P	1GA340PY	TruLab 1320P pH/mV/ISE dual channel benchtop meter instrument with two BNC and two banana plug connectors, integrated thermal printer, data storage and data transfer via USB. Includes two channel instrument with printer, universal AC power supply, electrode stand, USB cable and PC software.
<b>TruLab pH probes</b>		
TruLine pH 15	400350	TruLine pH 15, pH electrode, Single Junction, 3 in 1, Refillable, Glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm
TruLine pH 17	400351	TruLine pH 17, pH electrode, Single Junction, Combination, Refillable, Glass shaft, 1 meter cable, BNC Connector
TruLine pH 26	400352	TruLine pH 26, pH electrode, Single Junction, 3 in 1, Gel electrolyte, Epoxy shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm
TruLine pH 25	400353	TruLine pH 25, pH electrode, Single Junction, Combination, Gel electrolyte, Epoxy shaft, 1 meter cable, BNC Connector
TruLine pH 27	400354	TruLine pH 27, pH electrode, Single Junction, Combination, Flat glass membrane, Glass shaft, 1 meter cable, BNC Connector
TruLine pH 21	400357	TruLine 21 pH, Single Junction, Combination, Spear tip membrane, Epoxy shaft, 1 meter cable, BNC connector.
Science pHT-Pt	400360	Science pHT-Pt, pH electrode, Double Junction, 3 in 1, Platinum junction, 170 mm length, glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm
Science pHT-G	400361	Science pHT-G, pH electrode, Double Junction, 3 in 1, ground joint junction, 170 mm length, glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm
Science pHT-Micro	400362	Science pHT-Micro, pH electrode, Double Junction, 3 in 1, Platinum junction, 170 mm length, Micro electrode, glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm
<b>TruLab ORP probes</b>		
TruLine ORP 50	400355	TruLine ORP 50, ORP electrode, Single Junction, Refillable, Glass shaft, 1 meter cable, BNC Connector
TruLine ORP 51	400356	TruLine ORP 51, ORP electrode, Single Junction, Gel electrolyte, Epoxy shaft, 1 meter cable, BNC Connector
<b>TruLab Temperature probes</b>		
ScienceLine Temp 135	400363	ScienceLine Temp 135, Temperature sensor, Stainless Steel, 120 mm, 1 banana plug, NTC 30 kOhm
ScienceLine Temp 136	400364	ScienceLine Temp 136, Temperature sensor, Glass, 120 mm, 1 banana plug, NTC 30 kOhm

YSI Model#	Cat#	Description
<b>TruLab Accessories</b>		
USB A – Mini B Cable	605611	USB cable for connecting instrument with USB-Mini B to a Computer
250115Y	250115Y	Printer paper for MultiLab 4010P-1, TruLab 1310P, and TruLab 1320P built in printers, replacement, 1 roll
Power Supply	902867Y	Universal power supply
<b>Solutions: Please See Membranes &amp; Solutions Tab For pH and Zobell Solutions</b>		
KCI-250	109705Y	3M KCl solution for refillable lab pH probes

<b>TruLine ISE Electrodes and Solutions</b>		
<b>YSI Model#</b>	<b>Cat#</b>	<b>Description</b>
<b>TruLine ISE Electrode Kits</b>		
TruLine Ammonia Electrode Kit	400365	TruLine Ammonia Laboratory Electrode Kit, includes gas-sensing ammonia combination ISE, replaceable/refillable membrane, double-junction reference, 3 foot cable and BNC Connector. Range: 0.02-17,000 mg/L
TruLine Ammonium Electrode Kit	400371	TruLine Ammonium Laboratory Electrode Kit, includes refillable ammonium combination ISE with PVC membrane and replaceable sensor module, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.02-1,800 mg/L
TruLine Bromide Electrode Kit	400377	TruLine Bromide Laboratory Electrode Kit, includes solid state, refillable Bromide Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.4-79,900 mg/L
TruLine Cadmium Electrode Kit	400382	TruLine Cadmium Laboratory Electrode Kit, includes solid state, refillable Cadmium Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.1-11,200 mg/L
TruLine Calcium Electrode Kit	400387	TruLine Calcium Laboratory Electrode Kit, includes PVC membrane, refillable Calcium Combination ISE, replaceable sensor module, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.02-40,000 mg/L
TruLine Chloride Electrode Kit	400393	TruLine Chloride Laboratory Electrode Kit, includes solid state, refillable Chloride Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 1.8-35,500 mg/L
TruLine Copper Electrode Kit	400445	TruLine Copper Laboratory Electrode Kit, includes solid state, refillable Copper Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.6-6,400 mg/L
TruLine Cyanide Electrode Kit	400403	TruLine Cyanide Laboratory Electrode Kit, includes solid state, refillable Cyanide Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.2-260 mg/L
TruLine Fluoride Electrode Kit	400406	TruLine Fluoride Laboratory Electrode Kit, includes LaF Crystal type, refillable Fluoride Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.02 mg/L - saturation
TruLine Iodide Electrode Kit	400411	TruLine Iodide Laboratory Electrode Kit, includes solid state, refillable Iodide Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.006-127,000 mg/L
TruLine Lead Electrode Kit	400416	TruLine Lead Laboratory Electrode Kit, includes solid state, refillable Lead Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.02-20,700 mg/L
TruLine Nitrate Electrode Kit	400421	TruLine Nitrate Laboratory Electrode Kit, includes refillable, PVC membrane Nitrate Combination ISE with replaceable sensor module, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.4-62,000 mg/L
TruLine Potassium Electrode Kit	400427	TruLine Potassium Laboratory Electrode Kit, includes refillable Potassium Combination ISE with PVC membrane, replaceable sensor module, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.04-39,000 mg/L
TruLine Silver/Sulfide Electrode Kit	400433	TruLine Silver/Sulfide Electrode Kit, includes solid state, refillable Silver/Sulfide Combination ISE, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.01-107,900 mg/L (Silver) 0.003-32,100 mg/L (Sulfide)
TruLine Sodium Electrode Kit	400439	TruLine Sodium Electrode Kit, includes refillable Sodium Combination ISE with glass sensor, epoxy body, double-junction reference, 3 foot cable, BNC Connector. Range: 0.1-23,000 mg/L
<b>TruLine ISE Replacement Modules</b>		
TruLine Ammonia Electrode RM	400366	TruLine Ammonia Replacement Membrane Modules, 4 ea, includes fill solution
TruLine Ammonium Electrode RM	400372	TruLine Ammonium Electrode Replacement Sensor Module, 1 each
TruLine Calcium Electrode RM	400388	TruLine Calcium Electrode Replacement Sensor Module, 1 each
TruLine Nitrate Electrode RM	400422	TruLine Nitrate Electrode Replacement Sensor Module, 1 each
TruLine Potassium Electrode RM	400428	TruLine Potassium Electrode Replacement Sensor Module, 1 each

YSI Model#	Cat#	Description
<b>TruLine ISE Ionic Strength Adjustor Solutions</b>		
TruLine Ammonia ISA	400368	TruLine Ammonia Ionic Strength Adjustor, 500 mL
TruLine Ammonium ISA	400374	TruLine Ammonium Ionic Strength Adjustor, 500 mL
TruLine Bromide ISA	400379	TruLine Bromide Ionic Strength Adjustor, 500 mL
TruLine Cadmium ISA	400384	TruLine Cadmium Ionic Strength Adjustor, 500 mL
TruLine Calcium ISA	400390	TruLine Calcium Ionic Strength Adjustor, 500 mL
TruLine Chloride ISA	400395	TruLine Chloride Ionic Strength Adjustor, 500 mL
TruLine Copper ISA	400447	TruLine Copper Ionic Strength Adjustor, 500 mL
TruLine Cyanide ISA	400405	TruLine Cyanide Ionic Strength Adjustor, 500 mL
TruLine Fluoride ISA	400408	TruLine Fluoride Ionic Strength Adjustor, 500 mL
TruLine Iodide ISA	400413	TruLine Iodide Ionic Strength Adjustor, 500 mL
TruLine Lead ISA	400418	TruLine Lead Ionic Strength Adjustor, 500 mL
TruLine Nitrate ISA	400424	TruLine Nitrate Ionic Strength Adjustor, 500 mL
TruLine Potassium ISA	400430	TruLine Potassium Ionic Strength Adjustor, 500 mL
TruLine Silver ISA	400435	TruLine Silver Ionic Strength Adjustor, 500 mL
TruLine Sulfide ISA	400436	TruLine Sulfide Ionic Strength Adjustor, 500 mL
TruLine Sodium ISA	400441	TruLine Sodium Ionic Strength Adjustor, 500 mL
<b>TruLine ISE Standards</b>		
TruLine Ammonia Low Standard	400369	TruLine Ammonia Low Standard Solution, 100 mg/L, 500 mL
TruLine Ammonia High Standard	400370	TruLine Ammonia High Standard Solution, 1000 mg/L, 500 mL
TruLine Ammonium Low Standard	400375	TruLine Ammonium Low Standard Solution, 100 mg/L, 500 mL
TruLine Ammonium High Standard	400376	TruLine Ammonium Standard Solution, 1000 mg/L, 500 mL
TruLine Bromide Low Standard	400380	TruLine Bromide Low Standard Solution, 100 mg/L, 500 mL
TruLine Bromide High Standard	400381	TruLine Bromide High Standard Solution, 1000 mg/L, 500 mL
TruLine Cadmium Low Standard	400385	TruLine Cadmium Low Standard Solution, 100 mg/L, 500 mL
TruLine Cadmium High Standard	400386	TruLine Cadmium High Standard Solution, 1000 mg/L, 500 mL
TruLine Calcium Low Standard	400391	TruLine Calcium Low Standard Solution, 100 mg/L, 500 mL
TruLine Calcium High Standard	400392	TruLine Calcium High Standard Solution, 1000 mg/L, 500 mL
TruLine Chloride Low Standard	400396	TruLine Chloride Low Standard Solution, 100 mg/L, 500 mL
TruLine Chloride High Standard	400397	TruLine Chloride High Standard Solution, 1000 mg/L, 500 mL
TruLine Copper Low Standard	400448	TruLine Copper Low Standard Solution, 100 mg/L, 500 mL
TruLine Copper High Standard	400449	TruLine Copper High Standard Solution, 1000 mg/L, 500 mL
TruLine Fluoride Low Standard	400409	TruLine Fluoride Low Standard Solution, 100 mg/L, 500 mL
TruLine Fluoride High Standard	400410	TruLine Fluoride High Standard Solution, 1000 mg/L, 500 mL
TruLine Iodide Low Standard	400414	TruLine Iodide Low Standard Solution, 100 mg/L, 500 mL
TruLine Iodide High Standard	400415	TruLine Iodide High Standard Solution, 1000 mg/L, 500 mL
TruLine Lead Low Standard	400419	TruLine Lead Low Standard Solution, 100 mg/L, 500 mL
TruLine Lead High Standard	400420	TruLine Lead High Standard Solution, 1000 mg/L, 500 mL
TruLine Nitrate Low Standard	400425	TruLine Nitrate Low Standard Solution, 100 mg/L, 500 mL
TruLine Nitrate High Standard	400426	TruLine Nitrate High Standard Solution, 1000 mg/L, 500 mL
TruLine Potassium Low Standard	400431	TruLine Potassium Low Standard Solution, 100 mg/L, 500 mL
TruLine Potassium High Standard	400432	TruLine Potassium High Standard Solution, 1000 mg/L, 500 mL
TruLine Silver Low Standard	400437	TruLine Silver Low Standard Solution, 100 mg/L, 500 mL
TruLine Silver High Standard	400438	TruLine Silver High Standard Solution, 1000 mg/L, 500 mL

<b>YSI Model#</b>	<b>Cat#</b>	<b>Description</b>
TruLine Sodium Low Standard	400442	TruLine Sodium Low Standard Solution, 100 mg/L, 500 mL
TruLine Sodium High Standard	400443	TruLine Sodium High Standard Solution, 1000 mg/L, 500 mL
<b>TruLine ISE Reference Filling Solutions</b>		
TruLine Ammonia Electrode FS	400367	TruLine Ammonia Electrode Filling Solution, 60 mL
TruLine Ammonium Electrode FS	400373	TruLine Ammonium Electrode Reference Filling Solution, 60 mL
TruLine Bromide Electrode FS	400378	TruLine Bromide Electrode Reference Filling Solution, 60 mL
TruLine Cadmium Electrode FS	400383	TruLine Cadmium Electrode Reference Filling Solution, 60 mL
TruLine Calcium Electrode FS	400389	TruLine Calcium Electrode Reference Filling Solution, 60 mL
TruLine Chloride Electrode FS	400394	TruLine Chloride Electrode Reference Filling Solution, 60 mL
TruLine Copper Electrode FS	400446	TruLine Copper Electrode Reference Filling Solution, 60 mL
TruLine Cyanide Electrode FS	400404	TruLine Cyanide Electrode Reference Filling Solution, 60 mL
TruLine Fluoride Electrode FS	400407	TruLine Fluoride Electrode Reference Filling Solution, 60 mL
TruLine Iodide Electrode FS	400412	TruLine Iodide Electrode Reference Filling Solution, 60 mL
TruLine Lead Electrode FS	400417	TruLine Lead Electrode Reference Filling Solution, 60 mL
TruLine Nitrate Electrode FS	400423	TruLine Nitrate Electrode Reference Filling Solution, 60 mL
TruLine Potassium Electrode FS	400429	TruLine Potassium Electrode Reference Filling Solution, 60 mL
TruLine Silver/Sulfide Electrode FS	400434	TruLine Silver/Sulfide Electrode Reference Filling Solution, 60 mL
TruLine Sodium Electrode FS	400440	TruLine Sodium Electrode Reference Filling Solution, 60 mL
<b>TruLine ISE Accessories</b>		
TruLine Sodium Soaking Solution	400444	TruLine Sodium Soaking Solution, 60 mL

<b>Turb750 T</b>		
<b>YSI Model#</b>	<b>Cat#</b>	<b>Description</b>
<b>Turb750 T Instruments</b>		
Turb® 750 T – Meter Kit	600131Y	Turb750 T lab turbidimeter white light acc. to US EPA 180.1, measurement range 0-1100 NTU with Calibration Standard Kit (0.02-10-1000 NTU)
Turb® 750 T (Basic) – Meter only	600130Y	Turb750 T lab turbidimeter white light acc. to US EPA 180.1, measurement range 0-1100 NTU. Meter only.
<b>Turbidity Standards</b>		
Cal.Kit Turb 750 T	600561Y	Kit of Calibration Standards for Tungsten Turbidity meters (EPA 180.1). Includes 125 ml of 0.02, 10, and 1000 NTU standards.

**Discontinued Products**

YSI Model No	YSI Item No	DESCRIPTION
--------------	-------------	-------------

**2022 DISCONTINUATIONS**

5120	625120	BOD Analyst Pro Desktop Software
MultiLab Advanced BOD/pH Lab Kit	626574	BOD/pH Lab kit, 4010-2W Two channel benchtop instrument with OBOD probe, combination pH and temperature dual junction probe and BOD Analyst Pro PC software
MultiLab Advanced BOD Lab Kit	626571	BOD Lab Kit, 4010-1W One Channel benchtop instrument with OBOD probe and BOD Analyst Pro PC software

**2023 DISCONTINUATIONS**

IoLine - 3 in 1	400358	IoLine - 3 in 1, pH electrode, Triple Junction, Iodine/Iodide reference, 3 in 1, Refillable, Glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm
IoLine Micro - 3 in 1	400359	IoLine Micro - 3 in 1, pH electrode, Triple Junction, Iodine/Iodide reference, 3 in 1, Refillable, Micro electrode, Glass shaft, 1 meter cable, BNC connector, 1 banana plug, NTC 30 kOhm