

Item #	DESCRIPTION
<b>POWERSPIN™ Centrifuges, Rockers, Mixers and Lab Equipment</b>	
C806	POWERSPIN™ FX CENTRIFUGE, FIXED SPEED 3,400 RPM, 6 PLACE, 30 MIN. TIMER, 6X10ML OR 3X15ML Cap
C806H	POWERSPIN™ FX CENTRIFUGE, FIXED SPEED 3,400 RPM, 6 PLACE, 30 MIN. TIMER, 6X10ML OR 3X15ML Cap, w/ 18 PLACE TUBE HOLDSTER™ RACK
C808	POWERSPIN™ FX CENTRIFUGE, FIXED SPEED 3,400 RPM, 8 PLACE, 30 MIN. TIMER, 8X10ML Cap
C808H	POWERSPIN™ FX CENTRIFUGE, FIXED SPEED 3,400 RPM, 8 PLACE, 30 MIN. TIMER, 6X10ML Cap, w/ 18 PLACE TUBE HOLDSTER™ RACK
C8302	POWERSPIN™ HX, CENTRIFUGE, FIXED SPEED 3400 RPM, 6 PLACE HORIZONTAL ROTOR, 30 MIN. Dig TIMER, 6 X10ML Cap
C8304	POWERSPIN™ HX, CENTRIFUGE, FIXED SPEED 3400 RPM, 12 PLACE ROTOR, 30 MIN. Dig TIMER, 6 X10ML Cap
C8306	POWERSPIN™ HXV, CENTRIFUGE, VARIABLE SPEED 500-3500 RPM, 6 PLACE HORIZONTAL ROTOR, 99 MIN. Dig TIMER, 6 X10ML Cap
C8308	POWERSPIN™ HXV, CENTRIFUGE, VARIABLE SPEED 500-3500 RPM, 8 PLACE HORIZONTAL ROTOR, 99 MIN. Dig TIMER, 8 X10ML Cap
C8312	POWERSPIN™ HXV, CENTRIFUGE, VARIABLE SPEED 500-3500 RPM, 12 PLACE FIXED ANGLE ROTOR, 99 MIN. Dig TIMER, 12 X10ML Cap
C826	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE FIXED SPEED 3700 RPM, 6 PLACE ROTOR, 30 MIN. TIMER, 6X10ML Cap
C826H	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE FIXED SPEED 3700 RPM, 6 PLACE ROTOR, 30 MIN. TIMER, 6X10ML Cap w/ 18 PLACE TUBE HOLDSTER™ RACK
C827	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE VARIABLE SPEED 500-3,800 RPM, 6 PLACE ROTOR, 30 MIN. TIMER, 6X10ML Cap
C827H	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE VARIABLE SPEED 500-3,800 RPM, 6 PLACE ROTOR, 30 MIN. TIMER, 6X10ML Cap w/ 18 PLACE TUBE HOLDSTER™ RACK
C828	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE FIXED SPEED 3700 RPM, 8 PLACE ROTOR, 30 MIN. TIMER, 8X10ML Cap
C828H	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE FIXED SPEED 3700 RPM, 8 PLACE ROTOR, 30 MIN. TIMER, 8X10ML Cap w/ 18 PLACE TUBE HOLDSTER™ RACK
C829	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE VARIABLE SPEED 500-3,800 RPM, 8 PLACE ROTOR, 30 MIN. TIMER, 8X10ML Cap
C829H	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE VARIABLE SPEED 500-3,800 RPM, 8 PLACE ROTOR, 30 MIN. TIMER, 8X10ML Cap w/ 18 PLACE TUBE HOLDSTER™ RACK
C856	POWERSPIN™ LX CENTRIFUGE, VARIABLE SPEED 300-4,000 RPM, 6 PLACE, 30 MIN. TIMER, 6X10ML OR 3X15ML Cap
C856E	POWERSPIN™ LX w/ 6 PLACE ROTOR, VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 6X10ML OR 3X15ML Cap ,220 V
C856H	POWERSPIN™ LX CENTRIFUGE, VARIABLE SPEED 300-4,000 RPM, 6 PLACE, 30 MIN. TIMER, 6X10ML OR 3X15ML Cap w/ 18 PLACETUBE HOLDSTER™ RACK
C856HE	POWERSPIN™ LX CENTRIFUGE, VARIABLE SPEED 300-4,000 RPM, 6 PLACE, 30 MIN. TIMER, 6X10ML OR 3X15ML Cap w/ 18 PLACETUBE HOLDSTER™ RACK. 220V
C858	POWERSPIN™ LX w/ 8 PLACE ROTOR, VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 8X10ML Cap 110 V
C858E	POWERSPIN™ LX w/ 8 PLACE ROTOR, VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 8X10ML Cap, 220 V
C858H	POWERSPIN™ LX w/ 8 PLACE ROTOR, VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 8X10ML Cap, 110 V w/ 18 PLACE TUBE HOLDSTER™ RACK
C858HE	POWERSPIN™ LX w/ 8 PLACE ROTOR, VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 8X10ML Cap, 110 V w/ 18 PLACE TUBE HOLDSTER™ RACK. 220V
C8704	POWERSPIN™ DX, MODEL C8704 CENTRIFUGE, 4 PLACES 50 ML w/ 60 MIN Dig TIMER, VARIABLE SPEED 1000 ~ 3400 RPM w/ 0-RPM SAFETY LID LATCH, Cap 4X50 ML TUBES. 110V
C8704-10	POWERSPIN™ DX, MODEL C8704 CENTRIFUGE, 4 PLACES 50 ML w/ 60 MIN Dig TIMER, VARIABLE SPEED, w/ SET OF TUBE ADAPTERS (C8604-02, -03, -04 & -36) TO SPIN ANY SIZE TUBE 50 ML & UNDER. 110V
C8704E	POWERSPIN™ DX, MODEL C8704 CENTRIFUGE, 4 PLACES 50 ML w/ 60 MIN Dig TIMER, VARIABLE SPEED 1000 ~ 3000 RPM w/ 0-RPM SAFETY LID LATCH, Cap 4X50 ML TUBES. 220V
C8706	POWERSPIN™ DX, MODEL C8706 CENTRIFUGE, 6 PLACE HORIZONTAL SPIN w/ 60 MIN Dig TIMER, 1000 ~ 3400 RPM w/ 0-RPM SAFETY LID LATCH, Cap 6X15 ML TUBES. 110V
C8706E	POWERSPIN™ DX, MODEL C8706 CENTRIFUGE, 6 PLACE HORIZONTAL SPIN w/ 60 MIN Dig TIMER, 1000 ~ 3000 RPM w/ 0-RPM SAFETY LID LATCH, Cap 6X15 ML TUBES. 220V

C8706H	POWERSPIN™ DX, MODEL C8706 CENTRIFUGE, 6 PLACE HORIZONTAL SPIN w/ 60 MIN Dig TIMER, 1000 ~ 3400 RPM w/ 0-RPM SAFETY LID LATCH, Cap 6X15 ML TUBES w/ 24 PLACE TUBE HOLDSTER™ RACK. 110V
C8706HE	POWERSPIN™ DX, MODEL C8706 CENTRIFUGE, 6 PLACE HORIZONTAL SPIN w/ 60 MIN Dig TIMER, 1000 ~ 3400 RPM w/ 0-RPM SAFETY LID LATCH, Cap 6X15 ML TUBES w/ 24 PLACE TUBE HOLDSTER™ RACK, 220 VOLT
C8724	POWERSPIN™ DX, MODEL C8724 CENTRIFUGE, 24 PLACES w/ 60 MIN Dig TIMER, VARIABLE SPEED 1000 ~ 3400 RPM w/ 0-RPM SAFETY LID LATCH, Cap 24X10 ML TUBES, 16X15 ML TUBES. 110V
C8724E	POWERSPIN™ DX, MODEL C8724 CENTRIFUGE, 24 PLACES w/ 60 MIN Dig TIMER, VARIABLE SPEED 1000 ~ 3000 RPM w/ 0-RPM SAFETY LID LATCH, Cap 24X10 ML TUBES, 16X15 ML TUBES. 220V
C8724H	POWERSPIN™ DX, MODEL C8724 CENTRIFUGE, 24 PLACES w/ 60 MIN Dig TIMER, VARIABLE SPEED 1000 ~ 3400 RPM w/ 0-RPM SAFETY LID LATCH, Cap 24X10 ML TUBES, 16X15 ML TUBES w/ 24 PLACE TUBE HOLDSTER™ RACK. 110V
C8724HE	POWERSPIN™ DX, MODEL C8724 CENTRIFUGE, 24 PLACES w/ 60 MIN Dig TIMER, VARIABLE SPEED 1000 ~ 3400 RPM w/ 0-RPM SAFETY LID LATCH, Cap 24X10 ML TUBES, 16X15 ML TUBES w/ 24 PLACE TUBE HOLDSTER™ RACK. 220V
C881	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-5,000 RPM, 8 PLACE METAL ROTOR, 0-99 MIN Dig TIMER, 8X10ML OR 12ML Cap 110 V
C881E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-5,000 RPM, 8 PLACE METAL ROTOR, 0-99 MIN Dig TIMER, 8X10ML OR 12ML Cap 220 V
C882	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM, 24 PLACE ROTOR, 0-99 MIN Dig TIMER, 24 X MICROHEMATOCRIT TUBE Cap, 110 V
C882E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM, 24 PLACE ROTOR, 0-99 MIN Dig TIMER, 24 X MICROHEMATOCRIT TUBE Cap, 220 V
C883	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM, 24 PLACE ROTOR, 0-99 MIN Dig TIMER, 24 X MICRO TUBE Cap, 110 V
C883E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM, 24 PLACE ROTOR, 0-99 MIN Dig TIMER, 24 X MICRO TUBE Cap,, 220 V
C884	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM, 8 PLACE & 24PLACE MICROHEMATOCRIT ROTOR, 0-99 MIN Dig TIMER, 110V
C884E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM, 8 PLACE & 24PLACE MICROHEMATOCRIT ROTOR, 0-99 MIN Dig TIMER, 110V, 220 V
C885	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM w/ 8 PLACE TUBE ROTOR, 24 PLACE MICROHEMATOCRIT ROTOR & 24 PLACE MICROCENTRIFUGE ROTOR, 110 V
C885E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000RPM w/ 8 PLACE TUBE ROTOR, 24 PLACE MICROHEMATOCRIT ROTOR & 24 PLACE MICROCENTRIFUGE ROTOR, 220 V
C886	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000RPM w/ 24 PLACE MICROHEMATOCRIT ROTOR & 24 PLACE MICROCENTRIFUGE ROTOR, 110 V
C886E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000RPM w/ 24 PLACE MICROHEMATOCRIT ROTOR & 24 PLACE MICROCENTRIFUGE ROTOR, 220 V
C887	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000RPM w/ 8 PLACE TUBE ROTOR & 24 PLACE MICROCENTRIFUGE ROTOR, 110 V
C887E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000RPM w/ 8 PLACE TUBE ROTOR & 24 PLACE MICROCENTRIFUGE ROTOR, 220 V
CMH30	MICRO-HEMATOCRIT CENTRIFUGE, 24 PLACES, 12,000 RPM, 5 MIN. TIMER w/ BELL SIGNAL, ELECTRIC MOTOR BRAKING & SAFETY LATCH. READER Inc. 110V
CMH30E	MICRO-HEMATOCRIT CENTRIFUGE, 24 PLACES, 12,000 RPM, 5 MIN. TIMER w/ BELL SIGNAL, ELECTRIC MOTOR BRAKING & SAFETY LATCH. READER Inc. 220V
C80508	POWERSPIN™ FX CENTRIFUGE, FIXED SPEED 3,400 RPM, 8 PLACE, 99 MIN. DIG TIMER, 8X10ML Cap
C82608	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE FIXED SPEED 3700 RPM, 8 PLACE ROTOR, 99 MIN. DIG TIMER, 8X10ML Cap
C82708	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE VARIABLE SPEED 500-3,800 RPM, 8 PLACE ROTOR,99 MIN. DIG TIMER, 8X10ML Cap
C83502	POWERSPIN™ HX, CENTRIFUGE, FIXED SPEED 3400 RPM, 6 PLACE HORIZONTAL ROTOR,99 MIN. DIG TIMER, 6 X10ML Cap
C83508	POWERSPIN™ HX, CENTRIFUGE, FIXED SPEED 3400 RPM, 8 PLACE ROTOR, 99 MIN. DIG TIMER, 8 X10ML Cap
C85608	POWERSPIN™ LX w/ 8 PLACE ROTOR, Dig VARIABLE SPEED 300 - 4,000 RPM, 99 MIN. DIG TIMER, 8X15ML
C87504	POWERSPIN™ DX, MODEL C8704 CENTRIFUGE, 4 PLACES 50 ML w/ 99 MIN Dig TIMER, VARIABLE SPEED 1000 ~ 3400 RPM w/ 0-RPM SAFETY LID LATCH, Cap 4X50 ML TUBES
C87506	POWERSPIN™ DX, MODEL C8706 CENTRIFUGE, 6 PLACE HORIZONTAL SPIN w/ 99 MIN Dig TIMER, 1000 ~ 3400 RPM w/ 0-RPM SAFETY LID LATCH, Cap 6X15 ML TUBES. 110V

C87524	POWERSPIN™ DX, MODEL C8724 CENTRIFUGE, 24 PLACES w/ 99 MIN Dig TIMER, VARIABLE SPEED 1000 ~ 3400 RPM w/ 0-RPM SAFETY LID LATCH, Cap 24X15 ML TUBES.
<b>CENTRIFUGE PARTS AND ACCESSORIES</b>	
C800-00	6 PLACE ROTOR (FOR FX/LX ONLY)
C800-01	8 PLACE ROTOR (FOR FX/LX ONLY)
C800-02	REGULAR TUBE SHIELD, PACK OF 2
C800-02M	REGULAR METAL TUBE SHIELD, PACK OF 2 (FOR C8706 ONLY)
C800-03	25MM ADAPTER FOR SHORT TUBES, PACK OF 10 (FOR FX/LX /dX & PORTASPIN)
C800-03-6	ADAPTER FOR SHORT TUBES, PACK OF 6 (FOR FX/LX /DX & PORTASPIN)
C800-04	ADAPTER FOR PEDIATRIC TUBES(38-45MM) TUBE LENGTH, PACK OF 2 (FOR FX/LX /DX /HX/BX & PORTASPIN)
C800-05	10MM TUBE LIFT ADAPTERS FOR GREINER TUBES, PK/12
C800-06	SHORT TUBE ADAPTERS/INSERTS, PK/2
C800-10	FUSE FOR POWERSPIN CENTRIFUGES, 250 V, 4 AMP
C800-18	TUBE HOLDSTER™ RACK, 18 PLACE, FOR TAPPED POWERSPIN FX & LX CENTRIFUGES
C80000-34-2	4 PLACE MICROHEMATOCRIT TUBE ADAPTERS, PK/2, FITS ALL STANDARD UNICO TUBE SHIELDS
C800-75	TACHOMETER, LASER Dig w/ RELECTIVE TAPE, BATTERIES, IN A STORAGE CASE
C8300-03	12 PLACE FIXED ANGLE ROTOR FOR HX , METAL (w/OUT TUBE SHIELDS)
C8600-01	6 PLACE HORIZONTAL ROTOR FOR MX/DX CENTRIFUGE
C8600-02	4 PLACE SWING OUT ROTOR w/ 50ML Cap FOR MX CENTRIFUGE
C8600-03M	24 PLACE FIXED ANGLE ROTOR FOR MX , METAL (w/OUT TUBE SHIELDS)
C8600-18	TUBE HOLDSTER™ RACK, 24 PLACE FOR TAPPED DX SERIES CENTRIFUGES
C8604-02	TUBE ADAPTER FOR 5-15ML TUBES FOR USE w/ C8604 ONLY, SET OF 2
C8604-03	TUBE ADAPTER FOR 3.5-4.5ML SHORT TUBES FOR USE w/ C8604 ONLY, SET OF 2
C8604-04	TUBE ADAPTER FOR 0.5-3ML MICRO TUBES FOR USE w/ C8604 ONLY, SET OF 2
CMH30-Reader	MICROHEMATOCRIT READER
CMH30-03	GASKET REPLACEMENT FOR CMH30 CENTRIFUGE
C822-01	6 PLACE HORIZONTAL ROTOR FOR HX C822 CENTRIFUGE
C822-02	TUBE SHIELD FOR HX C822 HORIZONTAL CENTRIFUGE ONLY , PK/2
C822-03	20MM SHORT TUBE ADAPTOR, SET OF 10 FOR C822 ONLY
C826-06	PORTA-SPIN POWER CORD w/ 12 VDC ADAPTER, PLUGS INTO CAR CHARGER, REPLACEMENT OF THE ORIGINAL CORD
C826-12	PORTA-SPIN AC ADAPTER, 110 VOLT, USA POWER CORD
C826-12E	PORTA-SPIN AC ADAPTER, 220 VOLT, EUROPEAN POWER CORD
C880-01M	8 PLACE METAL ROTOR FOR BX CENTRIFUGE
C880-02	MICROHEMATOCRIT ROTOR, 24 PLACE FOR BX CENTRIFUGE
C880-03	MICROTUBE ROTOR, 24 PLACE FOR BX CENTRIFUGE
C881-02	BX CENTRIFUGE TUBE SHIELDS, PK/2
C881-02M	BX CENTRIFUGE TUBE SHIELDS, PK/2, Metal
C881-03	20MM ADAPTER FOR SHORT TUBES, PACK OF 10 (FOR BX SERIES ONLY)
C881-04	MICRO/PEDIATRIC TUBE ADAPTER FOR 0.5 -2.0MM TUBES, SET OF 2
C800-512	12 ML CONICAL URINE TUBES, GRADUATED, PK/12
C800-550	12 ML CONICAL URINE TUBES, GRADUATED, PK/50
C800-500	12 ML CONICAL URINE TUBES, GRADUATED, PK/500

C800-500-2K	12 ML CONICAL URINE TUBES, GRADUATED, PACKAGE OF 2,000 TUBES
<b>MIXERS, ROCKERS AND OTHER LAB EQUIPMENT</b>	
L-BC3	DIFFERENTIAL COUNTER, FEATURING 2-KEY & RESET KNOB
L-BC6	DIFFERENTIAL COUNTER, 5-KEY W/ TOTALIZER WINDOW, SIGNAL BELL, DUAL RESET KNOBS
L-BC9	DIFFERENTIAL COUNTER, 8-KEY W/ TOTALIZER WINDOW, SIGNAL BELL, DUAL RESET KNOBS
L-BC9D	Dig DIFFERENTIAL COUNTER, 8 KEY W/TOTALIZER WINDOW. AC110/220 OR BATTERY OPERATED
L-CU60	INCUBATOR, .6L Cap AMBIENT TO 60°C (140°F), 110 VOLT
L-CU100	INCUBATOR, 10L Cap, AMBIENT TO 70° C, DOUBLE DOOR, 110 VOLT
L-CU200	INCUBATOR, 20L Cap, AMBIENT TO 70° C, DOUBLE DOOR, 110 VOLT
L-CU300	INCUBATOR, 30L Cap, AMBIENT TO 70° C, DOUBLE DOOR, 110 VOLT
L-RT30C	Dig ROTATOR FEATURING 11" X 11" MIXING PLATE, VARIABLE SPEED OF 25 TO 250 RPM, Dig DISPLAY, 120-220V, w/ HUMIDITY COVER
L-TTR100	TUBE ROCKER/MIXER, 8 TUBES/VIALS, w/ PAUSE BUTTON 25 ROCKING CYCLES PER MINUTE, 110 V
L-TTR100E	TUBE ROCKER/MIXER, 8 TUBES/VIALS, w/ PAUSE BUTTON 25 ROCKING CYCLES PER MINUTE, 220 V
L-TTR200	TUBE ROCKER/MIXER, 15 TUBES/VIALS, w/ PAUSE BUTTON 25 ROCKING CYCLES PER MINUTE, 110 V
L-TTR200E	TUBE ROCKER/MIXER, 15 TUBES/VIALS, w/ PAUSE BUTTON 25 ROCKING CYCLES PER MINUTE, 220 V
L-TTR200D	"30 ROCKER" TUBE ROCKER/MIXER, 30 TUBES w/ PAUSE BUTTON 25 ROCKING CYCLES PER MIN, 110 V
L-TTR200DE	"30 ROCKER" TUBE ROCKER/MIXER, 30 TUBES w/ PAUSE BUTTON 25 ROCKING CYCLES PER MIN, 220 V
L-TTR150	TUBE ROCKER/MIXER, 10 TUBES/VIALS, w/ PAUSE BUTTON 25 ROCKING CYCLES PER MINUTE, 110 V
L-TTR250	TUBE ROCKER/MIXER, 15 TUBES/VIALS, w/ PAUSE BUTTON 25 ROCKING CYCLES PER MINUTE, 110 V
L-TTR450	"30 ROCKER" TUBE ROCKER/MIXER, 30 TUBES w/ PAUSE BUTTON 25 ROCKING CYCLES PER MIN, 110 V
L-VM1000	VORTEX MIXER, 3-POSITION SWITCH FOR CONSTANT, OFF OR "TOUCH-ON" w/ VARIABLE SPEED, 120V
L-VM2000	VORTEX MIXER w/ 3.75 INCHES VIBRATION PAD, 3-POSITION SWITCH FOR CONSTANT, OFF OR "TOUCH-ON" w/ VARIABLE SPEED, 120V
LVM-4000	VORTEX MIXER, MINI, 110V / 220V
<b>MIXERS PARTS AND ACCESSORIES</b>	
L-TTR100-1	TUBE ROCKER 8 PLACE REPLACEMENT PAD, REVERSIBLE
L-TTR200-1	TUBE ROCKER 15 PLACE REPLACEMENT PAD, REVERSIBLE
L-TTR200-6	L-TTR200 MOTOR, 110V 60HZ
L-TTR200-6E	L-TTR200 MOTOR, 220V 50HZ
L-RT30-01	HUMIDITY COVER w/ SPONGE FOR L-RT30
<b>BASIC LABORATORY MICROSCOPES M220 SERIES</b>	
M220FL	MONOCULAR MICROSCOPE, FLUORESCENT ILLUMINATOR
M220LED	MONOCULAR MICROSCOPE, w/ LED ILLUMINATION
M220LED-M	MONOCULAR MICROSCOPE, w/ LED ILLUMINATION & MECHANICAL STAGE
<b>M220 PARTS AND ACCESSORIES</b>	
M220-7007	AC ADAPTER FOR FREEDOM JR. SERIES (REPLACES B2-7007)
M220-7003	BULB, FLUORESCENT, 5 WATT (REPLACES B2-7003)
M220-5101	GRADUATED MECHANICAL STAGE, ATTACHABLE
<b>M250 SERIES MICROSCOPE</b>	
M250	BINOCULAR, WF10X,4X,10X,40XR,100XR DIN, MECH., ABBE NA1.25&IRIS, 6V20W HALOGEN
M250LED	BINOCULAR, WF10X, 4X, 10X, 40XR, 100XR DIN, MECH., ABBE NA 1.25 & IRIS, LED
<b>M250 PARTS AND ACCESSORIES</b>	
M250-1401	10X WIDEFIELD EYEPIECE, SINGLE

M250-1411	10X WIDEFIELD EYEPIECE w/ POINTER, SINGLE
M250-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10
M250-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
M250-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
M250-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, OIL, RETRACTABLE FRONT LENS
M250-3004	SEIDENTOPF BINOCULAR FOR M250 & M250LED SERIES
M250-5003	MECHANICAL STAGE w/ ABBE N.A. 1.25 CONDENSER & IRIS DIAPHRAGM
M250-7001	6V20W HALOGEN BULB, 4MM PIN FOR M250 SERIES
M250-7003	FUSE 250V 1.5A
M250-8001	DUST COVER FOR M250 SERIES
<b>M280 SERIES MICROSCOPE</b>	
M280	BINOCULAR, WF10X, 4X, 10X, 40XR, 100XR DIN, MECH., ABBE NA 1.25 & IRIS, LED
M283	TRINOCULAR, WF10X, 4X, 10X, 40XR, 100XR DIN, MECH., ABBE NA 1.25 & IRIS, LED
M280PL	BINOCULAR, WF10X, PLAN 4X, 10X, 40XR, 100XR DIN, MECH., ABBE NA 1.25 & IRIS, LED
M283PL	BINOCULAR, WF10X, PLAN 4X, 10X, 40XR, 100XR DIN, MECH., ABBE NA 1.25 & IRIS, LED
<b>M280 PARTS AND ACCESSORIES</b>	
M280-1401	10X WIDEFIELD EYEPIECE, SINGLE
M280-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10
M280-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
M280-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
M280-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, OIL, RETRACTABLE FRONT LENS
M280-3004	SEIDENTOPF BINOCULAR FOR M280 SERIES
M280-5003	MECHANICAL STAGE w/ ABBE N.A. 1.25 CONDENSER & IRIS DIAPHRAGM
M280-7003	FUSE 250V 1.5A
M280-8001	DUST COVER FOR M280 SERIES
M280-8902	EYEPIECE POINTER FOR M280 SERIES
<b>G380-LED SERIES MICROSCOPE</b>	
G380-LED	BINOCULAR WF10X, 4X, 10X, 40XR, 100XR ACHROMAT MECH. ABBE N.A. LED ILLUMINATION
G380SP-LED	BINOCULAR WF10X, 4X, 10X, 40XR, 100XR SEMI-PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G380PL-LED	BINOCULAR WF10X, 4X, 10X, 40XR, 100XR PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G380-PH-40	BINOCULAR WF10X, 4X, 10X, 100X BRIGHTFIELD ACHROMAT, 40X SP-PH W SLIDER MECH. ABBE N.A. LED ILLUMINATION
G381-LED	MONOCULAR WF10X, 4X, 10X, 40XR, 100XR ACHROMAT MECH. ABBE N.A. 1.25 LED ILLUMINATION
G381SP-LED	MONOCULAR WF10X, 4X, 10X, 40XR, 100XR SEMI-PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G381PL-LED	MONOCULAR WF10X, 4X, 10X, 40XR, 100XR PLAN ACHR. MECH. ABBE N.A. 1.25 LED ILLUMINATION
G382-LED	DUAL VIEW WF10X(2) 4X, 10X, 40XR, 100XR ACHROMAT MECH. ABBE N.A. 1.25 LED ILLUMINATION
G382SP-LED	DUAL VIEW WF10X(2) 4X, 10X, 40XR, 100XR SEMI-PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G382PL-LED	DUAL VIEW WF10X(2) 4X, 10X, 40XR, 100XR PLAN ACHROMAT MECH. ABBE N.A. 1.25 LED ILLUMINATION
G383-LED	TRINOCULAR WF10X, 4X, 10X, 40XR, 100XR ACHROMAT MECH. ABBE N.A. 1.25 LED ILLUMINATION
G383SP-LED	TRINOCULAR WF10X, 4X, 10X, 40XR, 100XR SEMI-PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G383PL-LED	TRINOCULAR WF10X, 4X, 10X, 40XR, 100XR PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G383-PH-40	TRINOCULAR WF10X, 4X, 10X, 100X BRIGHTFIELD ACHROMAT, 40X SP-PH W SLIDER MECH. ABBE N.A. LED ILLUMINATION
G386-LED	BINOCULAR INFINITY 4X, 10X, 40X, 100XR ACHROMAT, MECH., ABBE NA 1.25, LED ILLUMINATION

G386PL-LED	BINOCULAR INFINITY 4X, 10X, 40X, 100XR, PLAN ACHROMAT, MECH., ABBE NA 1.25, LED ILLUMINATION
G388-LED	DUAL-BINOCULAR HEAD INFINITY 4X, 10X, 40X, 100XR, ACHROMAT, MECH., ABBE NA 1.25, LED ILLUMINATION
G388PL-LED	DUAL-BINOCULAR HEAD INFINITY 4X, 10X, 40X, 100XR, PLAN ACHROMAT, MECH., ABBE NA 1.25, LED ILLUMINATION
<b>G380 PARTS AND ACCESSORIES</b>	
G380-1402	HIGH EYEPOINT 10X WIDEFIELD EYEPIECE, F.N. 18, EACH
G380-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10 FOR G380 SERIES
G380-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25 FOR G380 SERIES
G380-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS FOR G380 SERIES
G380-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, OIL, RETRACTABLE FRONT LENS FOR G380 SERIES
G380-2201	4X DIN SEMI-PLAN OBJECTIVE, N.A. 0.10 FOR G380 SERIES
G380-2202	10X DIN SEMI-PLAN OBJECTIVE, N.A. 0.25 FOR G380 SERIES
G380-2203	40X DIN SEMI-PLAN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS FOR G380 SERIES
G380-2204	100X DIN SEMI-PLAN OBJECTIVE, N.A. 1.25, OIL, RETRACTABLE FRONT LENS FOR G380 SERIES
G380-2301	4X DIN PLAN OBJECTIVE, N.A. 0.10
G380-2302	10X DIN PLAN OBJECTIVE, N.A. 0.25
G380-2303	40X DIN PLAN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
G380-2304	100X DIN PLAN OBJECTIVE N.A. 1.25, RETRACTABLE FRONT LENS
G380-2601	4X INFINITY ACHROMAT OBJECTIVE, NA 0.10
G380-2602	10X INFINITY ACHROMAT OBJECTIVE, NA 0.25
G380-2603	40X INFINITY ACHROMAT OBJECTIVE, NA 0.65
G380-2604	100X OIL IMMERSION INFINITY ACHROMAT OBJECTIVE, NA 1.25
G380-2631	4X INFINITY PLAN ACHROMAT OBJECTIVE, NA 0.10
G380-2632	10X INFINITY PLAN ACHROMAT OBJECTIVE, NA 0.25
G380-2633	40X INFINITY PLAN ACHROMAT OBJECTIVE, NA 0.65
G380-2634	100X OIL IMMERSION INFINITY PLAN ACHROMAT OBJECTIVE, NA 1.25
G380-3001	MONOCULAR HEAD, 45° INCLINED FOR G380
G380-3002	DUAL VIEWING HEAD w/OUT EYEPIECE FOR G380 SERIES
G380-3004	SEIDENTOPF BINOCULAR HEAD FOR G380 SERIES
G380-3005	SEIDENTOPF TRINOCULAR HEAD FOR G380 SERIES
G380-5111	GRADUATED MECHANICAL STAGE (COAXIAL LOW POSITION CONTROLS) FOR G380 SERIES
G380-6001	ABBE CONDENSER, N.A. 1.25, W/ IRIS DIAPHRAGM, SWING-OUT FILTER HOLDER FOR G300 SERIES
G380-7001	LED ILLUMINATOR PACK, SNAP-IN, Inc 3 AA BATTERIES, FOR G380 SERIES ONLY
G380-8031	PHASE KIT: Inc 40XR SEMI-PLAN PHASE OBJECTIVE & SLIDE-IN ANNULUS RING FOR G380 SERIES
G380-8034	PHASE KIT: Inc 10X SEMI-PLAN PHASE OBJECTIVE & SLIDE-IN ANNULUS RING FOR G380 SERIES
G380-8032	SLIDE-IN 40X PHASE ANNULUS RING FOR G380 SERIES
G380-8907	HARD CARRYING CASE, PADDED w/ LOCK & KEY (2)
G380-8001	DUST COVER FOR G380 SERIES
<b>G500 SERIES MICROSCOPE</b>	
G502	G502 BINOCULAR MICROSCOPE w/ SEIDENTPF HEAD, PAIRED 10X EYEPIECE, SET OF ACHROMATIC OBJECTIVES 4X-10X-40X-100X, MECH. STAGE, KOHLER ILLUMINATION (LED) w/ INTENSITY ADJUSTMENT, POWER INPUT 90V-240V
G502T	G502T TRINOCULAR MICROSCOPE w/ SEIDENTPF TRINOCULAR HEAD, PAIRED 10X EYEPIECE, SET OF ACHROMATIC OBJECTIVES 4X-10X-40X-100X, MECH. STAGE, KOHLER ILLUMINATION (LED) w/ INTENSITY ADJUSTMENT, POWER INPUT 90V-240V

G504	G504 BINOCULAR MICROSCOPE w/ SEIDENTPF BINOCULAR HEAD, PAIRED 10X EYEPIECE, SET OF PLAN OBJECTIVES 4X-10X-40X-100X, MECH. STAGE, KOHLER ILLUMINATION (LED) w/ INTENSITY ADJUSTMENT, POWER INPUT 90V-240V
G504T	G504T TRINOCULAR MICROSCOPE w/ SEIDENTPF TRINOCULAR HEAD, PAIRED 10X EYEPIECE, SET OF PLAN OBJECTIVES 4X-10X-40X-100X, MECH. STAGE, KOHLER ILLUMINATION (LED) w/ INTENSITY ADJUSTMENT, POWER INPUT 90V-240V
G505	G505 PHASE CONTRAST BINOCULAR MICROSCOPE w/ 10X-20X-40X-100X PLAN PHASE OBJECTIVES & 10X/40X PHASE ANNULUS & 20X/100X PHASE ANNULUS
G505T	G505T PHASE CONTRAST TRINOCULAR MICROSCOPE w/ 10X-20X-40X-100X PLAN PHASE OBJECTIVES & 10X/40X PHASE ANNULUS & 20X/100X PHASE ANNULUS
G507	G507 BINOCULAR MICROSCOPE w/ SEIDENTPF BINOCULAR HEAD, PAIRED 10X EYEPIECE, SET OF PLAN OBJECTIVES 4X-10X-40X-50X-100X, MECH. STAGE, KOHLER ILLUMINATION (LED) w/ INTENSITY ADJUSTMENT, POWER INPUT 90V-240V
G507T	G507T TRINOCULAR MICROSCOPE w/ SEIDENTPF TRINOCULAR HEAD, PAIRED 10X EYEPIECE, SET OF PLAN OBJECTIVES 4X-10X-40X-50X-100X, MECH. STAGE, KOHLER ILLUMINATION (LED) w/ INTENSITY ADJUSTMENT, POWER INPUT 90V-240V
<b>G500 PARTS AND ACCESSORIES</b>	
G500-1402	10X HIGH EYEPOINT WIDEFIELD EYEPIECE FN18
G500-1403	10X HIGH EYEPOINT WIDEFIELD EYEPIECE FN18 w/ POINTER
G500-1404	10X HIGH EYEPOINT WIDEFIELD EYEPIECE FN18 w/ RETICULE
G500-2101	4X ACHROMATIC OBJECTIVE, NA0.10
G500-2102	10X ACHROMATIC OBJECTIVE, NA0.25
G500-2103	40X ACHROMATIC OBJECTIVE, NA0.65
G500-2104	100X ACHROMATIC OBJECTIVE, NA1.25
G500-2301	4X PLAN ACHROMATIC OBJECTIVE DIN, NA0.10
G500-2302	10X PLAN ACHROMATIC OBJECTIVE DIN, NA0.25
G500-2303	40X PLAN ACHROMATIC OBJECTIVE DIN, NA0.65
G500-2304	100X PLAN ACHROMATIC OBJECTIVE DIN, NA1.25
G500-2305	20X PLAN ACHROMATIC OBJECTIVE DIN, NA0.40
G500-2432	10X PLAN PHASE DIN OBJECTIVE, NA: 0.25
G500-2433	40X PLAN PHASE DIN OBJECTIVE, NA: 0.65
G500-2434	100X PLAN PHASE DIN OBJECTIVE, NA: 1.25
G500-2435	20X PLAN PHASE DIN OBJECTIVE, NA: 0.50
G500-3004	SEIDENTOPF BINOCULAR BODY w/OUT EYEPIECES FOR G500 SERIES MICROSCOPE
G500-3005	SEIDENTOPF TRINOCULAR BODY, 30 DEGREE INCLINED w/OUT EYEPIECES FOR G500 SERIES MICROSCOPE
G500-5001	MECHANICAL STAGE w/OUT ABBE CONDENSER FOR G500(STAGE SIZE 150X140MM, MOVEMENT RANGE 76X50MM)
G500-6001	ABBE CONDENSER N.A. 1.25 W/ IRIS DIAPHRAGM FOR G500 SERIES
G500-8001	DUST COVER FOR G500 MICROSCOPE
G500-8031-1	PHASE ANNULUS SLIDER FOR USE w/ 10X & 40X PLAN PHASE SET
G500-8032-1	PHASE ANNULUS SLIDER FOR 20X & 100X PLAN PHASE
G500-8033	PHASE CONTRAST CENTERING TELESCOPE
G500-8041	DARKFIELD SLIDER FOR USE w/ 4X TO 40X POWER OBJECTIVES
G500-9005	FUSE 250V/3.15+B352A FOR G500 MICROSCOPE
<b>G700 SERIES MICROSCOPE</b>	
G704	CLINICAL MICROSCOPE w/ BINOCULAR TILTING HEAD, 2X-4X-10X-40X-100X INFINITY PLAN OBJECTIVES
G704T	CLINICAL MICROSCOPE w/ TRINOCULAR HEAD, 2X-4X-10X-40X-100X INFINITY PLAN OBJECTIVES, CTV CAMERA PORT w/ C-MOUNT ADAPTER Inc
G705	CLINICAL PHASE MICROSCOPE w/ BINOCULAR TILTING HEAD, 4X-10PHX-40PHX-100PHX INFINITY PLAN OBJECTIVES

G705T	CLINICAL PHASE MICROSCOPE w/ TRINOCULAR HEAD, 4X-10PHX-40PHX-100PHX INFINITY PLAN OBJECTIVES, CTV CAMERA PORT w/ C-MOUNT ADP INC
<b>H600 PARTS AND ACCESSORIES ( for replacement as serive only)</b>	
B6-1401	10X WIDEFIELD EYEPIECE, F.N. 18, SINGLE
B6-1402	WF10X HIGH EYEPOINT EYEPIECE, SINGLE
B6-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10
B6-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
B6-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
B6-2201	4X DIN SEMI-PLAN OBJECTIVE, N.A. 0.10
B6-2202	10X DIN SEMI-PLAN OBJECTIVE, N.A. 0.25
B6-2203	40X DIN SEMI-PLAN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2204	100X OIL SEMI-PLAN OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
B6-2301	4X DIN PLAN OBJECTIVE, N.A. 0.10
B6-2302	10X DIN PLAN OBJECTIVE, N.A. 0.25
B6-2305	20X DIN PLAN OBJECTIVE N.A. 0.40
B6-2303	40X DIN PLAN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2304	100X DIN PLAN OBJECTIVE N.A. 1.25, RETRACTABLE FRONT LENS
B6-2308	50X DIN PLAN OBJECTIVE N.A. 0.95, RETRACTABLE FRONT LENS
B6-2422	10X SEMI-PLAN PHASE CONTRAST OBJECTIVE N.A. 0.25
B6-2423	40X SEMI-PLAN PHASE CONTRAST OBJECTIVE N.A. 0.65
B6-2424	100X OIL SEMI-PLAN PHASE CONTRAST OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
B6-7006	6V / 20W HALOGEN BULB, 4MM PIN
B6-8031	40X SEMI-PLAN KIT: 40X SEMI-PLAN PHASE OBJECTIVE & SLIDE IN ANNULUS FOR 40X
B6-8032	PHASE ANNULUS RING FOR USE w/ 40X SEMI-PLAN PHASE OBJECTIVE
B6-8034	10X SEMI-PLAN PHASE KIT INCLUDING SP10X PHASE OBJECTIVE & SLIDE-IN 10X ANNULUS FOR H600
B6-8901	EYEPIECE RETICULE w/ 0.1MM DIVISIONS
B6-8902	EYEPIECE POINTER
B6-8903	STAGE MICROMETER SLIDE
B6-8905	IMMERSION OIL TYPE A, 7 ML
B6-8910	OPTICAL CLEANING KIT
B6-9005	FUSE 250V, 1.5AMP
<b>IP730 SERIES MICROSCOPE</b>	
IP730	BINOCULAR WF10X 4X, 10X, 40XR, 100XR ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP730PL	BINOCULAR WF10X 4X, 10X, 40XR, 100XR PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP733	TRINOCULAR WF10X 4X, 10X, 40XR, 100XR ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP733PL	TRINOCULAR WF10X 4X, 10X, 40XR, 100XR PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP735	BINOCULAR WF10X EYEPIECE, PLAN 4X, PLAN PHASE CONTRAST 10X-40XR-100XR OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP735T	TRINOCULAR WF10X EYEPIECE, PLAN 4X, PLAN PHASE CONTRAST 10X-40XR-100XR OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
<b>IP 730 PARTS AND ACCESSORIES</b>	
IP730-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10
IP730-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
IP730-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS



IP730-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
IP730-8030	PHASE SET W/ PLAN PHASE 10X-40X-100X OBJECTIVES, TURRET CONDENSER w/ "0" POSITION
<b>IP750 SERIES MICROSCOPE</b>	
IP750	BINOCULAR WF10X 4X, 10X, 40XR, 100XR INFINITY ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP750PL	BINOCULAR WF10X 4X, 10X, 40XR, 100XR INFINITY PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP753	TRINOCULAR WF10X 4X, 10X, 40XR, 100XR INFINITY ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP753PL	TRINOCULAR WF10X 4X, 10X, 40XR, 100XR INFINITY PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP755	BINOCULAR WF10X 4X INFINITY PLAN & 10X, 40X, 100X INFINITY PLAN PHASE OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP755T	TRINOCULAR WF10X 4X INFINITY PLAN & 10X, 40X, 100X INFINITY PLAN PHASE OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
<b>IP750 PARTS AND ACCESSORIES</b>	
IP750-2101	4X INFINITY ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2102	10X INFINITY ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2103	40X INFINITY ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2104	100X INFINITY ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2301	4X INFINITY PLAN ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2302	10X INFINITY PLAN ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2303	40X INFINITY PLAN ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2304	100X INFINITY PLAN ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2422	INFINITY PLAN PHASE OBJECTIVE 10X FOR IP750 SERIES
IP750-2423	INFINITY PLAN PHASE OBJECTIVE 40X FOR IP750 SERIES
IP750-2424	INFINITY PLAN PHASE OBJECTIVE 100X FOR IP750 SERIES
IP750-6002	PHASE CONTRAST CONDENSER, TURRET, NA1.25 w/ 10X-40X-100X PHASE RING & "0" BRIGHT FIELD POSITION
IP750-6003	DARKFIELD CONDENSER FOR IP730 & IP750 SERIES
IP750-8030	PHASE SET W/ INFINITY PLAN PHASE 10X-40X-100X OBJECTIVES, TURRET CONDENSER w/ "0" POSITION
IP750-8901	HARD CARRYING CASE FOR IP730 & IP750 MICROSCOPE
<b>ZM190 SERIES STEREO MICROSCOPE</b>	
ZM191	BINOCULAR ZOOM STEREO WF10X , 0.7X-4.5X , POLE ST& w/ TOP & BOTTOM LED ILLUMINATION
ZM191T	TRINOCULAR ZOOM STEREO WF10X , 0.7X-4.5X , POLE ST& w/ TOP & BOTTOM LED ILLUMINATION
ZM194	BINOCULAR ZOOM STEREO WF10X , 0.7X-4.5X , FOCUSING RACK ST& w/ TOP & BOTTOM LED ILLUMINATION
ZM194T	TRINOCULAR ZOOM STEREO WF10X , 0.7X-4.5X , FOCUSING RACK ST& w/ TOP & BOTTOM LED ILLUMINATION
<b>MICROSCOPE CAMERAS AND ADAPTERS</b>	
B6-8182	Dig EYEPIECE CAMERA, 2.0 MP, CMOS, W/USB CABLE & WIN.XP / 7 SOFTWARE
B6-8185	Dig VIDEO C-MOUNT CAMERA, 5.1 MP, CCD, W/USB CABLE & WIN. XP / 7 SOFTWARE
B6-8187	HDMI 1080P Dig CAMERA W/HDMI CABLE STORAGE CARD & WIRELESS MOUSE
B6-8023	MONITOR, HD 11.9", 1920x1080 RESOLUTION, HDMI IMPUT w/ST&
B6-8025	1080P 21.5" LCD MONITOR HDMI VGA BNC INPUTS & 3D COMB FILTER
B6-8189	Dig VIDEO C-MOUNT CAMERA, 14.0 MP, CMOS, W/USB CABLE & WIN. XP / 7 SOFTWARE
G380-8021	0.65X VIDEO ADAPTER w/ EXTERNAL C-MOUNT FOR G380 SERIES
G500-8020	C-MOUNT ADAPTER w/ 0.35X REDUCING LENS FOR G500 SERIES
IP750-8020	VIDEO ADAPTER (1X) FOR IP730 & IP750 MICROSCOPE
D4-8022	0.3X VIDEO COUPLER FOR ZM180 SERIES
<b>UNICO SPECTROPHOTOMETERS</b>	

<b>S1000 AND S1100</b>	<b>SERIES SPECTROPHOTOMETERS</b>
S-1000	UNICO MODEL 1000 SPECTROPHOTOMETER 20 NM B&PASS COMPLETE w/ 10 MM TEST TUBE CUVETTES (BOX OF 12), 10 MM SQUARE CUVETTE ADAPTER, USB PORT, DUST COVER, USER MANUAL. WAVELENGTH RANGE OF 400-1000 NM. VOLTAGE PRESET AT 110V
S-1100	UNICO MODEL 1100 SPECTROPHOTOMETER 20NM B&PASS COMPLETE w/ 10 MM TEST TUBE CUVETTES (BOX OF 12), 10MM SQUARE CUVETTE ADAPTER,USB PORT , DUST COVER, USER MANUAL WAVELENGTH RANGE OF 335-1000 NM. VOLTAGE PRESET AT 110V
S-1100RS	UNICO MODEL 1100RS SPECTROPHOTOMETER 10 NM B&PASS COMPLETE w/ 10 MM TEST TUBE CUVETTES (12PCS), 10 MM SQUARE CUVETTE ADAPTER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL WAVELENGTH RANGE OF 335-1000 NM. VOLTAGE PRESET AT 110V
<b>S1000 AND S1100</b>	<b>SOFTWARE</b>
S-1000-401	UNICO S-1000 SPECTROPHOTOMETER SOFTWARE. WIN XP OR WIN 7 REQUIRED Inc ST&ARD CURVE, ABS./%T/CONC.,& ABS.VS.TIME. Inc USB CABLE.
S-1100-401	UNICO APPLICATION SOFTWARE FOR PC'S, WINDOWS XP /WINDOWS 7 REQUIRED. PROGRAMS INCLUDE ST&ARD CURVE, ABS./%T/CONC., & ABS.VS.TIME. Inc USB CABLE.
<b>S1000 AND S1100</b>	<b>PARTS AND ACCESSORIES</b>
S-1100-101	EXPERIMENT MANUAL Inc SAFETY IN THE LAB, 10 EXPERIMENTS, & INSTRUCTOR'S GUIDE
S-1100-102	TEST TUBE SAMPLE HOLDER FOR 10 MM DIAMETER TEST TUBES (ST&ARD w/ INSTRUMENT)
S-1100-103	SQUARE CUVETTE ADAPTER FOR 10 MM CUVETTES (ST&ARD w/ INSTRUMENT)
S-1100-512	DUST COVER FOR S-1100, S-1100RS SPECTROPHOTOMETER
S-2100-220	POWER CORD, EUROPEAN PLUG
S-1100-505	HALOGEN BULB, PACKAGE OF 1 (6V/10W, G4 PIN)
S-1100-513	FUSE, 3 A, PACKAGE OF 1
S-1100-521	ALLEN WRENCH FOR S-1000, S-1100, S-1100RS SAMPLE HOLDER INSTALLATION
<b>S1200 AND S1205</b>	<b>SERIES SPECTROPHOTOMETERS</b>
S-1200	UNICO MODEL 1200 SPECTROPHOTOMETER 5NM B&PASS COMPLETE w/ 10 MM SINGLE SQUARE CUVETTE HOLDER, V-TYPE HOLDER FOR 8-25 MM ROUND TUBE, A PAIR OF GLASS CUVETTES, 12 PCS OF 10 MM TEST TUBES USB PORT, RS-232 PORT, DUST COVER, USER MANUAL.WAVELENGTH RANGE: 325~1000 NM. VOLTAGE PRESET AT 110V
S-1201	UNICO MODEL 1200 SPECTROPHOTOMETER 5NM B&PASS COMPLETE w/ 4-POSITION CELL HOLDER FOR 10 MM SQUARE CUVETTES, A PAIR OF GLASS CUVETTES, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL WAVELENGTH 325~1000 NM. VOLTAGE PRESET AT 110V
S-1205	NEW UNICO MODEL S-1205 SPECTROPHOTOMETER 5 NM B&PASS, LRG LCD DISPLAY, PROGRAMMABLE. COMPLETE w/ 4-POSITION CELL HOLDER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL WAVELENGTH RANGE: 325~1000 NM, AUTOMATIC WAVELENGTH CHANGE. POWER INPUT 100V-240V (ACCOMMODATE UPTO 50MM PATHLENGTH CUVETTE w/ OPTIONAL CUVETTE HOLDER)
<b>S1200 AND S1205</b>	<b>SOFTWARE</b>
S-1200-401	UNICO APPLICATION SOFTWARE FOR PC'S, WIN XP/ WIN 7 REQUIRED. PROGRAMS INCLUDE ST&ARD CURVE, ABS./%T/CONC., & ABS.VS.TIME. Inc CD SOFTWARE, MANUAL & USB CABLE.
S-1205-401	UNICO S-1205 APPLICATION SOFTWARE FOR PC. WIN XP/ WIN 7 REQUIRED PROGRAMS INCLUDE ST&ARD CURVE, ABS/%T/CONC., & KINETICS & SCANNING. Inc CD SOFTWARE, MANUAL & USB CABLE.
<b>S1200 AND S1205</b>	<b>PARTS AND ACCESSORIES</b>
S-1200-101	TEST TUBE V-TYPE CELL HOLDER w/ BASE FOR 8~25 MM DIAMETER TEST TUBES FOR S-1200 SERIES
S-1200-102	SINGLE SQUARE CUVETTE HOLDER w/ BASE FOR 10 MM CUVETTES FOR S-1200 SERIES
S-1200-103	4-POSITION CELL HOLDER FOR 10 MM SQUARE CUVETTES (ST&ARD IN MODEL 1201) FOR S-1200 SERIES
S-1200-104	LONG PATH 4-CELL HOLDER FOR UP TO 50 MM RECTANGULAR CUVETTES FOR S-1200 SERIES
S-1200-105	WATER-JACKETED CELL HOLDER W/BASE & PANEL FOR TEMPERATURE CONTROLLED APPLICATION FOR S-1200 SERIES
S-1200-111	BLACK BLOCK TO SET 0%T
S-1200-512	DUST COVER FOR S-1200 SPECTROPHOTOMETER
S-1205-515	HALOGEN BULB w/ VERTICAL FILAMENT G4 12V20W FOR S-1205

S-1200-505	HALOGEN BULB, PACKAGE OF 1 (6V/10W, G4 PIN)
<b>S2150 SERIES SPECTROPHOTOMETER</b>	
S-2150	MODEL 2150 SPECTROPHOTOMETER 4 NM B&PASS, WAVELENGTH RANGE 325~1000 NM, AUTOMATIC WAVELENGTH CHANGE, LRG LCD DISPLAY & KEYPAD. PROGRAMMABLE. COMPLETE w/ 4-POSITION 10 MM CELL HOLDER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL. POWER INPUT 100-240V
S-2150UV	MODEL S-2150UV SPECTROPHOTOMETER 4 NM B&PASS, WAVELENGTH RANGE: 200~1000 NM, AUTOMATIC WAVELENGTH CHANGE, LRG LCD DISPLAY & KEYPAD. PROGRAMMABLE. COMPLETE w/ 4-POSITION 10 MM CELL HOLDER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL. POWER INPUT 100-240V
<b>S2150 SOFTWARE</b>	
S-2150-401	UNICO S-2150 SERIES SOFTWARE FOR WINDOWS XP-7-10. FEATURES INCLUDE ST&ARD CURVE, ABS/%T/CONC., KINETICS & SCANNING. Inc SOFTWARE CD, MANUAL & USB CABLE.
<b>S2150 PARTS AND ACCESSORIES</b>	
S-2150-101P	TEST TUBE HOLDER KIT FOR 8~20 MM DIAMETER TEST TUBES. Inc UNIVERSAL BASE, ONE V-TYPE TUBE HOLDER
S-2150-102P	RECTANGULAR LONG PATH CELL HOLDER KIT FOR CELLS UP TO 100 MM PATHLENGTH. Inc UNIVERSAL BASE & ONE HOLDER
S-2150-102P-50	RECTANGULAR LONG PATH CELL HOLDER KIT FOR CELLS UP TO 50 MM PATHLENGTH. Inc UNIVERSAL BASE & ONE HOLDER
S-2150-103P	SINGLE 10 MM SQUARE CUVETTE HOLDER KIT. Inc UNIVERSAL BASE & SQUARE CUVETTE HOLDER
S-2150-104P	CYLINDRICAL CELL HOLDER KIT FOR CELLS UP TO 100 MM PATHLENGTH (22MM DIA.). Inc UNIVERSAL BASE & ONE HOLDER
S-2150-105P	WATER-JACKETED CUVETTE HOLDER KIT FOR 10 MM SINGLE SQUARE CUVETTE Inc UNIVERSAL BASE, WATER-JACKETED HOLDER w/ FLOW-THRU PANEL (WATER BATH REQUIRED)
S-2150-106P	MICRO-CELL HOLDER KIT FOR USE w/ 10 MM MICROCUVETTES. Inc ADJUSTABLE X-Y BASE & SINGLE CUVETTE HOLDER FOR 10 MM SQUARE CUVETTE
S-2150-107P	PELTIER PACKAGE FOR CONTINUOUS TEMPERATURE CONTROL: 15°C~40°C. Inc ITEM # S-2150-109A PELTIER THERMAL ELECTRIC 10 MM CELL HOLDER & ITEM # SQ2800-107B PELTIER CONTROLLER UNIT
S-2150-108A	FLOW-THRU PANEL FOR USE w/ AMBIENT FLOW CELL SYSTEM ON S-2150 SERIES (REQUIRES FLOW CELL, TUBING & ITEM # SQ2800-109B FLOW-THRU/PELTIER CONTROLLER)
S-2150-108P	FLOW-THRU PACKAGE FOR AMBIENT FLOW THROUGH. Inc ITEM #S-2150-108A FLOW-THRU PANEL & ITEM SQ2800-109B FLOW-THRU CONTROLLER (REQUIRES FLOW CELL & TUBING)
S-2150-109A	SIPPER/PELTIER PANEL & 10MM THERMAL ELECTRIC CELL HOLDER FOR S-2150 SERIES
S-2150-109P	PELTIER/SIPPER PACKAGE FOR FLOW-THRU & CONTINUOUS TEMPERATURE CONTROL: 15°C~40°C Inc S-2150-109A PELTIER CELL HOLDER w/ PANEL & # SQ2800-109B PELTIER/FLOW-THRU CONTROLLER (REQUIRES FLOW CELL & TUBING)
S-2150-111	4-POSITION MANUAL CELL HOLDER (ST&ARD w/ THE INSTRUMENT)FOR S-2100 SERIES
S-2150-112	UNIVERSAL BASE. ACCOMMODATES UP TO 2 SAME OR DIFFERENT TYPE OF HOLDERS
S-2150-511	DUST COVER FOR S-2150 SERIES
S-2150-515	HALOGEN BULB FOR S-2150 SERIES, PACKAGE OF 1
S-2150-525	DEUTERIUM BULB w/ FLANGE FOR S-2150UV
<b>SPECTROQUEST SERIES SPECTROPHOTOMETERS</b>	
SQ2800	MODEL SQ2800 SCANNING SPECTROPHOTOMETER-SINGLE BEAM, 4NM B&PASS w/ LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, ST&ARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING & DNA/PROTEIN COMPLETE w/ 4-POSITION CELL HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER. 110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 110V
SQ4802	COMPLETE w/ SINGLE CUVETTE HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER. 110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 220V
<b>SPECTROQUEST SOFTWARE</b>	

SQ2800-401	ADVANCED PC WINDOW SOFTWARE PACKAGE FOR SQ2800/2802 FEATURING %T/ABS/CONC, ST&ARD CURVE, KINETICS, DNA/PROTEIN, SCANNING, MULTI-WAVELENGTH. USB CABLE & MANUAL Inc.
SQ3802-401	ADVANCED PC WINDOW SOFTWARE PACKAGE FOR SQ3802 FEATURING %T/ABS/CONC, ST&ARD CURVE, KINETICS, DNA/PROTEIN, SCANNING, MULTI-WAVELENGTH. USB CABLE & MANUAL Inc.
SQ4802-401	ADVANCED PC WINDOW SOFTWARE PACKAGE FOR SQ4802 FEATURING %T/ABS/CONC, ST&ARD CURVE, KINETICS, DNA/PROTEIN, SCANNING, MULTI-WAVELENGTH. USB CABLE & MANUAL Inc.
<b>SPECTROQUEST PARTS</b>	
SQ2800-101P	TEST TUBE HOLDER KIT FOR 8~20MM DIAMETER TEST TUBES. Inc UNIVERSAL BASE, V-TYPE TUBE HOLDER
SQ2800-102P	LONG PATH CELL HOLDER KIT FOR 4 CELLS UP TO 100 MM. PATHLENGTH. Inc UNIVERSAL BASE & ONE HOLDER
SQ2800-102P-50	LONG PATH CELL HOLDER KIT FOR 4 CELLS UP TO 50 MM. PATHLENGTH. Inc UNIVERSAL BASE & ONE HOLDER
SQ2800-103P	4 PLACE CELL MANUAL HOLDER FOR 10MM CUVETTES. ST&ARD w/ THE SQ2800, 2802, 2802S
SQ2800-104P	CYLINDRICAL CELL HOLDER KIT FOR CELLS UP TO 100 MM PATHLENGTH. (22MM DIA.). Inc UNIVERSAL BASE & ONE HOLDER
SQ2800-105P	WATER-JACKETED CUVETTE HOLDER KIT FOR 10 MM SINGLE SQUARE CUVETTE Inc UNIVERSAL BASE, WATER-JACKETED HOLDER w/ FLOWTHRU PANEL (WATER BATH REQUIRED)
SQ2800-106P	MICRO CELL HOLDER KIT FOR USE w/ 10 MM MICROCUVETTES. Inc ADJUSTABLE X-Y BASE & SINGLE CUVETTE HOLDER FOR 10MM SQUARE CUVETTE
SQ2800-107A	PELTIER THERMOELECTRIC SINGLE CELL HOLDER w/ PANEL
SQ2800-107B	PELTIER CONTROLLER UNIT FOR CONTROLLING TEMPERATURE: 15°C~40°C (REQUIRES PELTIER CELL HOLDER #SQ2800-107A)
SQ2800-107P	PELTIER PACKAGE FOR CONTINUOUS TEMPERATURE CONTROL FROM 15° TO 40° C. Inc P/N SQ2800-107A PELTIER THERMAL ELECTRIC 10MM CELL HOLDER w/ PANEL & P/N SQ2800-107B PELTIER CONTROLLER UNIT
SQ2800-108A	FLOW-THRU PANEL FOR USE w/ AMBIENT FLOWCELL SYSTEM (REQUIRES FLOWCELL, TUBING & P/N SQ2800-109B FLOW-THRU/PELTIER CONTROLLER)
SQ2800-108P	AMBIENT FLOW-THRU PACKAGE. Inc P/N SQ2800-108A FLOW-THRU PANEL & P/N SQ2800-109B FLOW-THRU/PELTIER CONTROLLER & (REQUIRES FLOWCELL & TUBING)
SQ2800-109A	PELTIER/SIPPER PANEL & THERMOELECTRIC SINGLE CELL HOLDER FOR TEMPERATURE-CONTROLLED FLOW-THRU SETUP (REQUIRES FLOWCELL, TUBING & P/N SQ2800-109B PELTIER/SIPPER CONTROLLER)
SQ2800-109B	PELTIER/SIPPER CONTROLLER UNIT CONTROLLING TEMPERATURE: 15°C~40°C (REQUIRES SQ2800-109A)
SQ2800-109P	PELTIER/SIPPER PACKAGE FOR FLOW THROUGH & CONTINUOUS TEMPERATURE CONTROL FROM 15° TO 40°C Inc P/N S-2800-109A PELTIER/SIPPER CELL HOLDER w/ PANEL & P/N SQ2800-109B PELTIER/FLOW-THRU CONTROLLER(REQUIRES FLOWCELL & TUBING)
SQ2800-121	8-POSITION AUTO CELL CHANGER FOR USE w/ SQ2800/2802/3802 SERIES
SQ4802-120	6-POSITION AUTO CELL CHANGER FOR USE w/ SQ4802 SERIES
SQ2800-515	HALOGEN BULB FOR SQ2800 ONLY, PACKAGE OF 1 (12V 20W VERTICAL FILAMENT)
SQ2802-515	HALOGEN BULB FOR SQ2802/SQ3802/SQ4802, PACKAGE OF 1 (12V 20W HORIZONTAL FILAMENT)
SQ2800-525	DEUTERIUM BULB w/ HANGING-BRACKET FOR MODEL SQ2800 w/ S/N SQH07XXXXX OR EARLIER, PACKAGE OF 1
SQ2800-528	DEUTERIUM BULB w/ FLANGE FOR MODEL SQ2800 w/ S/N SQH08XXXXX OR NEWER, PACKAGE OF 1
SQ2802-525	DEUTERIUM BULB w/ FLANGE FOR ALL SQ2802/SQ3802/SQ4802 & THE NEWER SQ2800 w/ S/N SQH08XXXX
SQ2800-112	UNIVERSAL BASE FOR SQ SERIES
SQ2800-511	DUST COVER FOR SQ SERIES
SQ2800-535	FUSE, 3 A, QUANTITY 1
<b>PHOTOMETRIC FILTERS</b>	
<b>PHOTOMETRIC ACCURACY</b>	
S-90-9110	ABSORBANCE CALIBRATION FILTER, 10%T, FACTORY CERTIFIED
S-90-9150	ABSORBANCE CALIBRATION FILTER, 50%T, FACTORY CERTIFIED
<b>WL ACCURACY</b>	
S-90-9115	HOLMIUM FILTER FOR WAVELENGTH CALIBRATION, FACTORY CERTIFIED

S-90-9116	DIDYMIUM FILTER FOR WAVELENGTH CALIBRATION, FACTORY CERTIFIED
<b>STRAY LIGHT</b>	
S-90-9122	STRAY LIGHT CHECK FILTER, 220NM, FACTORY CALIBRATED
S-90-9134	STRAY LIGHT CHECK FILTER, 340NM, FACTORY CALIBRATED
S-90-9140	STRAY LIGHT CHECK FILTER, 400NM, FACTORY CALIBRATED
<b>FILTER SET</b>	
S-90-9101	FACTORY CERTIFIED CALIBRATION FILTER SET: INCL. 10%T, 50%T FILTERS & DIDYMIUM FILTER
<b>CUVETTES AND TEST TUBES</b>	
<b>10 MM PATHLENGTH</b>	
S-90-304-1G	GLASS, SQUARE, 10MM PATHLENGTH, 3.5ML Cap, VISIBLE ONLY, EACH
S-90-304G	GLASS, SQUARE, 10MM PATHLENGTH, 3.5ML Cap, VISIBLE ONLY, PACK OF 2
S-90-309-1Q	QUARTZ, SQUARE, 10MM PATHLENGTH, 3.5ML Cap, UV-VIS , EACH
S-90-309Q	QUARTZ, SQUARE, 10MM PATHLENGTH, 3.5ML Cap, UV- VIS , PACK OF 2
S-90-301	GLASS TUBE, 10MM PATHLENGTH, 4 ML Cap, VISIBLE , BOX OF 12
S-90-302P-100	POLYSTYRENE, SQUARE, 10MM PATHLENGTH, 3.5ML Cap, VISIBLE ONLY, BOX OF 100 PIECES
S-90-302P-500	POLYSTYRENE, SQUARE, 10MM PATHLENGTH, 3.5ML Cap, VISIBLE ONLY, BOX OF 500 PIECES
S-90-305P	POLYSTYRENE, SQUARE, 10MM PATHLENGTH, 1.5ML Cap, VISIBLE ONLY, BOX OF 500
<b>NON-10 MM PATHLENGTH</b>	
S-90-308-50G	GLASS CYLINDR, 50MM PATHLENGTH; 14.1 ML Cap, VISIBLE ONLY, EACH
S-90-308-100G	GLASS CYLINDR, 100MM PATHLENGTH; 14.1 ML Cap, VISIBLE ONLY, EACH
S-90-310Q	QUARTZ, RECTANGULAR, 5MM PATHLENGTH, 1.7ML Cap, UV-VIS, EACH
S-90-311Q	QUARTZ,RECTANGULAR, 50 MM PATHLENGTH, 17.5 ML Cap UV-VIS, EACH
S-90-312Q	QUARTZ, RECTANGULAR,30 MM PATHLENGTH, 10.5 ML Cap UV-VIS, EACH
S-90-313Q	QUARTZ, RECTANGULAR,20 MM PATHLENGTH, 7.0 ML Cap UV-VIS, EACH
S-90-314Q	QUARTZ, RECTANGULAR,100 MM PATHLENGTH, 35 ML Cap UV-VIS, EACH
S-90-320G	GLASS, RECTANGULAR,20 MM PATHLENGTH, 7.0 ML Cap VISIBLE ONLY, EACH
S-90-321G	GLASS, RECTANGULAR,50 MM PATHLENGTH, 17.5 ML Cap VISIBLE ONLY, EACH
S-90-322G	GLASS, RECTANGULAR,100 MM PATHLENGTH, 35.0 ML Cap, VISIBLE ONLY, EACH
S-90-330G	GLASS, RECTANGULAR,1 MM PATHLENGTH, 0.35 ML Cap, VISIBLE ONLY, EACH
S-90-331Q	QUARTZ, RECTANGULAR,1 MM PATHLENGTH, 0.35 ML Cap UV-VIS, EACH
S-90-332G	GLASS, RECTANGULAR, 2 MM PATHLENGTH, 0.7 ML Cap VISIBLE ONLY, EACH
S-90-333Q	QUARTZ, RECTANGULAR, 2 MM PATHLENGTH, 0.7 ML Cap UV-VIS, EACH
S-90-335Q	QUARTZ, RECTANGULAR, 3MM PATHLENGTH, 1 ML Cap UV-VIS, EACH
<b>FLOWCELLS</b>	
S-90-344FG	GLASS, SQUARE, 10X4X12 MM, 0.48 ML, VISIBLE ONLY, EACH
S-90-345FG	GLASS, SQUARE, 10X3 MM (DIA.), 0.07 ML, VISIBLE ONLY, EACH
S-90-346FQ	QUARTZ, SQUARE, 10X4X12 MM, 0.48 ML, UV-VIS , EACH
S-90-347FQ	QUARTZ, SQUARE, 10X3 MM (DIA.), 0.07ML, IV-VIS EACH
<b>10MM SEMI-MICRO AND MICRO</b>	
S-90-350G	GLASS, LID, 10X4, 1.0 ML, VISIBLE ONLY, EACH
S-90-351Q	QUARTZ, LID, 10X4, 1.0 ML, UV-VIS , EACH
S-90-353G	GLASS, 10X2, 0.5ML, VISIBLE ONLY, EACH

S-90-354Q	QUARTZ, 10X2, 0.5ML, UV-VIS , EACH
S-90-356G	GLASS, LID, 10X1, 0.25ML, VISIBLE ONLY, EACH
S-90-357Q	QUARTZ, LID, 10X1, 0.25ML, UV-VIS, EACH
S-90-358Q	QUARTZ, STOPPER, 10X2X5MM, 0.100ML, UV-VIS, EACH
S-90-359Q	QUARTZ, STOPPER, 10X2X2.5MM, 0.050ML, UV-VIS, EACH
<b>LABORATORY ORGANIZERS AND ACCESSORIES</b>	
11410	SHIELD, BIOHAZARD, ACRYLIC, EACH
20500	TOWEL DISPENSER, TRIFOLD, SMALL
20600	TOWEL DISPENSER, LRG
20650	KIMWIPE DISPENSER, SMALL BOX, EA.
20655	KIMWIPE DISPENSER, LRG. BOX EA.
22150	GLOVE BOX DISPENSER, 1 HORIZONTAL
22250	GLOVE BOX DISPENSER, 2 HORIZONTAL
22272	GLOVE BOX DISPENSER, 2 VERTICAL
22350	GLOVE BOX DISPENSER, 3 HORIZONTAL
22373	GLOVE BOX DISPENSER, 3 VERTICAL
22650	COMBO GLOVE BOX / PAPER TOWEL DISPENSER
30100	CHART HOLDER, WALL MOUNT, EA.
44510	PETRI DISH RACK, WIRE RACKS, STACKABLE (each)
44525	PETRI DISH RACK CADDY, STAINLESS STEEL, STACKABLE
48700	PHLEBOTOMY TRAY, w/ TUBE CUBES (4)
48710	PHLEBOTOMY TRAY PLUS, w/ TUBE CUBES (4), BIN CUPS (5)
49500	MULTITASK ORGANIZER, ACRYLIC
52300	TUBE RACK / DISPENSER, 3x3 TIER
52400	TUBE RACK / DISPENSER, 4x4 TIER
54100	TUBE CUBE, TUBE RACK, 1 PLACE, HOLDS UP TO 66MM DIA. TUBES, PK/4
54101	TUBE CUBE, TUBE RACK, 1 PLACE, HOLDS UP TO 66MM DIA. TUBES, SINGLE
54400	TUBE CUBE, TUBE RACK, 4 PLACE, HOLDS 26-30MM DIA. TUBES, PK/4
54500	T-RACKS™ 50 PLACE 13-16MM EXP&ABLE, EACH
54510	T-RACKS™ 50 PLACE 10-13MM EXP&ABLE, EACH
54520	T-RACKS™ 50 PLACE 25 HOLES OF 10-13MM & 25 OF 13-16MM EXP&ABLE, EACH
54530	T-RACKS™ 25 PLACE 10-13MM EXP&ABLE, EACH
54540	T-RACKS™ 25 PLACE 13-16MM EXP&ABLE, EACH
54900	TUBE CUBE, TUBE RACK, 9 PLACE, HOLDS 8-13MM DIA. TUBES, PK/4
54901	TUBE CUBE, TUBE RACK, 9 PLACE, HOLDS 8-13MM DIA. TUBES, SINGLE
84510	ANTI-FATIGUE MAT, 2' X 3', BLACK
84515	ANTI-FATIGUE MAT, 3' X 5', BLACK
91005	SLIDE STAINING RAIL
91250	MICROSCOPY ORGANIZER KIT, ACRYLIC
54500-2	T-RACKS™ 50 PLACE 13-16MM EXP&ABLE, PK/2
54510-2	T-RACKS™ 50 PLACE 10-13MM EXP&ABLE, PK/2
54520-2	T-RACKS™ 50 PLACE 25 HOLES OF 10-13MM & 25 OF 13-16MM EXP&ABLE, PK/2

54530-2	T-RACKS™ 25 PLACE 10-13MM EXP&ABLE, PK/2
54540-2	T-RACKS™ 25 PLACE 13-16MM EXP&ABLE, PK2
	* PRICES ARE SUBJECT TO CHANGE w/OUT NOTICE
	* PRICES SHOWN ARE THE MANUFACTUERS' SUGGESTED LIST PRICES
	© CONFIDENTIAL INFORMATION: PROPERTY OF UNICO®, UNITED PRODUCTS & INSTRUMENTS, INC
	UNITED PRODUCTS & INSTRUMENTS, INC., DBA: UNICO

© CONFIDENTIAL INFORMATION: PROPERTY OF UNICO®, UNITED PRODUCTS & INSTRUMENTS, INC